

# Canadian Longitudinal Study In Aging CLSA01

## - Variable List -

*Disclaimer: This variable list is not a final product but is intended to provide information about the variables in this data set while a codebook is being developed. Due to the ongoing nature of this work, NB-IRDT makes no guarantee that the information herein is complete.*

### CombinedSampleWeights\_Baseline

| Variable Name         | Label                   | Type |
|-----------------------|-------------------------|------|
| entity_id             | Entity ID               | Num  |
| WGHTS_ANALYTIC_CLSAM  | Analytic Weights        | Num  |
| WGHTS_INFLATION_CLSAM | Inflation Weights       | Num  |
| GEOSTRATA_CLSAM       | Sampling Strata         | Char |
| WGHTS_PROV_TRM        | Province at Recruitment | Char |
| WGHTS_ANALYTIC_TRM    | Analytic Weights        | Char |
| WGHTS_INFLATION_TRM   | Inflation Weights       | Char |
| GEOSTRATA_TRM         | Sampling Strata         | Char |
| WGHTS_PROV_COM        | Province at Recruitment | Char |
| WGHTS_ANALYTIC_COM    | Analytic Weights        | Char |
| WGHTS_INFLATION_COM   | Inflation Weights       | Char |
| GEOSTRATA_COM         | Sampling Strata         | Char |

### Comp\_Cohort\_Baselinemcq\_23

| Variable Name     | Label                                   | Type |
|-------------------|---|------|
| scram_id          | scrambled ID                            | Num  |
| startlanguage_COM | Language used at start of interview     | Char |
| ADM_COMPLETE_COM  | Completed maintaining contact interview | Num  |
| startdate_COM     | Date and time at start of interview     | Num  |
| SEX_ASK_COM       | Sex                                     | Char |
| AGE_NMBR_COM      | Age (years)                             | Num  |
| AGE_GRP_COM       | Participant age group                   | Num  |
| SDC_COB_COM       | Country of birth                        | Num  |
| SDC_YACA_YR_COM   | Year arrival in Canada                  | Num  |

|                             |   |     |
|-----------------------------|---|-----|
| <b>SDC_ETHN_CA_COM</b>      | Parental ethnic background<br>Canadian        | Num |
| <b>SDC_ETHN_FR_COM</b>      | Parental ethnic background<br>French          | Num |
| <b>SDC_ETHN_EN_COM</b>      | Parental ethnic background<br>English         | Num |
| <b>SDC_ETHN_DE_COM</b>      | Parental ethnic background<br>German          | Num |
| <b>SDC_ETHN_GD_COM</b>      | Parental ethnic background<br>Scottish        | Num |
| <b>SDC_ETHN_GA_COM</b>      | Parental ethnic background<br>Irish           | Num |
| <b>SDC_ETHN_IT_COM</b>      | Parental ethnic background<br>Italian         | Num |
| <b>SDC_ETHN_UK_COM</b>      | Parental ethnic background<br>Ukrainian       | Num |
| <b>SDC_ETHN_NL_COM</b>      | Parental ethnic background<br>Dutch           | Num |
| <b>SDC_ETHN_ZH_COM</b>      | Parental ethnic background<br>Chinese         | Num |
| <b>SDC_ETHN_HE_COM</b>      | Parental ethnic background<br>Hebrew          | Num |
| <b>SDC_ETHN_PL_COM</b>      | Parental ethnic background<br>Polish          | Num |
| <b>SDC_ETHN_PT_COM</b>      | Parental ethnic background<br>Portuguese      | Num |
| <b>SDC_ETHN_SA_COM</b>      | Parental ethnic background<br>South Asian     | Num |
| <b>SDC_ETHN_NO_COM</b>      | Parental ethnic background<br>Norwegian       | Num |
| <b>SDC_ETHN_CY_COM</b>      | Parental ethnic background<br>Welsh           | Num |
| <b>SDC_ETHN_SV_COM</b>      | Parental ethnic background<br>Swedish         | Num |
| <b>SDC_ETHN_OT_COM</b>      | Parental ethnic background<br>Other           | Num |
| <b>SDC_ETHN_DK_NA_COM</b>   | Parental ethnic background<br>Don't know      | Num |
| <b>SDC_ETHN_REFUSED_COM</b> | Parental ethnic background<br>Refused         | Num |
| <b>SDC_ETHN_OTSP01_COM</b>  | Parental ethnic background<br>Other, Specify1 | Num |
| <b>SDC_ETHN_OTSP02_COM</b>  | Parental ethnic background<br>Other, Specify2 | Num |
| <b>SDC_ETHN_OTSP03_COM</b>  | Parental ethnic background<br>Other, Specify3 | Num |
| <b>SDC_ETHN_OTSP04_COM</b>  | Parental ethnic background<br>Other, Specify4 | Num |

|                             |   |     |
|-----------------------------|---|-----|
| <b>SDC_CULT_WH_COM</b>      | Participant's cultural background White           | Num |
| <b>SDC_CULT_ZH_COM</b>      | Participant's cultural background Chinese         | Num |
| <b>SDC_CULT_SA_COM</b>      | Participant's cultural background South Asian     | Num |
| <b>SDC_CULT_BL_COM</b>      | Participant's cultural background Black           | Num |
| <b>SDC_CULT_FP_COM</b>      | Participant's cultural background Filipino        | Num |
| <b>SDC_CULT_LA_COM</b>      | Participant's cultural background Latin American  | Num |
| <b>SDC_CULT_SE_COM</b>      | Participant's cultural background Southeast Asian | Num |
| <b>SDC_CULT_AR_COM</b>      | Participant's cultural background Arab            | Num |
| <b>SDC_CULT_WA_COM</b>      | Participant's cultural background West Asian      | Num |
| <b>SDC_CULT_JA_COM</b>      | Participant's cultural background Japanese        | Num |
| <b>SDC_CULT_KO_COM</b>      | Participant's cultural background Korean          | Num |
| <b>SDC_CULT_OT_COM</b>      | Participant's cultural background Other           | Num |
| <b>SDC_CULT_DK_NA_COM</b>   | Participant's cultural background Don't know      | Num |
| <b>SDC_CULT_REFUSED_COM</b> | Participant's cultural background Refused         | Num |
| <b>SDC_LANG_EN_COM</b>      | Language conversation English                     | Num |
| <b>SDC_LANG_FR_COM</b>      | Language conversation French                      | Num |
| <b>SDC_LANG_AR_COM</b>      | Language conversation Arabic                      | Num |
| <b>SDC_LANG_CN_COM</b>      | Language conversation Cantonese                   | Num |
| <b>SDC_LANG_DE_COM</b>      | Language conversation German                      | Num |
| <b>SDC_LANG_EL_COM</b>      | Language conversation Greek                       | Num |
| <b>SDC_LANG_HU_COM</b>      | Language conversation Hungarian                   | Num |
| <b>SDC_LANG_IT_COM</b>      | Language conversation Italian                     | Num |
| <b>SDC_LANG_KO_COM</b>      | Language conversation Korean                      | Num |
| <b>SDC_LANG_MA_COM</b>      | Language conversation Mandarin                    | Num |

|                             |  |     |
|-----------------------------|--|-----|
| <b>SDC_LANG_FA_COM</b>      | Language conversation Persian (Farsi)          | Num |
| <b>SDC_LANG_PL_COM</b>      | Language conversation Polish                   | Num |
| <b>SDC_LANG_PT_COM</b>      | Language conversation Portuguese               | Num |
| <b>SDC_LANG_PJ_COM</b>      | Language conversation Punjabi                  | Num |
| <b>SDC_LANG_ES_COM</b>      | Language conversation Spanish                  | Num |
| <b>SDC_LANG_TL_COM</b>      | Language conversation Tagalog (Filipino)       | Num |
| <b>SDC_LANG_UK_COM</b>      | Language conversation Ukrainian                | Num |
| <b>SDC_LANG_VI_COM</b>      | Language conversation Vietnamese               | Num |
| <b>SDC_LANG_NL_COM</b>      | Language conversation Dutch                    | Num |
| <b>SDC_LANG_HI_COM</b>      | Language conversation Hindi                    | Num |
| <b>SDC_LANG_RU_COM</b>      | Language conversation Russian                  | Num |
| <b>SDC_LANG_TA_COM</b>      | Language conversation Tamil                    | Num |
| <b>SDC_LANG_OT_COM</b>      | Language conversation Other                    | Num |
| <b>SDC_LANG_DK_NA_COM</b>   | Language conversation Don't know               | Num |
| <b>SDC_LANG_REFUSED_COM</b> | Language conversation Refused                  | Num |
| <b>SDC_IGMST_COM</b>        | Language most spoken at home                   | Num |
| <b>SDC_LANG_OTSP01_COM</b>  | Language conversation Other, Specify1          | Num |
| <b>SDC_LANG_OTSP02_COM</b>  | Language conversation Other, Specify2          | Num |
| <b>SDC_LANG_OTSP03_COM</b>  | Language conversation Other, Specify3          | Num |
| <b>SDC_LANG_OTSP04_COM</b>  | Language conversation Other, Specify4          | Num |
| <b>SDC_FTLG_OTSP01_COM</b>  | Language first learned at home Other, Specify1 | Num |
| <b>SDC_FTLG_OTSP02_COM</b>  | Language first learned at home Other, Specify2 | Num |
| <b>SDC_FTLG_EN_COM</b>      | Language first learned at home English         | Num |
| <b>SDC_FTLG_FR_COM</b>      | Language first learned at home French          | Num |
| <b>SDC_FTLG_AR_COM</b>      | Language first learned at home Arabic          | Num |

|                             |   |     |
|-----------------------------|---|-----|
| <b>SDC_FTLG_CN_COM</b>      | Language first learned at home Cantonese          | Num |
| <b>SDC_FTLG_DE_COM</b>      | Language first learned at home German             | Num |
| <b>SDC_FTLG_EL_COM</b>      | Language first learned at home Greek              | Num |
| <b>SDC_FTLG_HU_COM</b>      | Language first learned at home Hungarian          | Num |
| <b>SDC_FTLG_IT_COM</b>      | Language first learned at home Italian            | Num |
| <b>SDC_FTLG_KO_COM</b>      | Language first learned at home Korean             | Num |
| <b>SDC_FTLG_MA_COM</b>      | Language first learned at home Mandarin           | Num |
| <b>SDC_FTLG_FA_COM</b>      | Language first learned at home Persian (Farsi)    | Num |
| <b>SDC_FTLG_PL_COM</b>      | Language first learned at home Polish             | Num |
| <b>SDC_FTLG_PT_COM</b>      | Language first learned at home Portuguese         | Num |
| <b>SDC_FTLG_PJ_COM</b>      | Language first learned at home Punjabi            | Num |
| <b>SDC_FTLG_ES_COM</b>      | Language first learned at home Spanish            | Num |
| <b>SDC_FTLG_TL_COM</b>      | Language first learned at home Tagalog (Filipino) | Num |
| <b>SDC_FTLG_UK_COM</b>      | Language first learned at home Ukrainian          | Num |
| <b>SDC_FTLG_VI_COM</b>      | Language first learned at home Vietnamese         | Num |
| <b>SDC_FTLG_NL_COM</b>      | Language first learned at home Dutch              | Num |
| <b>SDC_FTLG_HI_COM</b>      | Language first learned at home Hindi              | Num |
| <b>SDC_FTLG_RU_COM</b>      | Language first learned at home Russian            | Num |
| <b>SDC_FTLG_TA_COM</b>      | Language first learned at home Tamil              | Num |
| <b>SDC_FTLG_OT_COM</b>      | Language first learned at home Other              | Num |
| <b>SDC_FTLG_DK_NA_COM</b>   | Language first learned at home Don't know         | Num |
| <b>SDC_FTLG_REFUSED_COM</b> | Language first learned at home Refused            | Num |
| <b>SDC_RELG_COM</b>         | Religion  | Num |
| <b>SDC_MRTL_COM</b>         | Marital/partner status                            | Num |
| <b>SDC_ORTN_COM</b>         | Sexual orientation                                | Num |

|                             |   |     |
|-----------------------------|---|-----|
| <b>OWN_DWLG_COM</b>         | Dwelling type   | Num |
| <b>OWN_OWN_COM</b>          | Dwelling ownership/ rent status                               | Num |
| <b>OWN_MRTG_COM</b>         | Dwelling mortgage status                                      | Num |
| <b>ED_ELHS_COM</b>          | Education highest elementary or high school grade             | Num |
| <b>ED_HSGR_COM</b>          | Education high school graduated                               | Num |
| <b>ED_OTED_COM</b>          | Education other degree  | Num |
| <b>ED_HIGH_COM</b>          | Education highest degree                                      | Num |
| <b>VET_OCC_COM</b>          | Military forces   | Num |
| <b>VET_OCC_OUTSIDE_COM</b>  | Military forces other country                                 | Num |
| <b>VET_SERV_AR_COM</b>      | Military service Army   | Num |
| <b>VET_SERV_NV_COM</b>      | Military service Navy   | Num |
| <b>VET_SERV_AF_COM</b>      | Military service Air Force                                    | Num |
| <b>VET_SERV_RES_COM</b>     | Military service Reserves                                     | Num |
| <b>VET_SERV_OT_COM</b>      | Military service Other  | Num |
| <b>VET_SERV_DK_NA_COM</b>   | Military service Don't know                                   | Num |
| <b>VET_SERV_REFUSED_COM</b> | Military service Refused answer                               | Num |
| <b>VET_CRNT_COM</b>         | Military forces current                                       | Num |
| <b>VET_RLSE_YR_COM</b>      | Military forces release year                                  | Num |
| <b>VET_JOIN_YR_COM</b>      | Military forces join year                                     | Num |
| <b>SMK_100CG_COM</b>        | Ever smoked 100 cigarettes or more                            | Num |
| <b>SMK_WHLCG_COM</b>        | Ever smoked a whole cigarette                                 | Num |
| <b>SMK_FRSTCG_AG_COM</b>    | Age first smoked a whole cigarette                            | Num |
| <b>SMK_CURRCG_COM</b>       | Current frequency cigarettes smoked                           | Num |
| <b>SMK_CGDL_AG_COM</b>      | Age began, current daily cigarette smoker                     | Num |
| <b>SMK_NBCG_COM</b>         | Current number of cigarettes smoked per day                   | Num |
| <b>SMK_NBCG_NB_COM</b>      | Current number of cigarettes smoked per day, more than 26     | Num |
| <b>SMK_YRDL_NB_COM</b>      | Total years of daily cigarette consumption, smoker            | Num |
| <b>SMK_FRQDL_COM</b>        | Quantity of cigarettes smoked when daily smoker               | Num |
| <b>SMK_FRQDL_NB_COM</b>     | Quantity of cigarettes smoked when daily smoker, more than 26 | Num |

|                               |  |     |
|-------------------------------|--|-----|
| <b>SMK_LST30_COM</b>          | Days smoked cigarettes in last 30 days, occasional smoker                                | Num |
| <b>SMK_NB30_COM</b>           | Number of cigarettes smoked in last 30 days, occasional smoker                           | Num |
| <b>SMK_NB30_NB_COM</b>        | Number of cigarettes smoked in last 30 days, occasional smoker, more than 26             | Num |
| <b>SMK_EVRDL_COM</b>          | Ever smoked cigarettes daily   | Num |
| <b>SMK_SMKDL_AG_COM</b>       | Age began cigarettes smoked daily in past, non smoker or occasional smoker               | Num |
| <b>SMK_NBDL_COM</b>           | Number of cigarettes smoked daily in past, non smoker or occasional smoker               | Num |
| <b>SMK_NBDL_NB_COM</b>        | Number of cigarettes smoked daily in past, non smoker or occasional smoker, more than 26 | Num |
| <b>SMK_TOTYR_NB_COM</b>       | Total years past daily cigarette consumption, non smoker or occasional smoker            | Num |
| <b>SMK_STOP_COM</b>           | When stopped daily cigarette consumption, non smoker or occasional smoker                | Num |
| <b>SMK_OTREG_COM</b>          | Ever used other tobacco or nicotine products   | Num |
| <b>SMK_TYPEOT_CG_COM</b>      | Ever used cigars   | Num |
| <b>SMK_TYPEOT_SM_COM</b>      | Ever used small cigars   | Num |
| <b>SMK_TYPEOT_PI_COM</b>      | Ever used tobacco pipes  | Num |
| <b>SMK_TYPEOT_CH_COM</b>      | Ever used chewing tobacco or snuff   | Num |
| <b>SMK_TYPEOT_PT_COM</b>      | Ever used nicotine patches   | Num |
| <b>SMK_TYPEOT_GU_COM</b>      | Ever used nicotine gum   | Num |
| <b>SMK_TYPEOT_BE_COM</b>      | Ever used betel nut  | Num |
| <b>SMK_TYPEOT_PN_COM</b>      | Ever used paan   | Num |
| <b>SMK_TYPEOT_SH_COM</b>      | Ever used sheesha  | Num |
| <b>SMK_TYPEOT_OT_COM</b>      | Ever used other types of tobacco or nicotine products                                    | Num |
| <b>SMK_TYPEOT_DK_NA_COM</b>   | Ever used other tobacco or nicotine products, Don't know                                 | Num |
| <b>SMK_TYPEOT_REFUSED_COM</b> | Ever used other tobacco or nicotine products, Refused to answer                          | Num |
| <b>SMK_TYPEOT_CA_COM</b>      | Ever used cannabis   | Num |
| <b>SMK_OTOCC_COM</b>          | Current user of other tobacco or nicotine products                                       | Num |

|                               |   |     |
|-------------------------------|---|-----|
| <b>SMK_OTCURREG_COM</b>       | Current user of cigars  | Num |
| <b>SMK_OTCURRESM_COM</b>      | Current user of small cigars  | Num |
| <b>SMK_OTCURREPI_COM</b>      | Current user of tobacco pipes   | Num |
| <b>SMK_OTCURRECH_COM</b>      | Current user of chewing tobacco or snuff                              | Num |
| <b>SMK_OTCURREPT_COM</b>      | Current user of nicotine patches                                      | Num |
| <b>SMK_OTCURREGU_COM</b>      | Current user of nicotine gum  | Num |
| <b>SMK_OTCURREBE_COM</b>      | Current user of betel nut   | Num |
| <b>SMK_OTCURREPN_COM</b>      | Current user of paan  | Num |
| <b>SMK_OTCURRESH_COM</b>      | Current user of sheesha   | Num |
| <b>SMK_OTCURREOT_COM</b>      | Current user of other tobacco or nicotine products other              | Num |
| <b>SMK_OTCURREDK_NA_COM</b>   | Current user of other tobacco or nicotine products, Don't know        | Num |
| <b>SMK_OTCURREREFUSED_COM</b> | Current user of other tobacco or nicotine products, Refused to answer | Num |
| <b>SMK_OTCURRECA_COM</b>      | Current user of cannabis  | Num |
| <b>SMK_CHILD_NB_COM</b>       | Years of passive smoking exposure during childhood                    | Num |
| <b>SMK_ADULT_NB_COM</b>       | Years of passive smoking exposure during adulthood at home            | Num |
| <b>SMK_HOME_COM</b>           | Frequency of usual passive smoking exposure at home                   | Num |
| <b>SMK_ACTV_COM</b>           | Frequency of usual passive smoking exposure during leisure activities | Num |
| <b>SMK_YEAR_YR_COM</b>        | Years of passive smoking exposure during adulthood at work            | Num |
| <b>ALC_EVER_COM</b>           | Ever alcohol consumption  | Num |
| <b>ALC_FREQ_COM</b>           | Frequency alcohol consumption past 12 months                          | Num |
| <b>ALC_RDWD_NB_COM</b>        | Red wine consumed on weekdays (number of drinks)                      | Num |
| <b>ALC_WHWD_NB_COM</b>        | White wine consumed on weekdays (number of drinks)                    | Num |
| <b>ALC_BRWD_NB_COM</b>        | Beer consumed on weekdays (number of drinks)                          | Num |
| <b>ALC_LQWD_NB_COM</b>        | Liquors consumed on weekdays (number of drinks)                       | Num |
| <b>ALC_OTWD_NB_COM</b>        | Another kind of alcohol consumed on weekdays (number of drinks)       | Num |



|                        |   |     |
|------------------------|---|-----|
| <b>ALC_RDWE_NB_COM</b> | Red wine consumed on weekends (number of drinks)  | Num |
| <b>ALC_WHWE_NB_COM</b> | White wine consumed on weekends (number of drinks)  | Num |
| <b>ALC_BRWE_NB_COM</b> | Beer consumed on weekends (number of drinks)  | Num |
| <b>ALC_LQWE_NB_COM</b> | Liquors consumed on weekends (number of drinks)   | Num |
| <b>ALC_OTWE_NB_COM</b> | Another kind of alcohol consumed on weekends (number of drinks)                           | Num |
| <b>ALC_MLFQ_COM</b>    | Binge drinking male   | Num |
| <b>ALC_FMFQ_COM</b>    | Binge drinking female   | Num |
| <b>ALC_HVST_COM</b>    | Alcohol consumption compared to heaviest drinking period                                  | Num |
| <b>GEN_HLTH_COM</b>    | Self-rated general health   | Num |
| <b>GEN_MNTL_COM</b>    | Self-rated mental health  | Num |
| <b>GEN_OWNA_G_COM</b>  | Self-rated healthy aging  | Num |
| <b>GEN_BRD_COM</b>     | Play games cards etc  | Num |
| <b>GEN_MUSC_COM</b>    | Play musical instrument or sing   | Num |
| <b>NUT_FBR_COM</b>     | Original unit of response - high fibre breakfast cereals                                  | Num |
| <b>NUT_BRD_COM</b>     | Original unit of response - whole wheat breads, bran breads, multigrain breads, ryebreads | Num |
| <b>NUT_MEAT_COM</b>    | Original unit of response - beef, pork  | Num |
| <b>NUT_MTOT_COM</b>    | Original unit of response - other meats (veal, lamb, game)                                | Num |
| <b>NUT_CHCK_COM</b>    | Original unit of response - chicken, turkey   | Num |
| <b>NUT_FISH_COM</b>    | Original unit of response - fish  | Num |
| <b>NUT_SASG_COM</b>    | Original unit of response - sausages, hot dogs, ham, smoked meat, bacon                   | Num |
| <b>NUT_PATE_COM</b>    | Original unit of response - patés, cretons, terrines                                      | Num |
| <b>NUT_SAUC_COM</b>    | Original unit of response - sauces and gravies  | Num |
| <b>NUT_O3EG_COM</b>    | Original unit of response - omega-3 eggs  | Num |
| <b>NUT_EGGS_COM</b>    | Original unit of response - all egg dishes except omega 3 eggs                            | Num |

|                      |  |     |
|----------------------|--|-----|
| <b>NUT_LEGM_COM</b>  | Original unit of response - legumes: beans, peas, lentils                        | Num |
| <b>NUT_NUTS_COM</b>  | Original unit of response - nuts, seeds and peanut butter                        | Num |
| <b>NUT_FRUT_COM</b>  | Original unit of response - fruit  | Num |
| <b>NUT_GREEN_COM</b> | Original unit of response - green salad  | Num |
| <b>NUT_PTTO_COM</b>  | Original unit of response - potatoes   | Num |
| <b>NUT_FRIE_COM</b>  | Original unit of response - french fries or pan-fried potatoes, poutine          | Num |
| <b>NUT_CRRT_COM</b>  | Original unit of response - carrots  | Num |
| <b>NUT_VGOT_COM</b>  | Original unit of response - other vegetables (except carrots, potatoes or salad) | Num |
| <b>NUT_LWCS_COM</b>  | Original unit of response - all low-fat cheeses                                  | Num |
| <b>NUT_CHSE_COM</b>  | Original unit of response - all regular cheeses                                  | Num |
| <b>NUT_LWYG_COM</b>  | Original unit of response - yogurt (low-fat)                                     | Num |
| <b>NUT_YOGR_COM</b>  | Original unit of response - yogurt (regular)                                     | Num |
| <b>NUT_CALC_COM</b>  | Original unit of response - calcium-fortified foods                              | Num |
| <b>NUT_DAIR_COM</b>  | Original unit of response - milk-based desserts                                  | Num |
| <b>NUT_SALT_COM</b>  | Original unit of response - salty snacks   | Num |
| <b>NUT_DSRT_COM</b>  | Original unit of response - pasteries  | Num |
| <b>NUT_CHOC_COM</b>  | Original unit of response - chocolate bars                                       | Num |
| <b>NUT_BTTR_COM</b>  | Original unit of response - butter or regular margarine                          | Num |
| <b>NUT_DRSG_COM</b>  | Original unit of response - regular vinaigrettes, dressings, and dips            | Num |
| <b>NUT_CAJC_COM</b>  | Original unit of response - Calcium-fortified juices                             | Num |
| <b>NUT_PURE_COM</b>  | Original unit of response - 100% pure fruit juices                               | Num |
| <b>NUT_CAML_COM</b>  | Original unit of response - calcium-fortified milk (35% more calcium)            | Num |

|                        |   |     |
|------------------------|---|-----|
| <b>NUT_WHML_COM</b>    | Original unit of response - whole milk 3.25% m.f  | Num |
| <b>NUT_LFML_COM</b>    | Original unit of response - 2%, 1%, skim milk   | Num |
| <b>NUT_CADR_COM</b>    | Original unit of response - other calcium-fortified beverages   | Num |
| <b>NUT_FBR_NB_COM</b>  | Frequency of consumption (times per day) of high fibre breakfast cereals                                  | Num |
| <b>NUT_BRD_NB_COM</b>  | Frequency of consumption (times per day) of whole wheat breads, bran breads, multigrain breads, ryebreads | Num |
| <b>NUT_MEAT_NB_COM</b> | Frequency of consumption (times per day) of beef, pork  | Num |
| <b>NUT_MTOT_NB_COM</b> | Frequency of consumption (times per day) of other meats (veal, lamb, game)                                | Num |
| <b>NUT_CHCK_NB_COM</b> | Frequency of consumption (times per day) of chicken, turkey   | Num |
| <b>NUT_FISH_NB_COM</b> | Frequency of consumption (times per day) of fish  | Num |
| <b>NUT_SASG_NB_COM</b> | Frequency of consumption (times per day) of sausages, hot dogs, ham, smoked meat, bacon                   | Num |
| <b>NUT_PATE_NB_COM</b> | Frequency of consumption (times per day) of patés, cretons, terrines                                      | Num |
| <b>NUT_SAUC_NB_COM</b> | Frequency of consumption (times per day) of sauces and gravies  | Num |
| <b>NUT_O3EG_NB_COM</b> | Frequency of consumption (times per day) of omega-3 eggs  | Num |
| <b>NUT_EGGS_NB_COM</b> | Frequency of consumption (times per day) of all egg dishes except omega 3 eggs                            | Num |
| <b>NUT_LEGM_NB_COM</b> | Frequency of consumption (times per day) of legumes: beans, peas, lentils                                 | Num |
| <b>NUT_NUTS_NB_COM</b> | Frequency of consumption (times per day) of nuts, seeds and peanut butter                                 | Num |
| <b>NUT_FRUT_NB_COM</b> | Frequency of consumption (times per day) of fruit   | Num |

|                         |  |     |
|-------------------------|--|-----|
| <b>NUT_GREEN_NB_COM</b> | Frequency of consumption (times per day) of green salad  | Num |
| <b>NUT_PTTO_NB_COM</b>  | Frequency of consumption (times per day) of potatoes   | Num |
| <b>NUT_FRIE_NB_COM</b>  | Frequency of consumption (times per day) of french fries or pan-fried potatoes, poutine          | Num |
| <b>NUT_CRRT_NB_COM</b>  | Frequency of consumption (times per day) of carrots  | Num |
| <b>NUT_VGOT_NB_COM</b>  | Frequency of consumption (times per day) of other vegetables (except carrots, potatoes or salad) | Num |
| <b>NUT_LWCS_NB_COM</b>  | Frequency of consumption (times per day) of all low-fat cheeses                                  | Num |
| <b>NUT_CHSE_NB_COM</b>  | Frequency of consumption (times per day) of all regular cheeses                                  | Num |
| <b>NUT_LWYG_NB_COM</b>  | Frequency of consumption (times per day) of yogurt (low-fat)                                     | Num |
| <b>NUT_YOGR_NB_COM</b>  | Frequency of consumption (times per day) of yogurt (regular)                                     | Num |
| <b>NUT_CALC_NB_COM</b>  | Frequency of consumption (times per day) of calcium-fortified foods                              | Num |
| <b>NUT_DAIR_NB_COM</b>  | Frequency of consumption (times per day) of milk-based desserts                                  | Num |
| <b>NUT_SALT_NB_COM</b>  | Frequency of consumption (times per day) of salty snacks   | Num |
| <b>NUT_DSRT_NB_COM</b>  | Frequency of consumption (times per day) of pasteries  | Num |
| <b>NUT_CHOC_NB_COM</b>  | Frequency of consumption (times per day) of chocolate bars                                       | Num |
| <b>NUT_BTTR_NB_COM</b>  | Frequency of consumption (times per day) of butter or regular margarine                          | Num |
| <b>NUT_DRSG_NB_COM</b>  | Frequency of consumption (times per day) of regular vinaigrettes, dressings, and dips            | Num |
| <b>NUT_CAJC_NB_COM</b>  | Frequency of consumption (times per day) of Calcium-fortified juices                             | Num |

|                            |   |     |
|----------------------------|---|-----|
| <b>NUT_PURE_NB_COM</b>     | Frequency of consumption (times per day) of 100% pure fruit juices                    | Num |
| <b>NUT_CAML_NB_COM</b>     | Frequency of consumption (times per day) of calcium-fortified milk (35% more calcium) | Num |
| <b>NUT_WHML_NB_COM</b>     | Frequency of consumption (times per day) of whole milk 3.25% m.f                      | Num |
| <b>NUT_LFML_NB_COM</b>     | Frequency of consumption (times per day) of 2%, 1%, skim milk                         | Num |
| <b>NUT_CADR_NB_COM</b>     | Frequency of consumption (times per day) of other calcium-fortified beverages         | Num |
| <b>WHO_MENOP_COM</b>       | Occurrence of menopause   | Num |
| <b>WHO_MPAG_AG_COM</b>     | Age of menopause onset  | Num |
| <b>WHO_HRT_COM</b>         | Ever used hormone replacement therapy   | Num |
| <b>WHO_TYPE_COM</b>        | Hormone replacement therapy type  | Num |
| <b>WHO_HRTAG_AG_COM</b>    | Age of hormone replacement therapy onset  | Num |
| <b>WHO_HRTYR_YR_COM</b>    | Duration of use of hormone replacement therapy (in years)                             | Num |
| <b>VIS_SGHT_COM</b>        | Eyesight rating   | Num |
| <b>VIS_AID_COM</b>         | Vision aids use   | Num |
| <b>VIS_USE_MG_COM</b>      | Uses Magnifiers   | Num |
| <b>VIS_USE_BR_COM</b>      | Uses Braille reading materials  | Num |
| <b>VIS_USE_LG_COM</b>      | Uses Larger print reading materials   | Num |
| <b>VIS_USE_TK_COM</b>      | Uses Talking books  | Num |
| <b>VIS_USE_RC_COM</b>      | Uses Recording equipment or portable note-takers                                      | Num |
| <b>VIS_USE_CC_COM</b>      | Uses Closed circuit devices   | Num |
| <b>VIS_USE_CP_COM</b>      | Uses Computer with Braille, large print, or speech access                             | Num |
| <b>VIS_USE_CN_COM</b>      | Uses White cane   | Num |
| <b>VIS_USE_DG_COM</b>      | Uses Guide dog  | Num |
| <b>VIS_USE_OT_COM</b>      | Uses Another vision aid   | Num |
| <b>VIS_USE_DK_NA_COM</b>   | Vision aids use, Don't know   | Num |
| <b>VIS_USE_REFUSED_COM</b> | Vision aids use, Refused to answer  | Num |
| <b>HRG_HRG_COM</b>         | Hearing rating  | Num |

|                            |   |     |
|----------------------------|---|-----|
| <b>HRG_NOIS_COM</b>        | Hearing difficulty with background noise              | Num |
| <b>HRG_AID_COM</b>         | Uses any type of hearing aids                         | Num |
| <b>HRG_USE_AID_COM</b>     | Uses Hearing aid                                      | Num |
| <b>HRG_USE_CP_COM</b>      | Uses Computer to communicate                          | Num |
| <b>HRG_USE_VL_COM</b>      | Uses Volume control telephone                         | Num |
| <b>HRG_USE_TTY_COM</b>     | Uses TTY or TTD                                       | Num |
| <b>HRG_USE_MSG_COM</b>     | Uses Message relay service                            | Num |
| <b>HRG_USE_PH_COM</b>      | Uses Other phone-related devices                      | Num |
| <b>HRG_USE_CC_COM</b>      | Uses Closed caption T.V. or decoder                   | Num |
| <b>HRG_USE_AP_COM</b>      | Uses Amplifiers                                       | Num |
| <b>HRG_USE_VS_COM</b>      | Uses Visual or vibrating alarm                        | Num |
| <b>HRG_USE_CO_COM</b>      | Has Cochlear or other surgical implant                | Num |
| <b>HRG_USE_OT_COM</b>      | Uses Another hearing aid                              | Num |
| <b>HRG_USE_DK_NA_COM</b>   | Type of hearing aids used, Don't know                 | Num |
| <b>HRG_USE_REFUSED_COM</b> | Type of hearing aids used, Refused to answer          | Num |
| <b>HRG_USE_HD_COM</b>      | Uses Earphones/ Headset                               | Num |
| <b>ADL_ABLDR_COM</b>       | OARS scale: Able to dress                             | Num |
| <b>ADL_HPDR_COM</b>        | OARS scale: Able to dress with help                   | Num |
| <b>ADL_UNDR_COM</b>        | OARS scale: Unable to dress                           | Num |
| <b>ADL_ABLFD_COM</b>       | OARS scale: Able to feed                              | Num |
| <b>ADL_HPFD_COM</b>        | OARS scale: Able to feed with help                    | Num |
| <b>ADL_UNFD_COM</b>        | OARS scale: Unable to feed                            | Num |
| <b>ADL_ABLAP_COM</b>       | OARS scale: Able to take care of appearance           | Num |
| <b>ADL_HPAP_COM</b>        | OARS scale: Able to take care of appearance with help | Num |
| <b>ADL_UNAP_COM</b>        | OARS scale: Unable to take care of appearance         | Num |
| <b>ADL_ABLWK_COM</b>       | OARS scale: Able to walk                              | Num |
| <b>ADL_HPWK_COM</b>        | OARS scale: Able to walk with help                    | Num |
| <b>ADL_UNWK_COM</b>        | OARS scale: Unable to walk                            | Num |
| <b>ADL_ABLBD_COM</b>       | OARS scale: Able to get out of bed                    | Num |
| <b>ADL_HPBD_COM</b>        | OARS scale: Able to get out of bed with help          | Num |

|                       |  |     |
|-----------------------|--|-----|
| <b>ADL_UNBD_COM</b>   | OARS scale: Unable to get out of bed           | Num |
| <b>ADL_ABLBT_COM</b>  | OARS scale: Able to take bath                  | Num |
| <b>ADL_HPBT_COM</b>   | OARS scale: Able to take bath with help        | Num |
| <b>ADL_UNBT_COM</b>   | OARS scale: Unable to take bath                | Num |
| <b>ADL_BATH_COM</b>   | OARS scale: Trouble to get in time to bathroom | Num |
| <b>ADL_INCNT_COM</b>  | OARS scale: Frequency of incontinence          | Num |
| <b>IAL_ABLTEL_COM</b> | OARS scale: Able to use telephone              | Num |
| <b>IAL_HPTTEL_COM</b> | OARS scale: Able to use telephone with help    | Num |
| <b>IAL_UNTEL_COM</b>  | OARS scale: Unable to use telephone            | Num |
| <b>IAL_ABLTRV_COM</b> | OARS scale: Able to travel                     | Num |
| <b>IAL_HPTRV_COM</b>  | OARS scale: Able to travel with help           | Num |
| <b>IAL_UNTRV_COM</b>  | OARS scale: Unable to travel                   | Num |
| <b>IAL_ABLGRO_COM</b> | OARS scale: Able to go shopping                | Num |
| <b>IAL_HPGRO_COM</b>  | OARS scale: Able to go shopping with help      | Num |
| <b>IAL_UNGRO_COM</b>  | OARS scale: Unable to go shopping              | Num |
| <b>IAL_ABLML_COM</b>  | OARS scale: Able to prepare meals              | Num |
| <b>IAL_HPML_COM</b>   | OARS scale: Able to prepare meals with help    | Num |
| <b>IAL_UNML_COM</b>   | OARS scale: Unable to prepare meals            | Num |
| <b>IAL_ABLWRK_COM</b> | OARS scale: Able to do housework               | Num |
| <b>IAL_HPWRK_COM</b>  | OARS scale: Able to do housework with help     | Num |
| <b>IAL_UNWRK_COM</b>  | OARS scale: Unable to do housework             | Num |
| <b>IAL_ABLMED_COM</b> | OARS scale: Able to take medicine              | Num |
| <b>IAL_HPMED_COM</b>  | OARS scale: Able to take medicine with help    | Num |
| <b>IAL_UNMED_COM</b>  | OARS scale: Unable to take medicine            | Num |
| <b>IAL_ABLMO_COM</b>  | OARS scale: Able to handle money               | Num |

|                         |   |     |
|-------------------------|---|-----|
| <b>IAL_HPMO_COM</b>     | OARS scale: Able to handle money with help                                      | Num |
| <b>IAL_UNMO_COM</b>     | OARS scale: Unable to handle money  | Num |
| <b>LSI_ROOM_COM</b>     | Been to other rooms of home (excluding bedroom)                                 | Num |
| <b>LSI_OUT_COM</b>      | Been to outside area of home  | Num |
| <b>LSI_NGHB_COM</b>     | Been to places in the neighbourhood   | Num |
| <b>LSI_TOWN_COM</b>     | Been to places outside neighbourhood but within town                            | Num |
| <b>LSI_FAR_COM</b>      | Been to places outside town   | Num |
| <b>LSI_RMFQ_COM</b>     | Frequency been to other rooms of home (excluding bedroom)                       | Num |
| <b>LSI_OUTFQ_COM</b>    | Frequency been to outside area of home  | Num |
| <b>LSI_NGHBFQ_COM</b>   | Frequency been to places in the neighbourhood                                   | Num |
| <b>LSI_TWNFQ_COM</b>    | Frequency been to places outside neighbourhood but within town                  | Num |
| <b>LSI_FARFQ_COM</b>    | Frequency been to places outside town   | Num |
| <b>LSI_RMAID_COM</b>    | Used aids or needed help to get to other rooms of home (excluding bedroom)      | Num |
| <b>LSI_OUTAID_COM</b>   | Used aids or needed help to get to outside area of home                         | Num |
| <b>LSI_NGHBAID_COM</b>  | Used aids or needed help to get to places in the neighbourhood                  | Num |
| <b>LSI_TWNAID_COM</b>   | Used aids or needed help to get to places outside neighbourhood but within town | Num |
| <b>LSI_FARAID_COM</b>   | Used aids or needed help to get to places outside town                          | Num |
| <b>SLE_QLTY_COM</b>     | Satisfaction with current sleep pattern   | Num |
| <b>SLE_HOUR_NB_COM</b>  | Number of sleep hours during past month   | Num |
| <b>SLE_30MIN_COM</b>    | Required more than 30 min to fall asleep  | Num |
| <b>SLE_30DUR_NB_COM</b> | Duration of having trouble going to sleep (years)                               | Num |



|                           |  |     |
|---------------------------|--|-----|
| <b>SLE_30INTRF_COM</b>    | Extent problem falling asleep interferes with daily functioning            | Num |
| <b>SLE_MIDFQ_COM</b>      | Frequency waking up and having difficulty falling asleep again             | Num |
| <b>SLE_MIDDUR_NB_COM</b>  | Duration of having trouble staying asleep (years)                          | Num |
| <b>SLE_MIDINTRF_COM</b>   | Extent problem staying asleep interferes with daily functioning            | Num |
| <b>SLE_STAYFQ_COM</b>     | Frequency finding difficulty to stay awake during normal hours             | Num |
| <b>SLE_STAYDUR_NB_COM</b> | Duration of having trouble staying awake (years)                           | Num |
| <b>SLE_STAYINTRF_COM</b>  | Extent problem staying awake interferes with daily functioning             | Num |
| <b>SLE_DREAM_COM</b>      | 'Acts out on dreams while asleep   | Num |
| <b>SLE_DRMDUR_NB_COM</b>  | Duration been acting out on dreams (years)                                 | Num |
| <b>SLE_LEGS_COM</b>       | Experienced uncomfortable feeling in legs while sitting or lying down      | Num |
| <b>SLE_LGURG_COM</b>      | Experienced urge to move legs while sitting or lying down                  | Num |
| <b>SLE_LGDUR_NB_COM</b>   | Duration of having uncomfortable feeling or urge to move legs (years)      | Num |
| <b>SLE_LGFQ_COM</b>       | Frequency over past week having uncomfortable feeling or urge to move legs | Num |
| <b>SLE_LGIMPR_COM</b>     | Uncomfortable feelings or urges in legs disappear when active              | Num |
| <b>SLE_LGEVE_COM</b>      | Uncomfortable feelings or urges in legs worse during evening/ at night     | Num |
| <b>SLS_LIFE_COM</b>       | SWLS scale: Life close to ideal  | Num |
| <b>SLS_LIFENEG_COM</b>    | SWLS scale: Disagree life close to ideal                                   | Num |
| <b>SLS_LIFEPOS_COM</b>    | SWLS scale: Agree life close to ideal                                      | Num |
| <b>SLS_COND_COM</b>       | SWLS scale: Life conditions excellent                                      | Num |

|                        |   |     |
|------------------------|---|-----|
| <b>SLS_CONDNEG_COM</b> | SWLS scale: Disagree life conditions excellent  | Num |
| <b>SLS_CONDPOS_COM</b> | SWLS scale: Agree life conditions excellent   | Num |
| <b>SLS_SATS_COM</b>    | SWLS scale: Satisfied with life   | Num |
| <b>SLS_SATSNEG_COM</b> | SWLS scale: Disagree satisfied with life  | Num |
| <b>SLS_SATSPOS_COM</b> | SWLS scale: Agree satisfied with life   | Num |
| <b>SLS_IMP_COM</b>     | SWLS scale: Have important things in life   | Num |
| <b>SLS_IMPNEG_COM</b>  | SWLS scale: Disagree have important things in life  | Num |
| <b>SLS_IMPOS_COM</b>   | SWLS scale: Agree have important things in life   | Num |
| <b>SLS_OVER_COM</b>    | SWLS scale: Would change almost nothing about life  | Num |
| <b>SLS_OVERNEG_COM</b> | SWLS scale: Disagree would change almost nothing about life                                   | Num |
| <b>SLS_OVERPOS_COM</b> | SWLS scale: Agree would change almost nothing about life                                      | Num |
| <b>PSD_NGHTM_COM</b>   | PC-PTSD scale: Have nightmares  | Num |
| <b>PSD_AVOID_COM</b>   | PC-PTSD scale: Avoid situations reminiscent of frightening, horrible or upsetting experiences | Num |
| <b>PSD_GUARD_COM</b>   | PC-PTSD scale: Be on guard, watchful or easily startled                                       | Num |
| <b>PSD_DETACH_COM</b>  | PC-PTSD scale: Feel detached from others, activities or surroundings                          | Num |
| <b>VIS_USE_GL_COM</b>  | Other non-electronic magnifiers (Stereoscope, monocular, reading glasses, prisms, etc...)     | Num |
| <b>VIS_USE_LN_COM</b>  | Uses Intraocular lenses   | Num |
| <b>VIS_USE_DR_COM</b>  | Uses Medicated Eye drops  | Num |
| <b>VIS_USE_EB_COM</b>  | Uses Electronic book reader   | Num |
| <b>VIS_USE_LT_COM</b>  | Uses Specialized lighting   | Num |
| <b>VIS_USE_ZM_COM</b>  | Uses zoom features  | Num |
| <b>CR1_PRO_PR_COM</b>  | Received professional personal care   | Num |
| <b>CR1_PRO_MD_COM</b>  | Received professional medical care  | Num |

|                            |  |     |
|----------------------------|--|-----|
| <b>CR1_PRO_MG_COM</b>      | Received professional managing care                                | Num |
| <b>CR1_PRO_AC_COM</b>      | Received professional assistance with activities                   | Num |
| <b>CR1_PRO_TR_COM</b>      | Received professional assistance with transportation               | Num |
| <b>CR1_PRO_ML_COM</b>      | Received professional assistance with meal preparation or delivery | Num |
| <b>CR1_PRO_NONE_COM</b>    | Did not require professional assistance                            | Num |
| <b>CR1_PRO_OT_COM</b>      | Received other professional assistance                             | Num |
| <b>CR1_PRO_DK_NA_COM</b>   | Received professional assistance, Don't know                       | Num |
| <b>CR1_PRO_REFUSED_COM</b> | Received professional assistance, Refused to answer                | Num |
| <b>CR1_PRO_MC_COM</b>      | Received professional mental care                                  | Num |
| <b>CR1_PRO_PT_COM</b>      | Received professional physical therapy                             | Num |
| <b>CR1_PRO_TA_COM</b>      | Received professional training and adaptation assistance           | Num |
| <b>CR1_PRO_MISSING_COM</b> | Received professional assistance, type missing                     | Num |
| <b>CR1_MOST_COM</b>        | Type of professional assistance most received                      | Num |
| <b>CR1_PAY_COM</b>         | Financial accountability for professional assistance received      | Num |
| <b>CR1_FRQ_NB_COM</b>      | Number of weeks received professional assistance (past 12 months)  | Num |
| <b>CR1_HOUR_NB_COM</b>     | Average number of hours per week received professional assistance  | Num |
| <b>CR2_FAM_PR_COM</b>      | Received non-professional personal care                            | Num |
| <b>CR2_FAM_MD_COM</b>      | Received non-professional medical care                             | Num |
| <b>CR2_FAM_MG_COM</b>      | Received non-professional managing care                            | Num |
| <b>CR2_FAM_AC_COM</b>      | Received non-professional assistance with activities               | Num |
| <b>CR2_FAM_TR_COM</b>      | Received non-professional assistance with transportation           | Num |

|                            |  |     |
|----------------------------|--|-----|
| <b>CR2_FAM_ML_COM</b>      | Received non-professional assistance with meal preparation                             | Num |
| <b>CR2_FAM_NONE_COM</b>    | Did not require non-professional assistance  | Num |
| <b>CR2_FAM_OT_COM</b>      | Received other non-professional assistance   | Num |
| <b>CR2_FAM_DK_NA_COM</b>   | Received non-professional assistance, Don't know                                       | Num |
| <b>CR2_FAM_REFUSED_COM</b> | Received non-professional assistance, Refused to answer                                | Num |
| <b>CR2_FAM_CS_COM</b>      | Received non-professional companionship and emotional support                          | Num |
| <b>CR2_FAM_MN_COM</b>      | Received non-professional monitoring   | Num |
| <b>CR2_FAM_MB_COM</b>      | Received non-professional assistance with mobility                                     | Num |
| <b>CR2_FAM_MISSING_COM</b> | Received non-professional assistance, type missing                                     | Num |
| <b>CR2_NMBR_COM</b>        | Number of people who provided non-professional assistance (past 12 months)             | Num |
| <b>CR2_WKALL_COM</b>       | Number weeks received non-professional assistance (past 12 months)                     | Num |
| <b>CR2_HOUR_NB_COM</b>     | Average number of hours per week received non-professional assistance (past 12 months) | Num |
| <b>CR2_MOST_COM</b>        | Activity type which received most non-professional assistance                          | Num |
| <b>CR2_PERS_COM</b>        | Dwelling location of person who provided most time for non-professional assistance     | Num |
| <b>CR2_GNDR_COM</b>        | Gender of person who provided most non-professional assistance                         | Num |
| <b>CR2_AGE_NB_COM</b>      | Age of person who provided most non-professional assistance                            | Num |
| <b>CR2_RELN_COM</b>        | Relationship to person who provided most non-professional assistance                   | Num |
| <b>CR2_DUR_COM</b>         | Duration of assistance from person who provided most non-professional assistance       | Num |

|                             |  |     |
|-----------------------------|--|-----|
| <b>CR2_WKMST_NB_COM</b>     | Number of weeks from person who provided most non-professional assistance (past 12 months) | Num |
| <b>CR2_HRMK_NB_COM</b>      | Average number of hours per week from person who provided most non-professional assistance | Num |
| <b>CR2_DEVC_CN_COM</b>      | Used a cane or walking stick   | Num |
| <b>CR2_DEVC_WC_COM</b>      | Used a wheelchair  | Num |
| <b>CR2_DEVC_SC_COM</b>      | Used a motorized scooter   | Num |
| <b>CR2_DEVC_WK_COM</b>      | Used a walker  | Num |
| <b>CR2_DEVC_LG_COM</b>      | Used leg braces, supportive devices  | Num |
| <b>CR2_DEVC_HD_COM</b>      | Used a hand or arm brace   | Num |
| <b>CR2_DEVC_BR_COM</b>      | Used grab bars   | Num |
| <b>CR2_DEVC_BT_COM</b>      | Used bathroom aids   | Num |
| <b>CR2_DEVC_LT_COM</b>      | Used bath, bed lifts or other devices  | Num |
| <b>CR2_DEVC_GR_COM</b>      | Used grasping tools or reach extenders   | Num |
| <b>CR2_DEVC_UT_COM</b>      | Used special eating utensils   | Num |
| <b>CR2_DEVC_AL_COM</b>      | Used personal alarm  | Num |
| <b>CR2_DEVC_NONE_COM</b>    | Did not use any assistive devices  | Num |
| <b>CR2_DEVC_OT_COM</b>      | Used other assistive devices   | Num |
| <b>CR2_DEVC_DK_NA_COM</b>   | Used assistive devices, Don't know   | Num |
| <b>CR2_DEVC_REFUSED_COM</b> | Used assistive devices, Refused to answer  | Num |
| <b>CR2_DEVC_CR_COM</b>      | Used crutches  | Num |
| <b>CR2_DEVC_NB_COM</b>      | Used neck or back brace  | Num |
| <b>CR2_DEVC_RV_COM</b>      | Used respiratory ventilation   | Num |
| <b>CR2_DEVC_DA_COM</b>      | Used dressing aids   | Num |
| <b>CR2_DEVC_PL_COM</b>      | Used a prosthetic limb   | Num |
| <b>CR2_DEVC_SB_COM</b>      | Used supportive bandages, clothing or footwear   | Num |
| <b>CR2_DEVC_OO_COM</b>      | Used other orthotics (pillows, chairs, ...)  | Num |
| <b>CR2_DEVC_LO_COM</b>      | Used lid/ cap openers  | Num |
| <b>CR2_HIP_COM</b>          | Used Hip protectors  | Num |
| <b>CAG_HLT_PR_COM</b>       | Provided personal care   | Num |
| <b>CAG_HLT_MD_COM</b>       | Provided medical care  | Num |
| <b>CAG_HLT_MG_COM</b>       | Provided managing care   | Num |
| <b>CAG_HLT_AC_COM</b>       | Provided assistance with activities  | Num |

|                            |  |     |
|----------------------------|--|-----|
| <b>CAG_HLT_TR_COM</b>      | Provided assistance with transportation  | Num |
| <b>CAG_HLT_ML_COM</b>      | Provided assistance with meal preparation  | Num |
| <b>CAG_HLT_NONE_COM</b>    | Did not provide assistance   | Num |
| <b>CAG_HLT_OT_COM</b>      | Provided other types of assistance   | Num |
| <b>CAG_HLT_DK_NA_COM</b>   | Provided assistance, Don't know  | Num |
| <b>CAG_HLT_REFUSED_COM</b> | Provided assistance, Refused to answer   | Num |
| <b>CAG_HLT_MISSING_COM</b> | Missing information for providing assistance   | Num |
| <b>CAG_HLT_MC_COM</b>      | Provided mental conditions assistance  | Num |
| <b>CAG_HLT_FM_COM</b>      | Provided financial management assistance   | Num |
| <b>CAG_HLT_CS_COM</b>      | Provided social/ emotional assistance  | Num |
| <b>CAG_HLT_HC_COM</b>      | Provided help caring for another individual  | Num |
| <b>CAG_HLT_MB_COM</b>      | Provided mobility assistance   | Num |
| <b>CAG_PPL_NB_COM</b>      | Number of people who participant provided any assistance (past 12 months)                        | Num |
| <b>CAG_MOST_COM</b>        | Dwelling location of person who participant provided most care giving assistance                 | Num |
| <b>CAG_GNDR_COM</b>        | Gender of person who participant provided most care giving assistance                            | Num |
| <b>CAG_RELN_COM</b>        | Relationship to person who participant provided most care giving assistance                      | Num |
| <b>CAG_WEEK_NB_COM</b>     | Number of weeks participant provided to person with most caregiving assistance                   | Num |
| <b>CAG_HRWK_NB_COM</b>     | Average number of hours per week participant provided to person with most care giving assistance | Num |
| <b>INJ_OCC_COM</b>         | Serious injuries (past 12 months)  | Num |
| <b>INJ_NMBR_NB_COM</b>     | Number of times injured (past 12 months)   | Num |
| <b>INJ_CAUS_FL_COM</b>     | Injury caused by a fall  | Num |
| <b>INJ_CAUS_VH_COM</b>     | Injury caused by motor vehicle collision   | Num |

|                             |   |     |
|-----------------------------|---|-----|
| <b>INJ_CAUS_WK_COM</b>      | Injury caused by incident in workplace                  | Num |
| <b>INJ_CAUS_NONE_COM</b>    | Injury cause Other                                      | Num |
| <b>INJ_CAUS_DK_NA_COM</b>   | Injury cause, Don't know                                | Num |
| <b>INJ_CAUS_REFUSED_COM</b> | Injury cause, Refused to answer                         | Num |
| <b>INJ_HOW_COM</b>          | How most serious injury happened                        | Num |
| <b>INJ_WHR_COM</b>          | Location of occurrence of most serious injury           | Num |
| <b>INJ_ACT_COM</b>          | Activity in progress when injured                       | Num |
| <b>INJ_TYPE_COM</b>         | Type of injury  | Num |
| <b>INJ_BRKN_COM</b>         | Injury involving fracture                               | Num |
| <b>INJ_SITE_ML_COM</b>      | Multiple site fracture                                  | Num |
| <b>INJ_SITE_EYE_COM</b>     | Eye socket fracture                                     | Num |
| <b>INJ_SITE_HD_COM</b>      | Head fracture   | Num |
| <b>INJ_SITE_NE_COM</b>      | Neck fracture   | Num |
| <b>INJ_SITE_SH_COM</b>      | Shoulder or upper arm fracture                          | Num |
| <b>INJ_SITE_EL_COM</b>      | Elbow or lower arm fracture                             | Num |
| <b>INJ_SITE_WR_COM</b>      | Wrist or hand fracture                                  | Num |
| <b>INJ_SITE_HIP_COM</b>     | Hip fracture  | Num |
| <b>INJ_SITE_TH_COM</b>      | Thigh fracture  | Num |
| <b>INJ_SITE_KN_COM</b>      | Knee or lower leg fracture                              | Num |
| <b>INJ_SITE_AN_COM</b>      | Ankle or foot fracture                                  | Num |
| <b>INJ_SITE_UP_COM</b>      | Upper back or upper spine fracture                      | Num |
| <b>INJ_SITE_LO_COM</b>      | Lower back or lower spine fracture                      | Num |
| <b>INJ_SITE_CH_COM</b>      | Chest fracture  | Num |
| <b>INJ_SITE_AB_COM</b>      | Abdomen fracture  | Num |
| <b>INJ_SITE_OT_COM</b>      | Other fracture  | Num |
| <b>INJ_SITE_DK_NA_COM</b>   | Part of body fractured, Don't know                      | Num |
| <b>INJ_SITE_REFUSED_COM</b> | Part of body fractured, Refused to answer               | Num |
| <b>INJ_SITE_FN_COM</b>      | Finger fracture   | Num |
| <b>INJ_SITE_TOE_COM</b>     | Toe fracture  | Num |
| <b>FAL_NMBR_NB_COM</b>      | Number of falls (past 12 months)                        | Num |
| <b>FAL_MOST_COM</b>         | Most serious injury caused by fall (past 12 months)     | Num |
| <b>FAL_ATT_N_COM</b>        | Received medical attention following injury due to fall | Num |

|                         |  |      |
|-------------------------|--|------|
| <b>FAL_HOSP_COM</b>     | Hospitalized for injury due to fall                                | Num  |
| <b>FAL_FU_COM</b>       | Currently getting follow-up care for injury due to fall            | Num  |
| <b>FAL_WHERE_COM</b>    | Location of occurrence of fall                                     | Num  |
| <b>FAL_HOW_COM</b>      | How fall happened  | Num  |
| <b>FAL_DV_COM</b>       | Used assistive device when fall occurred                           | Char |
| <b>FAL_DV_CN_COM</b>    | Used cane or walking stick when fall occurred                      | Num  |
| <b>FAL_DV_WC_COM</b>    | Used wheelchair when fall occurred                                 | Num  |
| <b>FAL_DV_SC_COM</b>    | Used motorized scooter when fall occurred                          | Num  |
| <b>FAL_DV_WK_COM</b>    | Used walker when fall occurred                                     | Num  |
| <b>FAL_DV_LG_COM</b>    | Used leg braces or supportive devices when fall occurred           | Num  |
| <b>FAL_DV_HD_COM</b>    | Used hand or arm brace when fall occurred                          | Num  |
| <b>FAL_DV_BR_COM</b>    | Used grab bars when fall occurred                                  | Num  |
| <b>FAL_DV_BT_COM</b>    | Used bathroom aids when fall occurred                              | Num  |
| <b>FAL_DV_LT_COM</b>    | Used bath or bed lifts or other lifting devices when fall occurred | Num  |
| <b>FAL_DV_GR_COM</b>    | Used grasping tools or reach extenders when fall occurred          | Num  |
| <b>FAL_DV_UT_COM</b>    | Used special eating utensils when fall occurred                    | Num  |
| <b>FAL_DV_AL_COM</b>    | Used personal alarm when fall occurred                             | Num  |
| <b>FAL_DV_OT_COM</b>    | Used other assistive when fall occurred                            | Num  |
| <b>FAL_DVCTR_COM</b>    | Assistive device contributing to fall                              | Char |
| <b>FAL_DVCTR_CN_COM</b> | Cane or walking stick contributed to fall                          | Num  |
| <b>FAL_DVCTR_WC_COM</b> | Wheelchair contributed to fall                                     | Num  |
| <b>FAL_DVCTR_SC_COM</b> | Motorized scooter contributed to fall                              | Num  |
| <b>FAL_DVCTR_WK_COM</b> | Walker contributed to fall   | Num  |
| <b>FAL_DVCTR_LG_COM</b> | Leg braces or supportive devices contributed to fall               | Num  |
| <b>FAL_DVCTR_HD_COM</b> | Hand or arm brace contributed to fall                              | Num  |



|                         |  |     |
|-------------------------|--|-----|
| <b>FAL_DVCTR_BR_COM</b> | Grab bars contributed to fall                                  | Num |
| <b>FAL_DVCTR_BT_COM</b> | Bathroom aids contributed to fall                              | Num |
| <b>FAL_DVCTR_LT_COM</b> | Bath or bed lifts or other lifting devices contributed to fall | Num |
| <b>FAL_DVCTR_GR_COM</b> | Grasping tools or reach extenders contributed to fall          | Num |
| <b>FAL_DVCTR_UT_COM</b> | Special eating utensils contributed to fall                    | Num |
| <b>FAL_DVCTR_AL_COM</b> | Personal alarm contributed to fall                             | Num |
| <b>FAL_DVCTR_OT_COM</b> | Other assistive devices contributed to fall                    | Num |
| <b>FAL_DVDSC_COM</b>    | Best describes assistive device contribution to fall           | Num |
| <b>FAL_LDR_COM</b>      | Ladder a contributing factor to fall                           | Num |
| <b>FAL_LDRDSC_COM</b>   | Best describes ladder contribution to fall                     | Num |
| <b>FAL_STL_COM</b>      | Step stool a contributing factor to fall                       | Num |
| <b>FAL_STLDSC_COM</b>   | Best describes step stool contribution to fall                 | Num |
| <b>FAL_BED_COM</b>      | Bed a contributing factor to fall                              | Num |
| <b>FAL_BDDSC_COM</b>    | Best describes bed contribution to fall                        | Num |
| <b>FAL_CHR_COM</b>      | Chair a contributing factor to fall                            | Num |
| <b>FAL_CHDSC_COM</b>    | Best describes chair contribution to fall                      | Num |
| <b>FAL_FURN_COM</b>     | Other furniture a contributing factor to fall                  | Num |
| <b>FAL_FRNDSC_COM</b>   | Best describes other furniture contribution to fall            | Num |
| <b>FAL_RUG_COM</b>      | Rug a contributing factor to fall                              | Num |
| <b>FAL_RGDSC_COM</b>    | Best describes rug contribution to fall                        | Num |
| <b>FAL_FLR_COM</b>      | Flooring a contributing factor to fall                         | Num |
| <b>FAL_FLDSC_COM</b>    | Best describes flooring contribution to fall                   | Num |
| <b>FAL_ELEC_COM</b>     | Electrical cords a contributing factor to fall                 | Num |
| <b>FAL_ELDSC_COM</b>    | Best describes electrical cords contribution to fall           | Num |

|                          |   |      |
|--------------------------|---|------|
| <b>FAL_FOOT_COM</b>      | Footwear a contributing factor to fall                        | Num  |
| <b>FAL_FTDSC_COM</b>     | Best describes footwear contribution to fall                  | Num  |
| <b>FAL_CLTH_COM</b>      | Other clothing a contributing factor to fall                  | Num  |
| <b>FAL_TOY_COM</b>       | Toys a contributing factor to fall                            | Num  |
| <b>FAL_TOYDSC_COM</b>    | Best describes toys contribution to fall                      | Num  |
| <b>FAL_YRD_COM</b>       | Yard tools a contributing factor to fall                      | Num  |
| <b>FAL_YRDDSC_COM</b>    | Best describes yard tools contribution to fall                | Num  |
| <b>FAL_YRDDSC_OT_COM</b> | Best describes yard tools contribution to fall Other, Specify | Char |
| <b>FAL_BIKE_COM</b>      | Bicycle a contributing factor to fall                         | Num  |
| <b>FAL_BKDSC_COM</b>     | Best describes bicycle contribution to fall                   | Num  |
| <b>FAL_SPRT_COM</b>      | Other sports equipment a contributing factor to fall          | Num  |
| <b>FAL_SPRTDSC_COM</b>   | Best describes other sports equipment contribution to fall    | Num  |
| <b>FAL_ELSE_COM</b>      | Anything else a contributing factor to fall                   | Num  |
| <b>FAL_ELSEDSC_COM</b>   | Best describes anything else contribution to fall             | Num  |
| <b>RET_RTRD_COM</b>      | Subjective retirement status                                  | Num  |
| <b>RET_RTRN_COM</b>      | Retired then returned to work                                 | Num  |
| <b>RET_SPSE_COM</b>      | Retirement status of spouse/partner                           | Num  |
| <b>RET_AGE_NB_COM</b>    | Retirement age  | Num  |
| <b>RET_WHY_CM_COM</b>    | Qualifying for pension contributed to retirement              | Num  |
| <b>RET_WHY_RE_COM</b>    | Financial possibility contributed to retirement               | Num  |
| <b>RET_WHY_HL_COM</b>    | Health/ disability/ stress contributed to retirement          | Num  |
| <b>RET_WHY_IN_COM</b>    | Employer incentives contributed to retirement                 | Num  |
| <b>RET_WHY_OR_COM</b>    | Organizational restructuring contributed to retirement        | Num  |
| <b>RET_WHY_PR_COM</b>    | Providing care contributed to retirement                      | Num  |

|                            |  |      |
|----------------------------|--|------|
| <b>RET_WHY_MD_COM</b>      | Mandatory employer retirement policy contributed to retirement               | Num  |
| <b>RET_WHY_HO_COM</b>      | Desire to pursue hobbies or activities of interest contributed to retirement | Num  |
| <b>RET_WHY_ST_COM</b>      | Desire to stop working contributed to retirement                             | Num  |
| <b>RET_WHY_AG_COM</b>      | An agreement with spouse/partner contributed to retirement                   | Num  |
| <b>RET_WHY_OT_COM</b>      | Other reason contributed to retirement                                       | Num  |
| <b>RET_WHY_DK_NA_COM</b>   | Reason contributed to retirement, Don't know                                 | Num  |
| <b>RET_WHY_REFUSED_COM</b> | Reason contributed to retirement, Refused to answer                          | Num  |
| <b>LFP_LAST_NB_COM</b>     | Last year held paid job  | Num  |
| <b>LFP_YRS_COM</b>         | Duration of last paid job  | Num  |
| <b>LFP_HRWK_COM</b>        | Hours per week worked before retirement                                      | Num  |
| <b>LFP_SCHD_COM</b>        | Best describes work schedule before retirement                               | Num  |
| <b>LFP_LNGST_COM</b>       | Longest job  | Num  |
| <b>LFP_LGPAY_COM</b>       | Paid, unpaid, self-employed in the longest job                               | Num  |
| <b>LFP_LGHR_COM</b>        | Hours per week worked on longest job   | Num  |
| <b>LFP_LGSCHD_COM</b>      | Best describes work schedule of longest job                                  | Num  |
| <b>LFP_LGYRS_COM</b>       | Duration of longest job  | Num  |
| <b>LBF_EVER_COM</b>        | Ever worked  | Num  |
| <b>LBF_CURR_COM</b>        | Currently working  | Num  |
| <b>LBF_MANY_COM</b>        | Currently working more than one job/ business                                | Num  |
| <b>LBF_STTS_COM</b>        | Current working status   | Num  |
| <b>LBF_SCHD_COM</b>        | Best describes current work schedule   | Num  |
| <b>LBF_TYPE_NB_COM</b>     | Type of work during current job, Specify                                     | Char |
| <b>LBF_BUSN_NB_COM</b>     | Business or industry sector of current job, Specify                          | Char |
| <b>LBF_DURN_COM</b>        | Duration worked at current job   | Num  |
| <b>LBF_RSN_COM</b>         | Reason for not working   | Num  |
| <b>LBF_NVR_OW_COM</b>      | Own illness or disability prevented employment                               | Num  |

|                            |  |     |
|----------------------------|--|-----|
| <b>LBF_NVR_CH_COM</b>      | Caring for own children prevented employment                   | Num |
| <b>LBF_NVR_EL_COM</b>      | Caring for elder relatives prevented employment                | Num |
| <b>LBF_NVR_SP_COM</b>      | Caring for spouse prevented employment                         | Num |
| <b>LBF_NVR_OT_COM</b>      | Other personal or family responsibilities prevented employment | Num |
| <b>LBF_NVR_REFUSED_COM</b> | Factors prevented employment, Refused to answer                | Num |
| <b>LBF_LGEVER_COM</b>      | Longest period in the same job                                 | Num |
| <b>LBF_LGSTAT_COM</b>      | Working status in longest job                                  | Num |
| <b>LBF_LGSCHD_COM</b>      | Work schedule of longest job                                   | Num |
| <b>LBF_LGDURN_COM</b>      | Duration worked in longest job                                 | Num |
| <b>INC_SRCE_WG_COM</b>     | Household wages and salaries                                   | Num |
| <b>INC_SRCE_SE_COM</b>     | Household income from self-employment                          | Num |
| <b>INC_SRCE_IN_COM</b>     | Household dividends and interest                               | Num |
| <b>INC_SRCE_EI_COM</b>     | Household employment insurance                                 | Num |
| <b>INC_SRCE_CM_COM</b>     | Household worker's compensation                                | Num |
| <b>INC_SRCE_BN_COM</b>     | Household benefits from Canada or Quebec pension plan          | Num |
| <b>INC_SRCE_PN_COM</b>     | Household job related pensions                                 | Num |
| <b>INC_SRCE_GV_COM</b>     | Household RRSP/ RRIF   | Num |
| <b>INC_SRCE_OLD_COM</b>    | Household old age security                                     | Num |
| <b>INC_SRCE_GIS_COM</b>    | Household guaranteed income supplement                         | Num |
| <b>INC_SRCE_WF_COM</b>     | Household welfare  | Num |
| <b>INC_SRCE_CH_COM</b>     | Household child tax benefit                                    | Num |
| <b>INC_SRCE_SP_COM</b>     | Household child support  | Num |
| <b>INC_SRCE_AL_COM</b>     | Household alimony  | Num |
| <b>INC_SRCE_CP_COM</b>     | Household capital gains  | Num |
| <b>INC_SRCE_NONE_COM</b>   | No household sources of income                                 | Num |
| <b>INC_SRCE_OT_COM</b>     | Other household sources of income                              | Num |
| <b>INC_SRCE_DK_NA_COM</b>  | Household sources of income, Don't know                        | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>INC_SRCE_REFUSED_COM</b>  | Household sources of income, Refused to answer             | Num |
| <b>INC_PSRCE_WG_COM</b>      | Personal wages and salaries                                | Num |
| <b>INC_PSRCE_SE_COM</b>      | Personal income from self-employment                       | Num |
| <b>INC_PSRCE_IN_COM</b>      | Personal dividends and interest                            | Num |
| <b>INC_PSRCE_EI_COM</b>      | Personal employment insurance                              | Num |
| <b>INC_PSRCE_CM_COM</b>      | Personal worker's compensation                             | Num |
| <b>INC_PSRCE_BN_COM</b>      | Personal benefits from Canada or Quebec pension plan       | Num |
| <b>INC_PSRCE_PN_COM</b>      | Personal job related pensions                              | Num |
| <b>INC_PSRCE_GV_COM</b>      | Personal RRSP/ RRIF  | Num |
| <b>INC_PSRCE_OLD_COM</b>     | Personal old age security                                  | Num |
| <b>INC_PSRCE_GIS_COM</b>     | Personal guaranteed income supplement                      | Num |
| <b>INC_PSRCE_WF_COM</b>      | Personal welfare   | Num |
| <b>INC_PSRCE_CH_COM</b>      | Personal child tax benefit                                 | Num |
| <b>INC_PSRCE_SP_COM</b>      | Personal child support                                     | Num |
| <b>INC_PSRCE_AL_COM</b>      | Personal alimony   | Num |
| <b>INC_PSRCE_CP_COM</b>      | Personal capital gains                                     | Num |
| <b>INC_PSRCE_NONE_COM</b>    | No personal sources of income                              | Num |
| <b>INC_PSRCE_OT_COM</b>      | Other personal sources of income                           | Num |
| <b>INC_PSRCE_DK_NA_COM</b>   | Personal sources of income, Don't know                     | Num |
| <b>INC_PSRCE_REFUSED_COM</b> | Personal sources of income, Refused to answer              | Num |
| <b>RET_WHY_UN_COM</b>        | Uncomfortable work circumstances contributed to retirement | Num |
| <b>RET_WHY_RL_COM</b>        | Relocation contributed to retirement                       | Num |
| <b>RET_WHY_FA_COM</b>        | Financial advantage contributed to retirement              | Num |
| <b>RET_WHY_AD_COM</b>        | Technology advancements contributed to retirement          | Num |
| <b>RET_WHY_UW_COM</b>        | Inability to find work contributed to retirement           | Num |
| <b>RET_WHY_SB_COM</b>        | Selling business contributed to retirement                 | Num |
| <b>RET_WHY_CW_COM</b>        | Desire to change career contributed to retirement          | Num |

|                           |   |      |
|---------------------------|---|------|
| <b>RET_WHY_GR_COM</b>     | Grief contributed to retirement   | Num  |
| <b>RET_WHY_NA_COM</b>     | Reason for retirement, Participant never worked/ Not Applicable             | Num  |
| <b>FAL_CLDSC_COM</b>      | Best describes other clothing contribution to fall                          | Num  |
| <b>RPL_AGE_NB_COM</b>     | Expected retirement age   | Num  |
| <b>LBF_NVR_DK_NA_COM</b>  | Factors prevented employment, Don't know                                    | Num  |
| <b>LBF_UNEMDUR_YR_COM</b> | Duration of unemployment (in years)   | Num  |
| <b>INC_FRST_COM</b>       | Highest source of household income  | Char |
| <b>INC_SCND_COM</b>       | Second highest source of household income                                   | Char |
| <b>INC_THRD_COM</b>       | Third highest source of household income                                    | Char |
| <b>INC_TOT_COM</b>        | Total household income  | Num  |
| <b>INC_PFRST_COM</b>      | Highest source of personal income   | Char |
| <b>INC_PSCND_COM</b>      | Second highest source of personal income                                    | Char |
| <b>INC_PTHRD_COM</b>      | Third highest source of personal income                                     | Char |
| <b>INC_PTOT_COM</b>       | Total personal income   | Num  |
| <b>PSD_NBRMIS_COM</b>     | Number of missing items on PC-PTSD  | Num  |
| <b>ADL_NBRMIS_COM</b>     | OARS Scale: Number of Missing Items (Excluding Meal Preparation)            | Num  |
| <b>DEP_DPSFD_COM</b>      | CES-D 10: Screen for depression result                                      | Num  |
| <b>SSA_DPALL_COM</b>      | Functional Social Support - MOS Scale                                       | Num  |
| <b>ADL_DSUM_COM</b>       | Sum of Some Dependence and Complete Dependence (Excluding Meal Preparation) | Num  |
| <b>PSD_DSCR_COM</b>       | Primary Care Posttraumatic Stress Disorder (PC-PTSD) score                  | Num  |
| <b>DEP_NBRMIS_COM</b>     | CES-D 10: count of missing items  | Num  |
| <b>DEP_CESD10_COM</b>     | Center for Epidemiological Studies Short Depression Scale (CES-D 10) score  | Num  |
| <b>CCC_F2_COM</b>         | Reported having a Chronic Condition (excludes "other" chronic conditions)   | Num  |

|                      |   |     |
|----------------------|---|-----|
| <b>ADL_DCLST_COM</b> | OARS scale: Basic and Instrumental Activities of Daily Living Classification (Excluding Meal Preparation) - Intermediary Variable | Num |
| <b>ADL_DMEA_COM</b>  | OARS scale: Meal Preparation - Temporary  | Num |
| <b>ADL_DCLS_COM</b>  | OARS scale: Basic and Instrumental Activities of Daily Living Classification  | Num |
| <b>SLS_DSCR_COM</b>  | Satisfaction with Life Scale (SWLS) - Score   | Num |
| <b>SLS_DLIFE_COM</b> | SWLS: Life is close to my ideal - Grouped   | Num |
| <b>SLS_DCOND_COM</b> | SWLS: The conditions of my life are excellent - Grouped   | Num |
| <b>SLS_DSATS_COM</b> | SWLS: I am satisfied with my life - Grouped   | Num |
| <b>SLS_DIMP_COM</b>  | SWLS: I have gotten the important things I want in life - Grouped   | Num |
| <b>SLS_DOVER_COM</b> | SWLS: If I could live my life over, I would change almost nothing - Grouped   | Num |
| <b>SLS_DCLS_COM</b>  | Satisfaction with Life Scale (SWLS) - Classification  | Num |
| <b>SDC_DCGT_COM</b>  | Cultural / Racial Background  | Num |
| <b>SSA_DPAFF_COM</b> | Affection - MOS Subscale  | Num |
| <b>SSA_DPEMO_COM</b> | Emotional and Informational Support - MOS Subscale  | Num |
| <b>SSA_DPSOC_COM</b> | Positive Social Interaction - MOS Subscale  | Num |
| <b>SSA_DPTNG_COM</b> | Tangible Social Support - MOS Subscale  | Num |
| <b>ALC_TTM_COM</b>   | Type of Drinker (Past 12 Months)  | Num |
| <b>CAG_FPAS_COM</b>  | Flag for Providing Assistance (Past 12 Months)  | Num |
| <b>CAG_DRMC_COM</b>  | Relationship of the Main Care Recipient   | Num |
| <b>CR1_FRHC_COM</b>  | Flag for Receiving Formal Home Care Services (Last 12 Months)   | Num |
| <b>CR2_FRHC_COM</b>  | Flag for Receiving Informal Home Care (Last 12 Months)  | Num |
| <b>CR2_DTHC_COM</b>  | Flag for Receiving Formal or Informal Home Care (Last 12 Months)  | Num |

|                      |   |     |
|----------------------|---|-----|
| <b>CR2_DRMC_COM</b>  | Relationship of Main Caregiver  | Num |
| <b>GEN_DHDI_COM</b>  | Perceived Health  | Num |
| <b>GEN_DMHI_COM</b>  | Perceived Mental Health   | Num |
| <b>SDC_DAIM_COM</b>  | Age at Time of Immigration  | Num |
| <b>SDC_DRES_COM</b>  | Length of time in Canada since immigration  | Num |
| <b>SDC_FIMM_COM</b>  | Immigration Flag  | Num |
| <b>SDC_GCB_COM</b>   | Country of Birth - grouped  | Num |
| <b>SDC_DFL1_COM</b>  | First Official Language Learned and Still Understood                                      | Num |
| <b>SDC_DLNG_COM</b>  | Language(s) in Which Respondent Can Converse  | Num |
| <b>SMK_DSTY_COM</b>  | Type of Smoker  | Num |
| <b>SMK_DYCS_COM</b>  | Number of Years Smoked Daily (Current Daily Smokers Only)                                 | Num |
| <b>SPA_FPAR_COM</b>  | Flag for Participation in Community-Related Activities (past 12 months)                   | Num |
| <b>SPA_DFRE_COM</b>  | Frequency of Community-Related Activity Participation (past 12 months)                    | Num |
| <b>OWN_FTEN_COM</b>  | Flag for Tenure of Dwelling   | Num |
| <b>ED_UDR04_COM</b>  | Highest Level of Education - Respondent, 4 Levels   | Num |
| <b>ED_UDR11_COM</b>  | Highest Level of Education - Respondent, 11 Levels  | Num |
| <b>SN_LIVHKD_COM</b> | Number of Children Living in Household  | Num |
| <b>SN_DYKD_COM</b>   | Number of Persons in Household Less Than 16 Years of Age                                  | Num |
| <b>SN_DGEN_COM</b>   | Living/Family Arrangement of Participant (generational households)                        | Num |
| <b>SN_D65P_COM</b>   | Number of Persons in Household Greater Than or Equal to 65 Years of Age                   | Num |
| <b>SN_DADLT_COM</b>  | Number of Persons in Household Between 16 and 64 Years of Age                             | Num |
| <b>FAL_DSTA_COM</b>  | Fall Status - 12 months   | Num |
| <b>FAL_DCBP_COM</b>  | Circumstance of Fall Resulting in Most Serious Injury, by Place of Occurrence - 12 months | Num |



|                                  |   |      |
|----------------------------------|---|------|
| <b>CCC_F1_COM</b>                | Reported having a Chronic Condition (includes "other" chronic conditions) | Num  |
| <b>PSD_DCTOFF_COM</b>            | Positive screen for PTSD  | Num  |
| <b>LSI_DSCR_COM</b>              | Composite LSA Score.  | Num  |
| <b>SDC_URBAN_RURAL_COM</b>       | Urban/ rural classification   | Num  |
| <b>SDC_FSA_COM</b>               | Forward Sortation Area (FSA)  | Char |
| <b>SDC_CSDUID_COM</b>            | Census Subdivision UID  | Num  |
| <b>SDC_CSDNAME_COM</b>           | Census Subdivision Name   | Char |
| <b>SDC_COMMUNITY_COM</b>         | Community name  | Char |
| <b>MEDI_NO_COM</b>               | Number of medications taken by participant                                | Num  |
| <b>MEDI_FRM_1_COM</b>            | DIN coding source - Medication 1  | Char |
| <b>MEDI_ID_DIN_SP2_1_COM</b>     | Drug Identification Number or Natural product number - Medication 1       | Char |
| <b>MEDI_ID_NAME_SP2_1_COM</b>    | Drug or Natural product name (Original input) - Medication 1              | Char |
| <b>MEDI_ID_NAME_SP_OUT_1_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 1          | Char |
| <b>MEDI_DB_Type_1_COM</b>        | DIN number source - Medication 1  | Char |
| <b>MEDI_DecisionRule_1_COM</b>   | Decision rule used in coding - Medication 1                               | Num  |
| <b>MEDI_PRES_1_COM</b>           | Prescribed - Medication 1   | Num  |
| <b>MEDI_DOSE_NB_1_COM</b>        | Dosage quantity - Medication 1  | Num  |
| <b>MEDI_DOSE_UNIT_1_COM</b>      | Dosage unit - Medication 1  | Num  |
| <b>MEDI_DOSE_FRQ_1_COM</b>       | Dosage frequency - Medication 1   | Num  |
| <b>MEDI_DOSE_CMT_1_COM</b>       | Dosage comment - Medication 1   | Char |
| <b>MEDI_USE2_1_COM</b>           | Duration of use - Medication 1  | Num  |
| <b>MEDI_START_SP_1_COM</b>       | Use start date - Medication 1   | Char |
| <b>MEDI_REASON_SP_1_COM</b>      | Reason for use - Medication 1   | Char |
| <b>MEDI_FRM_2_COM</b>            | DIN coding source - Medication 2  | Char |
| <b>MEDI_ID_DIN_SP2_2_COM</b>     | Drug Identification Number or Natural product number - Medication 2       | Num  |
| <b>MEDI_ID_NAME_SP2_2_COM</b>    | Drug or Natural product name (Original input) - Medication 2              | Char |
| <b>MEDI_ID_NAME_SP_OUT_2_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 2          | Char |

|                                  |   |      |
|----------------------------------|---|------|
| <b>MEDI_DB_Type_2_COM</b>        | DIN number source - Medication 2                                    | Char |
| <b>MEDI_DecisionRule_2_COM</b>   | Decision rule used in coding - Medication 2                         | Num  |
| <b>MEDI_PRES_2_COM</b>           | Prescribed - Medication 2   | Num  |
| <b>MEDI_DOSE_NB_2_COM</b>        | Dosage quantity - Medication 2                                      | Num  |
| <b>MEDI_DOSE_UNIT_2_COM</b>      | Dosage unit - Medication 2  | Num  |
| <b>MEDI_DOSE_FRQ_2_COM</b>       | Dosage frequency - Medication 2                                     | Num  |
| <b>MEDI_DOSE_CMT_2_COM</b>       | Dosage comment - Medication 2                                       | Char |
| <b>MEDI_USE2_2_COM</b>           | Duration of use - Medication 2                                      | Num  |
| <b>MEDI_START_SP_2_COM</b>       | Use start date - Medication 2                                       | Char |
| <b>MEDI_REASON_SP_2_COM</b>      | Reason for use - Medication 2                                       | Char |
| <b>MEDI_FRM_3_COM</b>            | DIN coding source - Medication 3                                    | Char |
| <b>MEDI_ID_DIN_SP2_3_COM</b>     | Drug Identification Number or Natural product number - Medication 3 | Char |
| <b>MEDI_ID_NAME_SP2_3_COM</b>    | Drug or Natural product name (Original input) - Medication 3        | Char |
| <b>MEDI_ID_NAME_SP_OUT_3_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 3    | Char |
| <b>MEDI_DB_Type_3_COM</b>        | DIN number source - Medication 3                                    | Char |
| <b>MEDI_DecisionRule_3_COM</b>   | Decision rule used in coding - Medication 3                         | Num  |
| <b>MEDI_PRES_3_COM</b>           | Prescribed - Medication 3   | Num  |
| <b>MEDI_DOSE_NB_3_COM</b>        | Dosage quantity - Medication 3                                      | Num  |
| <b>MEDI_DOSE_UNIT_3_COM</b>      | Dosage unit - Medication 3  | Num  |
| <b>MEDI_DOSE_FRQ_3_COM</b>       | Dosage frequency - Medication 3                                     | Num  |
| <b>MEDI_DOSE_CMT_3_COM</b>       | Dosage comment - Medication 3                                       | Char |
| <b>MEDI_USE2_3_COM</b>           | Duration of use - Medication 3                                      | Num  |
| <b>MEDI_START_SP_3_COM</b>       | Use start date - Medication 3                                       | Char |
| <b>MEDI_REASON_SP_3_COM</b>      | Reason for use - Medication 3                                       | Char |
| <b>MEDI_FRM_4_COM</b>            | DIN coding source - Medication 4                                    | Char |
| <b>MEDI_ID_DIN_SP2_4_COM</b>     | Drug Identification Number or Natural product number - Medication 4 | Num  |
| <b>MEDI_ID_NAME_SP2_4_COM</b>    | Drug or Natural product name (Original input) - Medication 4        | Char |

|                                  |   |      |
|----------------------------------|---|------|
| <b>MEDI_ID_NAME_SP_OUT_4_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 4    | Char |
| <b>MEDI_DB_Type_4_COM</b>        | DIN number source - Medication 4                                    | Char |
| <b>MEDI_DecisionRule_4_COM</b>   | Decision rule used in coding - Medication 4                         | Num  |
| <b>MEDI_PRES_4_COM</b>           | Prescribed - Medication 4   | Num  |
| <b>MEDI_DOSE_NB_4_COM</b>        | Dosage quantity - Medication 4                                      | Num  |
| <b>MEDI_DOSE_UNIT_4_COM</b>      | Dosage unit - Medication 4  | Num  |
| <b>MEDI_DOSE_FRQ_4_COM</b>       | Dosage frequency - Medication 4                                     | Num  |
| <b>MEDI_DOSE_CMT_4_COM</b>       | Dosage comment - Medication 4                                       | Char |
| <b>MEDI_USE2_4_COM</b>           | Duration of use - Medication 4                                      | Num  |
| <b>MEDI_START_SP_4_COM</b>       | Use start date - Medication 4                                       | Char |
| <b>MEDI_REASON_SP_4_COM</b>      | Reason for use - Medication 4                                       | Char |
| <b>MEDI_FRM_5_COM</b>            | DIN coding source - Medication 5                                    | Char |
| <b>MEDI_ID_DIN_SP2_5_COM</b>     | Drug Identification Number or Natural product number - Medication 5 | Num  |
| <b>MEDI_ID_NAME_SP2_5_COM</b>    | Drug or Natural product name (Original input) - Medication 5        | Char |
| <b>MEDI_ID_NAME_SP_OUT_5_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 5    | Char |
| <b>MEDI_DB_Type_5_COM</b>        | DIN number source - Medication 5                                    | Char |
| <b>MEDI_DecisionRule_5_COM</b>   | Decision rule used in coding - Medication 5                         | Num  |
| <b>MEDI_PRES_5_COM</b>           | Prescribed - Medication 5   | Num  |
| <b>MEDI_DOSE_NB_5_COM</b>        | Dosage quantity - Medication 5                                      | Num  |
| <b>MEDI_DOSE_UNIT_5_COM</b>      | Dosage unit - Medication 5  | Num  |
| <b>MEDI_DOSE_FRQ_5_COM</b>       | Dosage frequency - Medication 5                                     | Num  |
| <b>MEDI_DOSE_CMT_5_COM</b>       | Dosage comment - Medication 5                                       | Char |
| <b>MEDI_USE2_5_COM</b>           | Duration of use - Medication 5                                      | Num  |
| <b>MEDI_START_SP_5_COM</b>       | Use start date - Medication 5                                       | Char |
| <b>MEDI_REASON_SP_5_COM</b>      | Reason for use - Medication 5                                       | Char |
| <b>MEDI_FRM_6_COM</b>            | DIN coding source - Medication 6                                    | Char |

|                                  |   |      |
|----------------------------------|---|------|
| <b>MEDI_ID_DIN_SP2_6_COM</b>     | Drug Identification Number or Natural product number - Medication 6 | Num  |
| <b>MEDI_ID_NAME_SP2_6_COM</b>    | Drug or Natural product name (Original input) - Medication 6        | Char |
| <b>MEDI_ID_NAME_SP_OUT_6_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 6    | Char |
| <b>MEDI_DB_Type_6_COM</b>        | DIN number source - Medication 6                                    | Char |
| <b>MEDI_DecisionRule_6_COM</b>   | Decision rule used in coding - Medication 6                         | Num  |
| <b>MEDI_PRES_6_COM</b>           | Prescribed - Medication 6   | Num  |
| <b>MEDI_DOSE_NB_6_COM</b>        | Dosage quantity - Medication 6                                      | Num  |
| <b>MEDI_DOSE_UNIT_6_COM</b>      | Dosage unit - Medication 6  | Num  |
| <b>MEDI_DOSE_FRQ_6_COM</b>       | Dosage frequency - Medication 6                                     | Num  |
| <b>MEDI_DOSE_CMT_6_COM</b>       | Dosage comment - Medication 6                                       | Char |
| <b>MEDI_USE2_6_COM</b>           | Duration of use - Medication 6                                      | Num  |
| <b>MEDI_START_SP_6_COM</b>       | Use start date - Medication 6                                       | Char |
| <b>MEDI_REASON_SP_6_COM</b>      | Reason for use - Medication 6                                       | Char |
| <b>MEDI_FRM_7_COM</b>            | DIN coding source - Medication 7                                    | Char |
| <b>MEDI_ID_DIN_SP2_7_COM</b>     | Drug Identification Number or Natural product number - Medication 7 | Num  |
| <b>MEDI_ID_NAME_SP2_7_COM</b>    | Drug or Natural product name (Original input) - Medication 7        | Char |
| <b>MEDI_ID_NAME_SP_OUT_7_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 7    | Char |
| <b>MEDI_DB_Type_7_COM</b>        | DIN number source - Medication 7                                    | Char |
| <b>MEDI_DecisionRule_7_COM</b>   | Decision rule used in coding - Medication 7                         | Num  |
| <b>MEDI_PRES_7_COM</b>           | Prescribed - Medication 7   | Num  |
| <b>MEDI_DOSE_NB_7_COM</b>        | Dosage quantity - Medication 7                                      | Num  |
| <b>MEDI_DOSE_UNIT_7_COM</b>      | Dosage unit - Medication 7  | Num  |
| <b>MEDI_DOSE_FRQ_7_COM</b>       | Dosage frequency - Medication 7                                     | Num  |
| <b>MEDI_DOSE_CMT_7_COM</b>       | Dosage comment - Medication 7                                       | Char |
| <b>MEDI_USE2_7_COM</b>           | Duration of use - Medication 7                                      | Num  |
| <b>MEDI_START_SP_7_COM</b>       | Use start date - Medication 7                                       | Char |

|                                  |   |      |
|----------------------------------|---|------|
| <b>MEDI_REASON_SP_7_COM</b>      | Reason for use - Medication 7                                       | Char |
| <b>MEDI_FRM_8_COM</b>            | DIN coding source - Medication 8                                    | Char |
| <b>MEDI_ID_DIN_SP2_8_COM</b>     | Drug Identification Number or Natural product number - Medication 8 | Num  |
| <b>MEDI_ID_NAME_SP2_8_COM</b>    | Drug or Natural product name (Original input) - Medication 8        | Char |
| <b>MEDI_ID_NAME_SP_OUT_8_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 8    | Char |
| <b>MEDI_DB_Type_8_COM</b>        | DIN number source - Medication 8                                    | Char |
| <b>MEDI_DecisionRule_8_COM</b>   | Decision rule used in coding - Medication 8                         | Num  |
| <b>MEDI_PRES_8_COM</b>           | Prescribed - Medication 8   | Num  |
| <b>MEDI_DOSE_NB_8_COM</b>        | Dosage quantity - Medication 8                                      | Num  |
| <b>MEDI_DOSE_UNIT_8_COM</b>      | Dosage unit - Medication 8  | Num  |
| <b>MEDI_DOSE_FRQ_8_COM</b>       | Dosage frequency - Medication 8                                     | Num  |
| <b>MEDI_DOSE_CMT_8_COM</b>       | Dosage comment - Medication 8                                       | Char |
| <b>MEDI_USE2_8_COM</b>           | Duration of use - Medication 8                                      | Num  |
| <b>MEDI_START_SP_8_COM</b>       | Use start date - Medication 8                                       | Char |
| <b>MEDI_REASON_SP_8_COM</b>      | Reason for use - Medication 8                                       | Char |
| <b>MEDI_FRM_9_COM</b>            | DIN coding source - Medication 9                                    | Char |
| <b>MEDI_ID_DIN_SP2_9_COM</b>     | Drug Identification Number or Natural product number - Medication 9 | Num  |
| <b>MEDI_ID_NAME_SP2_9_COM</b>    | Drug or Natural product name (Original input) - Medication 9        | Char |
| <b>MEDI_ID_NAME_SP_OUT_9_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 9    | Char |
| <b>MEDI_DB_Type_9_COM</b>        | DIN number source - Medication 9                                    | Char |
| <b>MEDI_DecisionRule_9_COM</b>   | Decision rule used in coding - Medication 9                         | Num  |
| <b>MEDI_PRES_9_COM</b>           | Prescribed - Medication 9   | Num  |
| <b>MEDI_DOSE_NB_9_COM</b>        | Dosage quantity - Medication 9                                      | Num  |
| <b>MEDI_DOSE_UNIT_9_COM</b>      | Dosage unit - Medication 9  | Num  |
| <b>MEDI_DOSE_FRQ_9_COM</b>       | Dosage frequency - Medication 9                                     | Num  |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DOSE_CMT_9_COM</b>        | Dosage comment - Medication 9  | Char |
| <b>MEDI_USE2_9_COM</b>            | Duration of use - Medication 9                                       | Num  |
| <b>MEDI_START_SP_9_COM</b>        | Use start date - Medication 9  | Char |
| <b>MEDI_REASON_SP_9_COM</b>       | Reason for use - Medication 9  | Char |
| <b>MEDI_FRM_10_COM</b>            | DIN coding source - Medication 10                                    | Char |
| <b>MEDI_ID_DIN_SP2_10_COM</b>     | Drug Identification Number or Natural product number - Medication 10 | Char |
| <b>MEDI_ID_NAME_SP2_10_COM</b>    | Drug or Natural product name (Original input) - Medication 10        | Char |
| <b>MEDI_ID_NAME_SP_OUT_10_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 10    | Char |
| <b>MEDI_DB_Type_10_COM</b>        | DIN number source - Medication 10                                    | Char |
| <b>MEDI_DecisionRule_10_COM</b>   | Decision rule used in coding - Medication 10                         | Num  |
| <b>MEDI_PRES_10_COM</b>           | Prescribed - Medication 10   | Num  |
| <b>MEDI_DOSE_NB_10_COM</b>        | Dosage quantity - Medication 10                                      | Num  |
| <b>MEDI_DOSE_UNIT_10_COM</b>      | Dosage unit - Medication 10  | Num  |
| <b>MEDI_DOSE_FRQ_10_COM</b>       | Dosage frequency - Medication 10                                     | Num  |
| <b>MEDI_DOSE_CMT_10_COM</b>       | Dosage comment - Medication 10                                       | Char |
| <b>MEDI_USE2_10_COM</b>           | Duration of use - Medication 10                                      | Num  |
| <b>MEDI_START_SP_10_COM</b>       | Use start date - Medication 10                                       | Char |
| <b>MEDI_REASON_SP_10_COM</b>      | Reason for use - Medication 10                                       | Char |
| <b>MEDI_FRM_11_COM</b>            | DIN coding source - Medication 11                                    | Char |
| <b>MEDI_ID_DIN_SP2_11_COM</b>     | Drug Identification Number or Natural product number - Medication 11 | Num  |
| <b>MEDI_ID_NAME_SP2_11_COM</b>    | Drug or Natural product name (Original input) - Medication 11        | Char |
| <b>MEDI_ID_NAME_SP_OUT_11_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 11    | Char |
| <b>MEDI_DB_Type_11_COM</b>        | DIN number source - Medication 11                                    | Char |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DecisionRule_11_COM</b>   | Decision rule used in coding - Medication 11                         | Num  |
| <b>MEDI_PRES_11_COM</b>           | Prescribed - Medication 11   | Num  |
| <b>MEDI_DOSE_NB_11_COM</b>        | Dosage quantity - Medication 11                                      | Char |
| <b>MEDI_DOSE_UNIT_11_COM</b>      | Dosage unit - Medication 11  | Num  |
| <b>MEDI_DOSE_FRQ_11_COM</b>       | Dosage frequency - Medication 11                                     | Num  |
| <b>MEDI_DOSE_CMT_11_COM</b>       | Dosage comment - Medication 11                                       | Char |
| <b>MEDI_USE2_11_COM</b>           | Duration of use - Medication 11                                      | Num  |
| <b>MEDI_START_SP_11_COM</b>       | Use start date - Medication 11                                       | Char |
| <b>MEDI_REASON_SP_11_COM</b>      | Reason for use - Medication 11                                       | Char |
| <b>MEDI_FRM_12_COM</b>            | DIN coding source - Medication 12                                    | Char |
| <b>MEDI_ID_DIN_SP2_12_COM</b>     | Drug Identification Number or Natural product number - Medication 12 | Num  |
| <b>MEDI_ID_NAME_SP2_12_COM</b>    | Drug or Natural product name (Original input) - Medication 12        | Char |
| <b>MEDI_ID_NAME_SP_OUT_12_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 12    | Char |
| <b>MEDI_DB_Type_12_COM</b>        | DIN number source - Medication 12                                    | Char |
| <b>MEDI_DecisionRule_12_COM</b>   | Decision rule used in coding - Medication 12                         | Num  |
| <b>MEDI_PRES_12_COM</b>           | Prescribed - Medication 12   | Num  |
| <b>MEDI_DOSE_NB_12_COM</b>        | Dosage quantity - Medication 12                                      | Num  |
| <b>MEDI_DOSE_UNIT_12_COM</b>      | Dosage unit - Medication 12  | Num  |
| <b>MEDI_DOSE_FRQ_12_COM</b>       | Dosage frequency - Medication 12                                     | Num  |
| <b>MEDI_DOSE_CMT_12_COM</b>       | Dosage comment - Medication 12                                       | Char |
| <b>MEDI_USE2_12_COM</b>           | Duration of use - Medication 12                                      | Num  |
| <b>MEDI_START_SP_12_COM</b>       | Use start date - Medication 12                                       | Char |
| <b>MEDI_REASON_SP_12_COM</b>      | Reason for use - Medication 12                                       | Char |
| <b>MEDI_FRM_13_COM</b>            | DIN coding source - Medication 13                                    | Char |



|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_ID_DIN_SP2_13_COM</b>     | Drug Identification Number or Natural product number - Medication 13 | Char |
| <b>MEDI_ID_NAME_SP2_13_COM</b>    | Drug or Natural product name (Original input) - Medication 13        | Char |
| <b>MEDI_ID_NAME_SP_OUT_13_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 13    | Char |
| <b>MEDI_DB_Type_13_COM</b>        | DIN number source - Medication 13                                    | Char |
| <b>MEDI_DecisionRule_13_COM</b>   | Decision rule used in coding - Medication 13                         | Num  |
| <b>MEDI_PRES_13_COM</b>           | Prescribed - Medication 13   | Num  |
| <b>MEDI_DOSE_NB_13_COM</b>        | Dosage quantity - Medication 13                                      | Num  |
| <b>MEDI_DOSE_UNIT_13_COM</b>      | Dosage unit - Medication 13  | Num  |
| <b>MEDI_DOSE_FRQ_13_COM</b>       | Dosage frequency - Medication 13                                     | Num  |
| <b>MEDI_DOSE_CMT_13_COM</b>       | Dosage comment - Medication 13                                       | Char |
| <b>MEDI_USE2_13_COM</b>           | Duration of use - Medication 13                                      | Num  |
| <b>MEDI_START_SP_13_COM</b>       | Use start date - Medication 13                                       | Char |
| <b>MEDI_REASON_SP_13_COM</b>      | Reason for use - Medication 13                                       | Char |
| <b>MEDI_FRM_14_COM</b>            | DIN coding source - Medication 14                                    | Char |
| <b>MEDI_ID_DIN_SP2_14_COM</b>     | Drug Identification Number or Natural product number - Medication 14 | Num  |
| <b>MEDI_ID_NAME_SP2_14_COM</b>    | Drug or Natural product name (Original input) - Medication 14        | Char |
| <b>MEDI_ID_NAME_SP_OUT_14_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 14    | Char |
| <b>MEDI_DB_Type_14_COM</b>        | DIN number source - Medication 14                                    | Char |
| <b>MEDI_DecisionRule_14_COM</b>   | Decision rule used in coding - Medication 14                         | Num  |
| <b>MEDI_PRES_14_COM</b>           | Prescribed - Medication 14   | Num  |
| <b>MEDI_DOSE_NB_14_COM</b>        | Dosage quantity - Medication 14                                      | Num  |
| <b>MEDI_DOSE_UNIT_14_COM</b>      | Dosage unit - Medication 14  | Num  |
| <b>MEDI_DOSE_FRQ_14_COM</b>       | Dosage frequency - Medication 14                                     | Num  |



|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DOSE_CMT_14_COM</b>       | Dosage comment - Medication 14                                       | Char |
| <b>MEDI_USE2_14_COM</b>           | Duration of use - Medication 14                                      | Num  |
| <b>MEDI_START_SP_14_COM</b>       | Use start date - Medication 14                                       | Char |
| <b>MEDI_REASON_SP_14_COM</b>      | Reason for use - Medication 14                                       | Char |
| <b>MEDI_FRM_15_COM</b>            | DIN coding source - Medication 15                                    | Char |
| <b>MEDI_ID_DIN_SP2_15_COM</b>     | Drug Identification Number or Natural product number - Medication 15 | Num  |
| <b>MEDI_ID_NAME_SP2_15_COM</b>    | Drug or Natural product name (Original input) - Medication 15        | Char |
| <b>MEDI_ID_NAME_SP_OUT_15_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 15    | Char |
| <b>MEDI_DB_Type_15_COM</b>        | DIN number source - Medication 15                                    | Char |
| <b>MEDI_DecisionRule_15_COM</b>   | Decision rule used in coding - Medication 15                         | Num  |
| <b>MEDI_PRES_15_COM</b>           | Prescribed - Medication 15   | Num  |
| <b>MEDI_DOSE_NB_15_COM</b>        | Dosage quantity - Medication 15                                      | Num  |
| <b>MEDI_DOSE_UNIT_15_COM</b>      | Dosage unit - Medication 15  | Num  |
| <b>MEDI_DOSE_FRQ_15_COM</b>       | Dosage frequency - Medication 15                                     | Num  |
| <b>MEDI_DOSE_CMT_15_COM</b>       | Dosage comment - Medication 15                                       | Char |
| <b>MEDI_USE2_15_COM</b>           | Duration of use - Medication 15                                      | Num  |
| <b>MEDI_START_SP_15_COM</b>       | Use start date - Medication 15                                       | Char |
| <b>MEDI_REASON_SP_15_COM</b>      | Reason for use - Medication 15                                       | Char |
| <b>MEDI_FRM_16_COM</b>            | DIN coding source - Medication 16                                    | Char |
| <b>MEDI_ID_DIN_SP2_16_COM</b>     | Drug Identification Number or Natural product number - Medication 16 | Num  |
| <b>MEDI_ID_NAME_SP2_16_COM</b>    | Drug or Natural product name (Original input) - Medication 16        | Char |
| <b>MEDI_ID_NAME_SP_OUT_16_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 16    | Char |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DB_Type_16_COM</b>        | DIN number source - Medication 16                                    | Char |
| <b>MEDI_DecisionRule_16_COM</b>   | Decision rule used in coding - Medication 16                         | Num  |
| <b>MEDI_PRES_16_COM</b>           | Prescribed - Medication 16   | Num  |
| <b>MEDI_DOSE_NB_16_COM</b>        | Dosage quantity - Medication 16                                      | Num  |
| <b>MEDI_DOSE_UNIT_16_COM</b>      | Dosage unit - Medication 16  | Num  |
| <b>MEDI_DOSE_FRQ_16_COM</b>       | Dosage frequency - Medication 16                                     | Num  |
| <b>MEDI_DOSE_CMT_16_COM</b>       | Dosage comment - Medication 16                                       | Char |
| <b>MEDI_USE2_16_COM</b>           | Duration of use - Medication 16                                      | Num  |
| <b>MEDI_START_SP_16_COM</b>       | Use start date - Medication 16                                       | Char |
| <b>MEDI_REASON_SP_16_COM</b>      | Reason for use - Medication 16                                       | Char |
| <b>MEDI_FRM_17_COM</b>            | DIN coding source - Medication 17                                    | Char |
| <b>MEDI_ID_DIN_SP2_17_COM</b>     | Drug Identification Number or Natural product number - Medication 17 | Char |
| <b>MEDI_ID_NAME_SP2_17_COM</b>    | Drug or Natural product name (Original input) - Medication 17        | Char |
| <b>MEDI_ID_NAME_SP_OUT_17_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 17    | Char |
| <b>MEDI_DB_Type_17_COM</b>        | DIN number source - Medication 17                                    | Char |
| <b>MEDI_DecisionRule_17_COM</b>   | Decision rule used in coding - Medication 17                         | Num  |
| <b>MEDI_PRES_17_COM</b>           | Prescribed - Medication 17   | Num  |
| <b>MEDI_DOSE_NB_17_COM</b>        | Dosage quantity - Medication 17                                      | Num  |
| <b>MEDI_DOSE_UNIT_17_COM</b>      | Dosage unit - Medication 17  | Num  |
| <b>MEDI_DOSE_FRQ_17_COM</b>       | Dosage frequency - Medication 17                                     | Num  |
| <b>MEDI_DOSE_CMT_17_COM</b>       | Dosage comment - Medication 17                                       | Char |
| <b>MEDI_USE2_17_COM</b>           | Duration of use - Medication 17                                      | Num  |
| <b>MEDI_START_SP_17_COM</b>       | Use start date - Medication 17                                       | Char |
| <b>MEDI_REASON_SP_17_COM</b>      | Reason for use - Medication 17                                       | Char |
| <b>MEDI_FRM_18_COM</b>            | DIN coding source - Medication 18                                    | Char |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_ID_DIN_SP2_18_COM</b>     | Drug Identification Number or Natural product number - Medication 18 | Num  |
| <b>MEDI_ID_NAME_SP2_18_COM</b>    | Drug or Natural product name (Original input) - Medication 18        | Char |
| <b>MEDI_ID_NAME_SP_OUT_18_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 18    | Char |
| <b>MEDI_DB_Type_18_COM</b>        | DIN number source - Medication 18                                    | Char |
| <b>MEDI_DecisionRule_18_COM</b>   | Decision rule used in coding - Medication 18                         | Num  |
| <b>MEDI_PRES_18_COM</b>           | Prescribed - Medication 18   | Num  |
| <b>MEDI_DOSE_NB_18_COM</b>        | Dosage quantity - Medication 18                                      | Num  |
| <b>MEDI_DOSE_UNIT_18_COM</b>      | Dosage unit - Medication 18  | Num  |
| <b>MEDI_DOSE_FRQ_18_COM</b>       | Dosage frequency - Medication 18                                     | Num  |
| <b>MEDI_DOSE_CMT_18_COM</b>       | Dosage comment - Medication 18                                       | Char |
| <b>MEDI_USE2_18_COM</b>           | Duration of use - Medication 18                                      | Num  |
| <b>MEDI_START_SP_18_COM</b>       | Use start date - Medication 18                                       | Char |
| <b>MEDI_REASON_SP_18_COM</b>      | Reason for use - Medication 18                                       | Char |
| <b>MEDI_FRM_19_COM</b>            | DIN coding source - Medication 19                                    | Char |
| <b>MEDI_ID_DIN_SP2_19_COM</b>     | Drug Identification Number or Natural product number - Medication 19 | Num  |
| <b>MEDI_ID_NAME_SP2_19_COM</b>    | Drug or Natural product name (Original input) - Medication 19        | Char |
| <b>MEDI_ID_NAME_SP_OUT_19_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 19    | Char |
| <b>MEDI_DB_Type_19_COM</b>        | DIN number source - Medication 19                                    | Char |
| <b>MEDI_DecisionRule_19_COM</b>   | Decision rule used in coding - Medication 19                         | Num  |
| <b>MEDI_PRES_19_COM</b>           | Prescribed - Medication 19   | Num  |
| <b>MEDI_DOSE_NB_19_COM</b>        | Dosage quantity - Medication 19                                      | Num  |
| <b>MEDI_DOSE_UNIT_19_COM</b>      | Dosage unit - Medication 19  | Num  |
| <b>MEDI_DOSE_FRQ_19_COM</b>       | Dosage frequency - Medication 19                                     | Num  |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DOSE_CMT_19_COM</b>       | Dosage comment - Medication 19                                       | Char |
| <b>MEDI_USE2_19_COM</b>           | Duration of use - Medication 19                                      | Num  |
| <b>MEDI_START_SP_19_COM</b>       | Use start date - Medication 19                                       | Char |
| <b>MEDI_REASON_SP_19_COM</b>      | Reason for use - Medication 19                                       | Char |
| <b>MEDI_FRM_20_COM</b>            | DIN coding source - Medication 20                                    | Char |
| <b>MEDI_ID_DIN_SP2_20_COM</b>     | Drug Identification Number or Natural product number - Medication 20 | Num  |
| <b>MEDI_ID_NAME_SP2_20_COM</b>    | Drug or Natural product name (Original input) - Medication 20        | Char |
| <b>MEDI_ID_NAME_SP_OUT_20_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 20    | Char |
| <b>MEDI_DB_Type_20_COM</b>        | DIN number source - Medication 20                                    | Char |
| <b>MEDI_DecisionRule_20_COM</b>   | Decision rule used in coding - Medication 20                         | Num  |
| <b>MEDI_PRES_20_COM</b>           | Prescribed - Medication 20   | Num  |
| <b>MEDI_DOSE_NB_20_COM</b>        | Dosage quantity - Medication 20                                      | Num  |
| <b>MEDI_DOSE_UNIT_20_COM</b>      | Dosage unit - Medication 20  | Num  |
| <b>MEDI_DOSE_FRQ_20_COM</b>       | Dosage frequency - Medication 20                                     | Num  |
| <b>MEDI_DOSE_CMT_20_COM</b>       | Dosage comment - Medication 20                                       | Char |
| <b>MEDI_USE2_20_COM</b>           | Duration of use - Medication 20                                      | Num  |
| <b>MEDI_START_SP_20_COM</b>       | Use start date - Medication 20                                       | Char |
| <b>MEDI_REASON_SP_20_COM</b>      | Reason for use - Medication 20                                       | Char |
| <b>MEDI_FRM_21_COM</b>            | DIN coding source - Medication 21                                    | Char |
| <b>MEDI_ID_DIN_SP2_21_COM</b>     | Drug Identification Number or Natural product number - Medication 21 | Num  |
| <b>MEDI_ID_NAME_SP2_21_COM</b>    | Drug or Natural product name (Original input) - Medication 21        | Char |
| <b>MEDI_ID_NAME_SP_OUT_21_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 21    | Char |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DB_Type_21_COM</b>        | DIN number source - Medication 21                                    | Char |
| <b>MEDI_DecisionRule_21_COM</b>   | Decision rule used in coding - Medication 21                         | Num  |
| <b>MEDI_PRES_21_COM</b>           | Prescribed - Medication 21   | Num  |
| <b>MEDI_DOSE_NB_21_COM</b>        | Dosage quantity - Medication 21                                      | Num  |
| <b>MEDI_DOSE_UNIT_21_COM</b>      | Dosage unit - Medication 21  | Num  |
| <b>MEDI_DOSE_FRQ_21_COM</b>       | Dosage frequency - Medication 21                                     | Num  |
| <b>MEDI_DOSE_CMT_21_COM</b>       | Dosage comment - Medication 21                                       | Char |
| <b>MEDI_USE2_21_COM</b>           | Duration of use - Medication 21                                      | Num  |
| <b>MEDI_START_SP_21_COM</b>       | Use start date - Medication 21                                       | Char |
| <b>MEDI_REASON_SP_21_COM</b>      | Reason for use - Medication 21                                       | Char |
| <b>MEDI_FRM_22_COM</b>            | DIN coding source - Medication 22                                    | Char |
| <b>MEDI_ID_DIN_SP2_22_COM</b>     | Drug Identification Number or Natural product number - Medication 22 | Num  |
| <b>MEDI_ID_NAME_SP2_22_COM</b>    | Drug or Natural product name (Original input) - Medication 22        | Char |
| <b>MEDI_ID_NAME_SP_OUT_22_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 22    | Char |
| <b>MEDI_DB_Type_22_COM</b>        | DIN number source - Medication 22                                    | Char |
| <b>MEDI_DecisionRule_22_COM</b>   | Decision rule used in coding - Medication 22                         | Num  |
| <b>MEDI_PRES_22_COM</b>           | Prescribed - Medication 22   | Num  |
| <b>MEDI_DOSE_NB_22_COM</b>        | Dosage quantity - Medication 22                                      | Num  |
| <b>MEDI_DOSE_UNIT_22_COM</b>      | Dosage unit - Medication 22  | Num  |
| <b>MEDI_DOSE_FRQ_22_COM</b>       | Dosage frequency - Medication 22                                     | Num  |
| <b>MEDI_DOSE_CMT_22_COM</b>       | Dosage comment - Medication 22                                       | Char |
| <b>MEDI_USE2_22_COM</b>           | Duration of use - Medication 22                                      | Num  |
| <b>MEDI_START_SP_22_COM</b>       | Use start date - Medication 22                                       | Char |
| <b>MEDI_REASON_SP_22_COM</b>      | Reason for use - Medication 22                                       | Char |
| <b>MEDI_FRM_23_COM</b>            | DIN coding source - Medication 23                                    | Char |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_ID_DIN_SP2_23_COM</b>     | Drug Identification Number or Natural product number - Medication 23 | Num  |
| <b>MEDI_ID_NAME_SP2_23_COM</b>    | Drug or Natural product name (Original input) - Medication 23        | Char |
| <b>MEDI_ID_NAME_SP_OUT_23_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 23    | Char |
| <b>MEDI_DB_Type_23_COM</b>        | DIN number source - Medication 23                                    | Char |
| <b>MEDI_DecisionRule_23_COM</b>   | Decision rule used in coding - Medication 23                         | Num  |
| <b>MEDI_PRES_23_COM</b>           | Prescribed - Medication 23   | Num  |
| <b>MEDI_DOSE_NB_23_COM</b>        | Dosage quantity - Medication 23                                      | Num  |
| <b>MEDI_DOSE_UNIT_23_COM</b>      | Dosage unit - Medication 23  | Num  |
| <b>MEDI_DOSE_FRQ_23_COM</b>       | Dosage frequency - Medication 23                                     | Num  |
| <b>MEDI_DOSE_CMT_23_COM</b>       | Dosage comment - Medication 23                                       | Char |
| <b>MEDI_USE2_23_COM</b>           | Duration of use - Medication 23                                      | Num  |
| <b>MEDI_START_SP_23_COM</b>       | Use start date - Medication 23                                       | Char |
| <b>MEDI_REASON_SP_23_COM</b>      | Reason for use - Medication 23                                       | Char |
| <b>MEDI_FRM_24_COM</b>            | DIN coding source - Medication 24                                    | Char |
| <b>MEDI_ID_DIN_SP2_24_COM</b>     | Drug Identification Number or Natural product number - Medication 24 | Num  |
| <b>MEDI_ID_NAME_SP2_24_COM</b>    | Drug or Natural product name (Original input) - Medication 24        | Char |
| <b>MEDI_ID_NAME_SP_OUT_24_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 24    | Char |
| <b>MEDI_DB_Type_24_COM</b>        | DIN number source - Medication 24                                    | Char |
| <b>MEDI_DecisionRule_24_COM</b>   | Decision rule used in coding - Medication 24                         | Num  |
| <b>MEDI_PRES_24_COM</b>           | Prescribed - Medication 24   | Num  |
| <b>MEDI_DOSE_NB_24_COM</b>        | Dosage quantity - Medication 24                                      | Num  |
| <b>MEDI_DOSE_UNIT_24_COM</b>      | Dosage unit - Medication 24  | Num  |
| <b>MEDI_DOSE_FRQ_24_COM</b>       | Dosage frequency - Medication 24                                     | Num  |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DOSE_CMT_24_COM</b>       | Dosage comment - Medication 24                                       | Char |
| <b>MEDI_USE2_24_COM</b>           | Duration of use - Medication 24                                      | Num  |
| <b>MEDI_START_SP_24_COM</b>       | Use start date - Medication 24                                       | Char |
| <b>MEDI_REASON_SP_24_COM</b>      | Reason for use - Medication 24                                       | Char |
| <b>MEDI_FRM_25_COM</b>            | DIN coding source - Medication 25                                    | Char |
| <b>MEDI_ID_DIN_SP2_25_COM</b>     | Drug Identification Number or Natural product number - Medication 25 | Char |
| <b>MEDI_ID_NAME_SP2_25_COM</b>    | Drug or Natural product name (Original input) - Medication 25        | Char |
| <b>MEDI_ID_NAME_SP_OUT_25_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 25    | Char |
| <b>MEDI_DB_Type_25_COM</b>        | DIN number source - Medication 25                                    | Char |
| <b>MEDI_DecisionRule_25_COM</b>   | Decision rule used in coding - Medication 25                         | Num  |
| <b>MEDI_PRES_25_COM</b>           | Prescribed - Medication 25   | Num  |
| <b>MEDI_DOSE_NB_25_COM</b>        | Dosage quantity - Medication 25                                      | Num  |
| <b>MEDI_DOSE_UNIT_25_COM</b>      | Dosage unit - Medication 25  | Num  |
| <b>MEDI_DOSE_FRQ_25_COM</b>       | Dosage frequency - Medication 25                                     | Num  |
| <b>MEDI_DOSE_CMT_25_COM</b>       | Dosage comment - Medication 25                                       | Char |
| <b>MEDI_USE2_25_COM</b>           | Duration of use - Medication 25                                      | Num  |
| <b>MEDI_START_SP_25_COM</b>       | Use start date - Medication 25                                       | Char |
| <b>MEDI_REASON_SP_25_COM</b>      | Reason for use - Medication 25                                       | Char |
| <b>MEDI_FRM_26_COM</b>            | DIN coding source - Medication 26                                    | Char |
| <b>MEDI_ID_DIN_SP2_26_COM</b>     | Drug Identification Number or Natural product number - Medication 26 | Num  |
| <b>MEDI_ID_NAME_SP2_26_COM</b>    | Drug or Natural product name (Original input) - Medication 26        | Char |
| <b>MEDI_ID_NAME_SP_OUT_26_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 26    | Char |



|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DB_Type_26_COM</b>        | DIN number source - Medication 26                                    | Char |
| <b>MEDI_DecisionRule_26_COM</b>   | Decision rule used in coding - Medication 26                         | Num  |
| <b>MEDI_PRES_26_COM</b>           | Prescribed - Medication 26   | Num  |
| <b>MEDI_DOSE_NB_26_COM</b>        | Dosage quantity - Medication 26                                      | Num  |
| <b>MEDI_DOSE_UNIT_26_COM</b>      | Dosage unit - Medication 26  | Num  |
| <b>MEDI_DOSE_FRQ_26_COM</b>       | Dosage frequency - Medication 26                                     | Num  |
| <b>MEDI_DOSE_CMT_26_COM</b>       | Dosage comment - Medication 26                                       | Char |
| <b>MEDI_USE2_26_COM</b>           | Duration of use - Medication 26                                      | Num  |
| <b>MEDI_START_SP_26_COM</b>       | Use start date - Medication 26                                       | Char |
| <b>MEDI_REASON_SP_26_COM</b>      | Reason for use - Medication 26                                       | Char |
| <b>MEDI_FRM_27_COM</b>            | DIN coding source - Medication 27                                    | Char |
| <b>MEDI_ID_DIN_SP2_27_COM</b>     | Drug Identification Number or Natural product number - Medication 27 | Num  |
| <b>MEDI_ID_NAME_SP2_27_COM</b>    | Drug or Natural product name (Original input) - Medication 27        | Char |
| <b>MEDI_ID_NAME_SP_OUT_27_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 27    | Char |
| <b>MEDI_DB_Type_27_COM</b>        | DIN number source - Medication 27                                    | Char |
| <b>MEDI_DecisionRule_27_COM</b>   | Decision rule used in coding - Medication 27                         | Num  |
| <b>MEDI_PRES_27_COM</b>           | Prescribed - Medication 27   | Num  |
| <b>MEDI_DOSE_NB_27_COM</b>        | Dosage quantity - Medication 27                                      | Num  |
| <b>MEDI_DOSE_UNIT_27_COM</b>      | Dosage unit - Medication 27  | Num  |
| <b>MEDI_DOSE_FRQ_27_COM</b>       | Dosage frequency - Medication 27                                     | Num  |
| <b>MEDI_DOSE_CMT_27_COM</b>       | Dosage comment - Medication 27                                       | Char |
| <b>MEDI_USE2_27_COM</b>           | Duration of use - Medication 27                                      | Num  |
| <b>MEDI_START_SP_27_COM</b>       | Use start date - Medication 27                                       | Char |
| <b>MEDI_REASON_SP_27_COM</b>      | Reason for use - Medication 27                                       | Char |
| <b>MEDI_FRM_28_COM</b>            | DIN coding source - Medication 28                                    | Char |



|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_ID_DIN_SP2_28_COM</b>     | Drug Identification Number or Natural product number - Medication 28 | Num  |
| <b>MEDI_ID_NAME_SP2_28_COM</b>    | Drug or Natural product name (Original input) - Medication 28        | Char |
| <b>MEDI_ID_NAME_SP_OUT_28_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 28    | Char |
| <b>MEDI_DB_Type_28_COM</b>        | DIN number source - Medication 28                                    | Char |
| <b>MEDI_DecisionRule_28_COM</b>   | Decision rule used in coding - Medication 28                         | Num  |
| <b>MEDI_PRES_28_COM</b>           | Prescribed - Medication 28   | Num  |
| <b>MEDI_DOSE_NB_28_COM</b>        | Dosage quantity - Medication 28                                      | Num  |
| <b>MEDI_DOSE_UNIT_28_COM</b>      | Dosage unit - Medication 28  | Num  |
| <b>MEDI_DOSE_FRQ_28_COM</b>       | Dosage frequency - Medication 28                                     | Num  |
| <b>MEDI_DOSE_CMT_28_COM</b>       | Dosage comment - Medication 28                                       | Char |
| <b>MEDI_USE2_28_COM</b>           | Duration of use - Medication 28                                      | Num  |
| <b>MEDI_START_SP_28_COM</b>       | Use start date - Medication 28                                       | Char |
| <b>MEDI_REASON_SP_28_COM</b>      | Reason for use - Medication 28                                       | Char |
| <b>MEDI_FRM_29_COM</b>            | DIN coding source - Medication 29                                    | Char |
| <b>MEDI_ID_DIN_SP2_29_COM</b>     | Drug Identification Number or Natural product number - Medication 29 | Num  |
| <b>MEDI_ID_NAME_SP2_29_COM</b>    | Drug or Natural product name (Original input) - Medication 29        | Char |
| <b>MEDI_ID_NAME_SP_OUT_29_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 29    | Char |
| <b>MEDI_DB_Type_29_COM</b>        | DIN number source - Medication 29                                    | Char |
| <b>MEDI_DecisionRule_29_COM</b>   | Decision rule used in coding - Medication 29                         | Num  |
| <b>MEDI_PRES_29_COM</b>           | Prescribed - Medication 29   | Num  |
| <b>MEDI_DOSE_NB_29_COM</b>        | Dosage quantity - Medication 29                                      | Num  |
| <b>MEDI_DOSE_UNIT_29_COM</b>      | Dosage unit - Medication 29  | Num  |
| <b>MEDI_DOSE_FRQ_29_COM</b>       | Dosage frequency - Medication 29                                     | Num  |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DOSE_CMT_29_COM</b>       | Dosage comment - Medication 29                                       | Char |
| <b>MEDI_USE2_29_COM</b>           | Duration of use - Medication 29                                      | Num  |
| <b>MEDI_START_SP_29_COM</b>       | Use start date - Medication 29                                       | Char |
| <b>MEDI_REASON_SP_29_COM</b>      | Reason for use - Medication 29                                       | Char |
| <b>MEDI_FRM_30_COM</b>            | DIN coding source - Medication 30                                    | Char |
| <b>MEDI_ID_DIN_SP2_30_COM</b>     | Drug Identification Number or Natural product number - Medication 30 | Num  |
| <b>MEDI_ID_NAME_SP2_30_COM</b>    | Drug or Natural product name (Original input) - Medication 30        | Char |
| <b>MEDI_ID_NAME_SP_OUT_30_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 30    | Char |
| <b>MEDI_DB_Type_30_COM</b>        | DIN number source - Medication 30                                    | Char |
| <b>MEDI_DecisionRule_30_COM</b>   | Decision rule used in coding - Medication 30                         | Num  |
| <b>MEDI_PRES_30_COM</b>           | Prescribed - Medication 30   | Num  |
| <b>MEDI_DOSE_NB_30_COM</b>        | Dosage quantity - Medication 30                                      | Num  |
| <b>MEDI_DOSE_UNIT_30_COM</b>      | Dosage unit - Medication 30  | Num  |
| <b>MEDI_DOSE_FRQ_30_COM</b>       | Dosage frequency - Medication 30                                     | Num  |
| <b>MEDI_DOSE_CMT_30_COM</b>       | Dosage comment - Medication 30                                       | Char |
| <b>MEDI_USE2_30_COM</b>           | Duration of use - Medication 30                                      | Num  |
| <b>MEDI_START_SP_30_COM</b>       | Use start date - Medication 30                                       | Char |
| <b>MEDI_REASON_SP_30_COM</b>      | Reason for use - Medication 30                                       | Char |
| <b>MEDI_FRM_31_COM</b>            | DIN coding source - Medication 31                                    | Char |
| <b>MEDI_ID_DIN_SP2_31_COM</b>     | Drug Identification Number or Natural product number - Medication 31 | Num  |
| <b>MEDI_ID_NAME_SP2_31_COM</b>    | Drug or Natural product name (Original input) - Medication 31        | Char |
| <b>MEDI_ID_NAME_SP_OUT_31_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 31    | Char |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DB_Type_31_COM</b>        | DIN number source - Medication 31                                    | Char |
| <b>MEDI_DecisionRule_31_COM</b>   | Decision rule used in coding - Medication 31                         | Num  |
| <b>MEDI_PRES_31_COM</b>           | Prescribed - Medication 31   | Num  |
| <b>MEDI_DOSE_NB_31_COM</b>        | Dosage quantity - Medication 31                                      | Num  |
| <b>MEDI_DOSE_UNIT_31_COM</b>      | Dosage unit - Medication 31  | Num  |
| <b>MEDI_DOSE_FRQ_31_COM</b>       | Dosage frequency - Medication 31                                     | Num  |
| <b>MEDI_DOSE_CMT_31_COM</b>       | Dosage comment - Medication 31                                       | Char |
| <b>MEDI_USE2_31_COM</b>           | Duration of use - Medication 31                                      | Num  |
| <b>MEDI_START_SP_31_COM</b>       | Use start date - Medication 31                                       | Char |
| <b>MEDI_REASON_SP_31_COM</b>      | Reason for use - Medication 31                                       | Char |
| <b>MEDI_FRM_32_COM</b>            | DIN coding source - Medication 32                                    | Char |
| <b>MEDI_ID_DIN_SP2_32_COM</b>     | Drug Identification Number or Natural product number - Medication 32 | Num  |
| <b>MEDI_ID_NAME_SP2_32_COM</b>    | Drug or Natural product name (Original input) - Medication 32        | Char |
| <b>MEDI_ID_NAME_SP_OUT_32_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 32    | Char |
| <b>MEDI_DB_Type_32_COM</b>        | DIN number source - Medication 32                                    | Char |
| <b>MEDI_DecisionRule_32_COM</b>   | Decision rule used in coding - Medication 32                         | Num  |
| <b>MEDI_PRES_32_COM</b>           | Prescribed - Medication 32   | Num  |
| <b>MEDI_DOSE_NB_32_COM</b>        | Dosage quantity - Medication 32                                      | Num  |
| <b>MEDI_DOSE_UNIT_32_COM</b>      | Dosage unit - Medication 32  | Num  |
| <b>MEDI_DOSE_FRQ_32_COM</b>       | Dosage frequency - Medication 32                                     | Num  |
| <b>MEDI_DOSE_CMT_32_COM</b>       | Dosage comment - Medication 32                                       | Char |
| <b>MEDI_USE2_32_COM</b>           | Duration of use - Medication 32                                      | Num  |
| <b>MEDI_START_SP_32_COM</b>       | Use start date - Medication 32                                       | Char |
| <b>MEDI_REASON_SP_32_COM</b>      | Reason for use - Medication 32                                       | Char |
| <b>MEDI_FRM_33_COM</b>            | DIN coding source - Medication 33                                    | Char |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_ID_DIN_SP2_33_COM</b>     | Drug Identification Number or Natural product number - Medication 33 | Num  |
| <b>MEDI_ID_NAME_SP2_33_COM</b>    | Drug or Natural product name (Original input) - Medication 33        | Char |
| <b>MEDI_ID_NAME_SP_OUT_33_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 33    | Char |
| <b>MEDI_DB_Type_33_COM</b>        | DIN number source - Medication 33                                    | Char |
| <b>MEDI_DecisionRule_33_COM</b>   | Decision rule used in coding - Medication 33                         | Num  |
| <b>MEDI_PRES_33_COM</b>           | Prescribed - Medication 33   | Num  |
| <b>MEDI_DOSE_NB_33_COM</b>        | Dosage quantity - Medication 33                                      | Num  |
| <b>MEDI_DOSE_UNIT_33_COM</b>      | Dosage unit - Medication 33  | Num  |
| <b>MEDI_DOSE_FRQ_33_COM</b>       | Dosage frequency - Medication 33                                     | Num  |
| <b>MEDI_DOSE_CMT_33_COM</b>       | Dosage comment - Medication 33                                       | Char |
| <b>MEDI_USE2_33_COM</b>           | Duration of use - Medication 33                                      | Num  |
| <b>MEDI_START_SP_33_COM</b>       | Use start date - Medication 33                                       | Char |
| <b>MEDI_REASON_SP_33_COM</b>      | Reason for use - Medication 33                                       | Char |
| <b>MEDI_FRM_34_COM</b>            | DIN coding source - Medication 34                                    | Char |
| <b>MEDI_ID_DIN_SP2_34_COM</b>     | Drug Identification Number or Natural product number - Medication 34 | Num  |
| <b>MEDI_ID_NAME_SP2_34_COM</b>    | Drug or Natural product name (Original input) - Medication 34        | Char |
| <b>MEDI_ID_NAME_SP_OUT_34_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 34    | Char |
| <b>MEDI_DB_Type_34_COM</b>        | DIN number source - Medication 34                                    | Char |
| <b>MEDI_DecisionRule_34_COM</b>   | Decision rule used in coding - Medication 34                         | Num  |
| <b>MEDI_PRES_34_COM</b>           | Prescribed - Medication 34   | Num  |
| <b>MEDI_DOSE_NB_34_COM</b>        | Dosage quantity - Medication 34                                      | Num  |
| <b>MEDI_DOSE_UNIT_34_COM</b>      | Dosage unit - Medication 34  | Num  |
| <b>MEDI_DOSE_FRQ_34_COM</b>       | Dosage frequency - Medication 34                                     | Num  |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DOSE_CMT_34_COM</b>       | Dosage comment - Medication 34                                       | Char |
| <b>MEDI_USE2_34_COM</b>           | Duration of use - Medication 34                                      | Num  |
| <b>MEDI_START_SP_34_COM</b>       | Use start date - Medication 34                                       | Char |
| <b>MEDI_REASON_SP_34_COM</b>      | Reason for use - Medication 34                                       | Char |
| <b>MEDI_FRM_35_COM</b>            | DIN coding source - Medication 35                                    | Char |
| <b>MEDI_ID_DIN_SP2_35_COM</b>     | Drug Identification Number or Natural product number - Medication 35 | Num  |
| <b>MEDI_ID_NAME_SP2_35_COM</b>    | Drug or Natural product name (Original input) - Medication 35        | Char |
| <b>MEDI_ID_NAME_SP_OUT_35_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 35    | Char |
| <b>MEDI_DB_Type_35_COM</b>        | DIN number source - Medication 35                                    | Char |
| <b>MEDI_DecisionRule_35_COM</b>   | Decision rule used in coding - Medication 35                         | Num  |
| <b>MEDI_PRES_35_COM</b>           | Prescribed - Medication 35   | Num  |
| <b>MEDI_DOSE_NB_35_COM</b>        | Dosage quantity - Medication 35                                      | Num  |
| <b>MEDI_DOSE_UNIT_35_COM</b>      | Dosage unit - Medication 35  | Num  |
| <b>MEDI_DOSE_FRQ_35_COM</b>       | Dosage frequency - Medication 35                                     | Num  |
| <b>MEDI_DOSE_CMT_35_COM</b>       | Dosage comment - Medication 35                                       | Char |
| <b>MEDI_USE2_35_COM</b>           | Duration of use - Medication 35                                      | Num  |
| <b>MEDI_START_SP_35_COM</b>       | Use start date - Medication 35                                       | Char |
| <b>MEDI_REASON_SP_35_COM</b>      | Reason for use - Medication 35                                       | Char |
| <b>MEDI_FRM_36_COM</b>            | DIN coding source - Medication 36                                    | Char |
| <b>MEDI_ID_DIN_SP2_36_COM</b>     | Drug Identification Number or Natural product number - Medication 36 | Num  |
| <b>MEDI_ID_NAME_SP2_36_COM</b>    | Drug or Natural product name (Original input) - Medication 36        | Char |
| <b>MEDI_ID_NAME_SP_OUT_36_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 36    | Char |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DB_Type_36_COM</b>        | DIN number source - Medication 36                                    | Char |
| <b>MEDI_DecisionRule_36_COM</b>   | Decision rule used in coding - Medication 36                         | Num  |
| <b>MEDI_PRES_36_COM</b>           | Prescribed - Medication 36   | Num  |
| <b>MEDI_DOSE_NB_36_COM</b>        | Dosage quantity - Medication 36                                      | Num  |
| <b>MEDI_DOSE_UNIT_36_COM</b>      | Dosage unit - Medication 36  | Num  |
| <b>MEDI_DOSE_FRQ_36_COM</b>       | Dosage frequency - Medication 36                                     | Num  |
| <b>MEDI_DOSE_CMT_36_COM</b>       | Dosage comment - Medication 36                                       | Char |
| <b>MEDI_USE2_36_COM</b>           | Duration of use - Medication 36                                      | Num  |
| <b>MEDI_START_SP_36_COM</b>       | Use start date - Medication 36                                       | Char |
| <b>MEDI_REASON_SP_36_COM</b>      | Reason for use - Medication 36                                       | Char |
| <b>MEDI_FRM_37_COM</b>            | DIN coding source - Medication 37                                    | Char |
| <b>MEDI_ID_DIN_SP2_37_COM</b>     | Drug Identification Number or Natural product number - Medication 37 | Num  |
| <b>MEDI_ID_NAME_SP2_37_COM</b>    | Drug or Natural product name (Original input) - Medication 37        | Char |
| <b>MEDI_ID_NAME_SP_OUT_37_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 37    | Char |
| <b>MEDI_DB_Type_37_COM</b>        | DIN number source - Medication 37                                    | Char |
| <b>MEDI_DecisionRule_37_COM</b>   | Decision rule used in coding - Medication 37                         | Num  |
| <b>MEDI_PRES_37_COM</b>           | Prescribed - Medication 37   | Num  |
| <b>MEDI_DOSE_NB_37_COM</b>        | Dosage quantity - Medication 37                                      | Num  |
| <b>MEDI_DOSE_UNIT_37_COM</b>      | Dosage unit - Medication 37  | Num  |
| <b>MEDI_DOSE_FRQ_37_COM</b>       | Dosage frequency - Medication 37                                     | Num  |
| <b>MEDI_DOSE_CMT_37_COM</b>       | Dosage comment - Medication 37                                       | Char |
| <b>MEDI_USE2_37_COM</b>           | Duration of use - Medication 37                                      | Num  |
| <b>MEDI_START_SP_37_COM</b>       | Use start date - Medication 37                                       | Char |
| <b>MEDI_REASON_SP_37_COM</b>      | Reason for use - Medication 37                                       | Char |
| <b>MEDI_FRM_38_COM</b>            | DIN coding source - Medication 38                                    | Char |

|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_ID_DIN_SP2_38_COM</b>     | Drug Identification Number or Natural product number - Medication 38 | Num  |
| <b>MEDI_ID_NAME_SP2_38_COM</b>    | Drug or Natural product name (Original input) - Medication 38        | Char |
| <b>MEDI_ID_NAME_SP_OUT_38_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 38    | Char |
| <b>MEDI_DB_Type_38_COM</b>        | DIN number source - Medication 38                                    | Char |
| <b>MEDI_DecisionRule_38_COM</b>   | Decision rule used in coding - Medication 38                         | Num  |
| <b>MEDI_PRES_38_COM</b>           | Prescribed - Medication 38   | Num  |
| <b>MEDI_DOSE_NB_38_COM</b>        | Dosage quantity - Medication 38                                      | Num  |
| <b>MEDI_DOSE_UNIT_38_COM</b>      | Dosage unit - Medication 38  | Num  |
| <b>MEDI_DOSE_FRQ_38_COM</b>       | Dosage frequency - Medication 38                                     | Num  |
| <b>MEDI_DOSE_CMT_38_COM</b>       | Dosage comment - Medication 38                                       | Char |
| <b>MEDI_USE2_38_COM</b>           | Duration of use - Medication 38                                      | Num  |
| <b>MEDI_START_SP_38_COM</b>       | Use start date - Medication 38                                       | Char |
| <b>MEDI_REASON_SP_38_COM</b>      | Reason for use - Medication 38                                       | Char |
| <b>MEDI_FRM_39_COM</b>            | DIN coding source - Medication 39                                    | Char |
| <b>MEDI_ID_DIN_SP2_39_COM</b>     | Drug Identification Number or Natural product number - Medication 39 | Num  |
| <b>MEDI_ID_NAME_SP2_39_COM</b>    | Drug or Natural product name (Original input) - Medication 39        | Char |
| <b>MEDI_ID_NAME_SP_OUT_39_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 39    | Char |
| <b>MEDI_DB_Type_39_COM</b>        | DIN number source - Medication 39                                    | Char |
| <b>MEDI_DecisionRule_39_COM</b>   | Decision rule used in coding - Medication 39                         | Num  |
| <b>MEDI_PRES_39_COM</b>           | Prescribed - Medication 39   | Num  |
| <b>MEDI_DOSE_NB_39_COM</b>        | Dosage quantity - Medication 39                                      | Num  |
| <b>MEDI_DOSE_UNIT_39_COM</b>      | Dosage unit - Medication 39  | Num  |
| <b>MEDI_DOSE_FRQ_39_COM</b>       | Dosage frequency - Medication 39                                     | Num  |



|                                   |  |      |
|-----------------------------------|--|------|
| <b>MEDI_DOSE_CMT_39_COM</b>       | Dosage comment - Medication 39   | Char |
| <b>MEDI_USE2_39_COM</b>           | Duration of use - Medication 39  | Num  |
| <b>MEDI_START_SP_39_COM</b>       | Use start date - Medication 39   | Char |
| <b>MEDI_REASON_SP_39_COM</b>      | Reason for use - Medication 39   | Char |
| <b>MEDI_FRM_40_COM</b>            | DIN coding source - Medication 40  | Char |
| <b>MEDI_ID_DIN_SP2_40_COM</b>     | Drug Identification Number or Natural product number - Medication 40                           | Num  |
| <b>MEDI_ID_NAME_SP2_40_COM</b>    | Drug or Natural product name (Original input) - Medication 40                                  | Char |
| <b>MEDI_ID_NAME_SP_OUT_40_COM</b> | Drug or natural product name from I, AC, AD, or C - Medication 40                              | Char |
| <b>MEDI_DB_Type_40_COM</b>        | DIN number source - Medication 40  | Char |
| <b>MEDI_DecisionRule_40_COM</b>   | Decision rule used in coding - Medication 40   | Char |
| <b>MEDI_PRES_40_COM</b>           | Prescribed - Medication 40   | Num  |
| <b>MEDI_DOSE_NB_40_COM</b>        | Dosage quantity - Medication 40  | Num  |
| <b>MEDI_DOSE_UNIT_40_COM</b>      | Dosage unit - Medication 40  | Num  |
| <b>MEDI_DOSE_FRQ_40_COM</b>       | Dosage frequency - Medication 40   | Num  |
| <b>MEDI_DOSE_CMT_40_COM</b>       | Dosage comment - Medication 40   | Char |
| <b>MEDI_USE2_40_COM</b>           | Duration of use - Medication 40  | Num  |
| <b>MEDI_START_SP_40_COM</b>       | Use start date - Medication 40   | Char |
| <b>MEDI_REASON_SP_40_COM</b>      | Reason for use - Medication 40   | Char |
| <b>MEDI_ID_ATC_1_COM</b>          | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 1 | Char |
| <b>MEDI_ID_AHFS_1_COM</b>         | American Hospital Formulary Service Classification - Medication 1                              | Char |
| <b>MEDI_ID_ATC_2_COM</b>          | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 2 | Char |



|                           |  |      |
|---------------------------|--|------|
| <b>MEDI_ID_AHFS_2_COM</b> | American Hospital Formulary Service Classification - Medication 2                              | Char |
| <b>MEDI_ID_ATC_3_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 3 | Char |
| <b>MEDI_ID_AHFS_3_COM</b> | American Hospital Formulary Service Classification - Medication 3                              | Char |
| <b>MEDI_ID_ATC_4_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 4 | Char |
| <b>MEDI_ID_AHFS_4_COM</b> | American Hospital Formulary Service Classification - Medication 4                              | Char |
| <b>MEDI_ID_ATC_5_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 5 | Char |
| <b>MEDI_ID_AHFS_5_COM</b> | American Hospital Formulary Service Classification - Medication 5                              | Char |
| <b>MEDI_ID_ATC_6_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 6 | Char |
| <b>MEDI_ID_AHFS_6_COM</b> | American Hospital Formulary Service Classification - Medication 6                              | Char |
| <b>MEDI_ID_ATC_7_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 7 | Char |
| <b>MEDI_ID_AHFS_7_COM</b> | American Hospital Formulary Service Classification - Medication 7                              | Char |
| <b>MEDI_ID_ATC_8_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 8 | Char |
| <b>MEDI_ID_AHFS_8_COM</b> | American Hospital Formulary Service Classification - Medication 8                              | Char |
| <b>MEDI_ID_ATC_9_COM</b>  | World Health Organization Anatomical Therapeutic   | Char |

|                            |   |      |
|----------------------------|---|------|
|                            | Chemical Classification System - Medication 9   |      |
| <b>MEDI_ID_AHFS_9_COM</b>  | American Hospital Formulary Service Classification - Medication 9                               | Char |
| <b>MEDI_ID_ATC_10_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 10 | Char |
| <b>MEDI_ID_AHFS_10_COM</b> | American Hospital Formulary Service Classification - Medication 10                              | Char |
| <b>MEDI_ID_ATC_11_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 11 | Char |
| <b>MEDI_ID_AHFS_11_COM</b> | American Hospital Formulary Service Classification - Medication 11                              | Char |
| <b>MEDI_ID_ATC_12_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 12 | Char |
| <b>MEDI_ID_AHFS_12_COM</b> | American Hospital Formulary Service Classification - Medication 12                              | Char |
| <b>MEDI_ID_ATC_13_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 13 | Char |
| <b>MEDI_ID_AHFS_13_COM</b> | American Hospital Formulary Service Classification - Medication 13                              | Char |
| <b>MEDI_ID_ATC_14_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 14 | Char |
| <b>MEDI_ID_AHFS_14_COM</b> | American Hospital Formulary Service Classification - Medication 14                              | Char |
| <b>MEDI_ID_ATC_15_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 15 | Char |
| <b>MEDI_ID_AHFS_15_COM</b> | American Hospital Formulary Service Classification - Medication 15                              | Char |

|                            |  |      |
|----------------------------|--|------|
| <b>MEDI_ID_ATC_16_COM</b>  | World Health Organization<br>Anatomical Therapeutic<br>Chemical Classification<br>System - Medication 16 | Char |
| <b>MEDI_ID_AHFS_16_COM</b> | American Hospital Formulary<br>Service Classification -<br>Medication 16                                 | Char |
| <b>MEDI_ID_ATC_17_COM</b>  | World Health Organization<br>Anatomical Therapeutic<br>Chemical Classification<br>System - Medication 17 | Char |
| <b>MEDI_ID_AHFS_17_COM</b> | American Hospital Formulary<br>Service Classification -<br>Medication 17                                 | Char |
| <b>MEDI_ID_ATC_18_COM</b>  | World Health Organization<br>Anatomical Therapeutic<br>Chemical Classification<br>System - Medication 18 | Char |
| <b>MEDI_ID_AHFS_18_COM</b> | American Hospital Formulary<br>Service Classification -<br>Medication 18                                 | Char |
| <b>MEDI_ID_ATC_19_COM</b>  | World Health Organization<br>Anatomical Therapeutic<br>Chemical Classification<br>System - Medication 19 | Char |
| <b>MEDI_ID_AHFS_19_COM</b> | American Hospital Formulary<br>Service Classification -<br>Medication 19                                 | Char |
| <b>MEDI_ID_ATC_20_COM</b>  | World Health Organization<br>Anatomical Therapeutic<br>Chemical Classification<br>System - Medication 20 | Char |
| <b>MEDI_ID_AHFS_20_COM</b> | American Hospital Formulary<br>Service Classification -<br>Medication 20                                 | Char |
| <b>MEDI_ID_ATC_21_COM</b>  | World Health Organization<br>Anatomical Therapeutic<br>Chemical Classification<br>System - Medication 21 | Char |
| <b>MEDI_ID_AHFS_21_COM</b> | American Hospital Formulary<br>Service Classification -<br>Medication 21                                 | Char |
| <b>MEDI_ID_ATC_22_COM</b>  | World Health Organization<br>Anatomical Therapeutic<br>Chemical Classification<br>System - Medication 22 | Char |

|                            |   |      |
|----------------------------|---|------|
| <b>MEDI_ID_AHFS_22_COM</b> | American Hospital Formulary Service Classification - Medication 22                              | Char |
| <b>MEDI_ID_ATC_23_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 23 | Char |
| <b>MEDI_ID_AHFS_23_COM</b> | American Hospital Formulary Service Classification - Medication 23                              | Char |
| <b>MEDI_ID_ATC_24_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 24 | Char |
| <b>MEDI_ID_AHFS_24_COM</b> | American Hospital Formulary Service Classification - Medication 24                              | Char |
| <b>MEDI_ID_ATC_25_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 25 | Char |
| <b>MEDI_ID_AHFS_25_COM</b> | American Hospital Formulary Service Classification - Medication 25                              | Char |
| <b>MEDI_ID_ATC_26_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 26 | Char |
| <b>MEDI_ID_AHFS_26_COM</b> | American Hospital Formulary Service Classification - Medication 26                              | Char |
| <b>MEDI_ID_ATC_27_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 27 | Char |
| <b>MEDI_ID_AHFS_27_COM</b> | American Hospital Formulary Service Classification - Medication 27                              | Char |
| <b>MEDI_ID_ATC_28_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 28 | Char |
| <b>MEDI_ID_AHFS_28_COM</b> | American Hospital Formulary Service Classification - Medication 28                              | Char |
| <b>MEDI_ID_ATC_29_COM</b>  | World Health Organization Anatomical Therapeutic  | Char |

|                            |   |      |
|----------------------------|---|------|
|                            | Chemical Classification System - Medication 29  |      |
| <b>MEDI_ID_AHFS_29_COM</b> | American Hospital Formulary Service Classification - Medication 29                              | Char |
| <b>MEDI_ID_ATC_30_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 30 | Char |
| <b>MEDI_ID_AHFS_30_COM</b> | American Hospital Formulary Service Classification - Medication 30                              | Char |
| <b>MEDI_ID_ATC_31_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 31 | Char |
| <b>MEDI_ID_AHFS_31_COM</b> | American Hospital Formulary Service Classification - Medication 31                              | Char |
| <b>MEDI_ID_ATC_32_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 32 | Char |
| <b>MEDI_ID_AHFS_32_COM</b> | American Hospital Formulary Service Classification - Medication 32                              | Char |
| <b>MEDI_ID_ATC_33_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 33 | Char |
| <b>MEDI_ID_AHFS_33_COM</b> | American Hospital Formulary Service Classification - Medication 33                              | Char |
| <b>MEDI_ID_ATC_34_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 34 | Char |
| <b>MEDI_ID_AHFS_34_COM</b> | American Hospital Formulary Service Classification - Medication 34                              | Char |
| <b>MEDI_ID_ATC_35_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 35 | Char |
| <b>MEDI_ID_AHFS_35_COM</b> | American Hospital Formulary Service Classification - Medication 35                              | Char |

|                            |   |      |
|----------------------------|---|------|
| <b>MEDI_ID_ATC_36_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 36 | Char |
| <b>MEDI_ID_AHFS_36_COM</b> | American Hospital Formulary Service Classification - Medication 36                              | Char |
| <b>MEDI_ID_ATC_37_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 37 | Char |
| <b>MEDI_ID_AHFS_37_COM</b> | American Hospital Formulary Service Classification - Medication 37                              | Char |
| <b>MEDI_ID_ATC_38_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 38 | Char |
| <b>MEDI_ID_AHFS_38_COM</b> | American Hospital Formulary Service Classification - Medication 38                              | Char |
| <b>MEDI_ID_ATC_39_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 39 | Char |
| <b>MEDI_ID_AHFS_39_COM</b> | American Hospital Formulary Service Classification - Medication 39                              | Char |
| <b>MEDI_ID_ATC_40_COM</b>  | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 40 | Char |
| <b>MEDI_ID_AHFS_40_COM</b> | American Hospital Formulary Service Classification - Medication 40                              | Char |
| <b>WGHTS_PROV_COM</b>      | Province at Recruitment   | Num  |
| <b>WGHTS_ANALYTIC_COM</b>  | Analytic Weights  | Num  |
| <b>WGHTS_INFLATION_COM</b> | Inflation Weights   | Num  |
| <b>GEOSTRATA_COM</b>       | Sampling strata   | Char |
| <b>COG_REC_COM</b>         | Consent for audio recording   | Num  |
| <b>COG_RDY_COM</b>         | Ready to listen to recording instructions   | Num  |
| <b>COG_RDYRPT_COM</b>      | Repeat instructions. Ready to listen to recording   | Num  |
| <b>COG_RDYIMP_COM</b>      | Performance impaired - recording test   | Num  |
| <b>COG_RDYFCTR_LG_COM</b>  | Language difficulty - recording test  | Num  |

|                                |  |     |
|--------------------------------|--|-----|
| <b>COG_RDYFCTR_PH_COM</b>      | Physical Impairment - recording test                             | Num |
| <b>COG_RDYFCTR_DI_COM</b>      | Distraction - recording test                                     | Num |
| <b>COG_RDYFCTR_IM_COM</b>      | Impaired concentration/ memory problems - recording test         | Num |
| <b>COG_RDYFCTR_AID_COM</b>     | Use of an aid - recording test                                   | Num |
| <b>COG_RDYFCTR_TE_COM</b>      | Technical difficulties with laptop - recording test              | Num |
| <b>COG_RDYFCTR_OT_COM</b>      | Other factor impaired performance - recording test               | Num |
| <b>COG_RDYFCTR_DK_NA_COM</b>   | Impaired performance - recording test, Don't know                | Num |
| <b>COG_RDYFCTR_REFUSED_COM</b> | Impaired performance - recording test, Refused                   | Num |
| <b>COG_BGN_COM</b>             | Clearly heard the recording instructions                         | Num |
| <b>COG_HRD_COM</b>             | Repeat instructions. Clearly heard the recording                 | Num |
| <b>COG_HRDIMP_COM</b>          | Performance impaired - clearly heard recording                   | Num |
| <b>COG_HRDFCTR_LG_COM</b>      | Language difficulty - clearly heard recording                    | Num |
| <b>COG_HRDFCTR_PH_COM</b>      | Physical Impairment - clearly heard recording                    | Num |
| <b>COG_HRDFCTR_DI_COM</b>      | Distraction - clearly heard recording                            | Num |
| <b>COG_HRDFCTR_IM_COM</b>      | Impaired concentration/memory problems - clearly heard recording | Num |
| <b>COG_HRDFCTR_AID_COM</b>     | Use of an aid - clearly heard recording                          | Num |
| <b>COG_HRDFCTR_TE_COM</b>      | Technical difficulties - clearly heard recording                 | Num |
| <b>COG_HRDFCTR_OT_COM</b>      | Other factor impaired performance - clearly heard recording      | Num |
| <b>COG_HRDFCTR_DK_NA_COM</b>   | Impaired performance - clearly heard recording, Don't know       | Num |
| <b>COG_HRDFCTR_REFUSED_COM</b> | Impaired performance - clearly heard recording, Refused          | Num |
| <b>COG_WRD_COM</b>             | Word recall test instructions understood                         | Num |
| <b>COG_WRRPT_COM</b>           | Repeat instructions. Word recall test                            | Num |

|                                 |   |     |
|---------------------------------|---|-----|
| <b>COG_WRDIMP_COM</b>           | Performance impaired - word recall test                     | Num |
| <b>COG_WRDFCTR_LG_COM</b>       | Language difficulty - word recall test                      | Num |
| <b>COG_WRDFCTR_PH_COM</b>       | Physical Impairment - word recall test                      | Num |
| <b>COG_WRDFCTR_DI_COM</b>       | Distraction - word recall test                              | Num |
| <b>COG_WRDFCTR_IM_COM</b>       | Impaired concentration/ memory problems - word recall test  | Num |
| <b>COG_WRDFCTR_AID_COM</b>      | Use of an aid - word recall test                            | Num |
| <b>COG_WRDFCTR_TE_COM</b>       | Technical difficulties - word recall test                   | Num |
| <b>COG_WRDFCTR_OT_COM</b>       | Other factor impaired performance - word recall test        | Num |
| <b>COG_WRDFCTR_DK_NA_COM</b>    | Impaired performance - word recall test, Don't know         | Num |
| <b>COG_WRDFCTR_REFUSED_COM</b>  | Impaired performance - word recall test, Refused            | Num |
| <b>COG_ANML_COM</b>             | Animal names test instructions understood                   | Num |
| <b>COG_ANMLRPT_COM</b>          | Repeat instructions. Animal names test                      | Num |
| <b>COG_ANMLIMP_COM</b>          | Performance impaired - animal names test                    | Num |
| <b>COG_ANMLFCTR_LG_COM</b>      | Language difficulty - animal names test                     | Num |
| <b>COG_ANMLFCTR_PH_COM</b>      | Physical Impairment - animal names test                     | Num |
| <b>COG_ANMLFCTR_DI_COM</b>      | Distraction - animal names test                             | Num |
| <b>COG_ANMLFCTR_IM_COM</b>      | Impaired concentration/ memory problems - animal names test | Num |
| <b>COG_ANMLFCTR_AID_COM</b>     | Use of an aid - animal names test                           | Num |
| <b>COG_ANMLFCTR_TE_COM</b>      | Technical difficulties - animal names test                  | Num |
| <b>COG_ANMLFCTR_OT_COM</b>      | Other factor impaired performance - animal names test       | Num |
| <b>COG_ANMLFCTR_DK_NA_COM</b>   | Impaired performance - animal names test, Don't know        | Num |
| <b>COG_ANMLFCTR_REFUSED_COM</b> | Impaired performance - animal names test, Refused           | Num |
| <b>COG_CNT_COM</b>              | Counting test instructions understood                       | Num |



|                                |  |     |
|--------------------------------|--|-----|
| <b>COG_CNTRPT_COM</b>          | Repeat instructions. Counting test                           | Num |
| <b>COG_CNTIMP_COM</b>          | Performance impaired - counting test                         | Num |
| <b>COG_CNTFCTR_LG_COM</b>      | Language difficulty - counting test                          | Num |
| <b>COG_CNTFCTR_PH_COM</b>      | Physical Impairment - counting test                          | Num |
| <b>COG_CNTFCTR_DI_COM</b>      | Distraction - counting test                                  | Num |
| <b>COG_CNTFCTR_IM_COM</b>      | Impaired concentration/ memory problems - counting test      | Num |
| <b>COG_CNTFCTR_AID_COM</b>     | Use of an aid - counting test                                | Num |
| <b>COG_CNTFCTR_TE_COM</b>      | Technical difficulties - counting test                       | Num |
| <b>COG_CNTFCTR_OT_COM</b>      | Other factor impaired performance - counting test            | Num |
| <b>COG_CNTFCTR_DK_NA_COM</b>   | Impaired performance - counting test, Don't know             | Num |
| <b>COG_CNTFCTR_REFUSED_COM</b> | Impaired performance - counting test, Refused                | Num |
| <b>COG_ALP_COM</b>             | Alphabet test instructions understood                        | Num |
| <b>COG_ALPRPT_COM</b>          | Repeat instructions. Alphabet test                           | Num |
| <b>COG_ALPIMP_COM</b>          | Performance impaired - alphabet test                         | Num |
| <b>COG_ALPFCTR_LG_COM</b>      | Language difficulty - alphabet test                          | Num |
| <b>COG_ALPFCTR_PH_COM</b>      | Physical Impairment - alphabet test                          | Num |
| <b>COG_ALPFCTR_DI_COM</b>      | Distraction - alphabet test                                  | Num |
| <b>COG_ALPFCTR_IM_COM</b>      | Impaired concentration/ memory problems - alphabet test      | Num |
| <b>COG_ALPFCTR_AID_COM</b>     | Use of an aid - alphabet test                                | Num |
| <b>COG_ALPFCTR_TE_COM</b>      | Technical difficulties - alphabet test                       | Num |
| <b>COG_ALPFCTR_OT_COM</b>      | Other factor impaired performance - alphabet test            | Num |
| <b>COG_ALPFCTR_DK_NA_COM</b>   | Impaired performance - alphabet test, Don't know             | Num |
| <b>COG_ALPFCTR_REFUSED_COM</b> | Impaired performance - alphabet test, Refused                | Num |
| <b>COG_ALT_COM</b>             | Alternating number and alphabet test instructions understood | Num |

|                                       |   |      |
|---------------------------------------|---|------|
| <b>COG_ALTRPT_COM</b>                 | Repeat instructions.<br>Alternating number and<br>alphabet test                                   | Num  |
| <b>COG_ALTIMP_COM</b>                 | Performance impaired -<br>alternating numbers and<br>alphabet test                                | Num  |
| <b>COG_ALTFCTR_LG_COM</b>             | Language difficulty -<br>alternating number and<br>alphabet test                                  | Num  |
| <b>COG_ALTFCTR_PH_COM</b>             | Physical Impairment -<br>alternating number and<br>alphabet test                                  | Num  |
| <b>COG_ALTFCTR_DI_COM</b>             | Distraction - alternating<br>number and alphabet test   | Num  |
| <b>COG_ALTFCTR_IM_COM</b>             | Impaired concentration/<br>memory problems -<br>alternating number and<br>alphabet test           | Num  |
| <b>COG_ALTFCTR_AID_COM</b>            | Use of an aid - alternating<br>number and alphabet test   | Num  |
| <b>COG_ALTFCTR_TE_COM</b>             | Technical difficulties -<br>alternating number and<br>alphabet test                               | Num  |
| <b>COG_ALTFCTR_OT_COM</b>             | Other factor impaired<br>performance - alternating<br>number and alphabet test                    | Num  |
| <b>COG_ALTFCTR_DK_NA_COM</b>          | Impaired performance -<br>alternating number and<br>alphabet test, Don't know                     | Num  |
| <b>COG_ALTFCTR_REFUSED_COM</b>        | Impaired performance -<br>alternating number and<br>alphabet test, Refused                        | Num  |
| <b>COG_REYI_STARTLANG_COM</b>         | REYI - Start language   | Char |
| <b>COG_REYII_STARTLANG_COM</b>        | REYII - Start language  | Char |
| <b>COG_MAT_STARTLANG_COM</b>          | MAT - Start language  | Char |
| <b>COG_AFT_STARTLANG_COM</b>          | AFT - Start language  | Char |
| <b>COG_REYI_LANG_COM</b>              | REYI - Response language  | Char |
| <b>COG_REYII_LANG_COM</b>             | REYII - Response language   | Char |
| <b>COG_MAT_LANG_COM</b>               | MAT - Response language   | Char |
| <b>COG_AFT_LANG_COM</b>               | AFT - Response language   | Char |
| <b>COG_REYI_SCORE_COM</b>             | REYI - Number of words (or<br>variants) correctly recalled in<br>90 seconds - Immediate<br>Recall | Num  |
| <b>COG_REYI_META_AUDIO_STATUS_COM</b> | REYI - Status of recording  | Num  |
| <b>COG_REYI_META_PSTATUS_COM</b>      | REYI - Participant status   | Num  |

|  |   |      |
|--|---|------|
| <b>COG_AFT_SCORE_1_COM</b>             | AFT - Score 1 - Number of different animals recited in 60 seconds                       | Num  |
| <b>COG_AFT_SCORE_2_COM</b>             | AFT - Score 2 - Number of different animals recited in 60 seconds                       | Num  |
| <b>COG_AFT_META_AUDIO_STATUS_COM</b>   | AFT - Status of recording   | Num  |
| <b>COG_AFT_META_PSTATUS_COM</b>        | AFT - Participant status  | Num  |
| <b>COG_CNTMETA_COM</b>                 | Participant able to count from 1 to 20, from 1, 2, 3, 4 and so on                       | Num  |
| <b>COG_ALPMETA_COM</b>                 | Participant able to recite the alphabet, from A, B, C, D and so on                      | Num  |
| <b>COG_MAT_SCORE_COM</b>               | MAT - Number of correct consecutive numeric and alphabetical alternations in 30 seconds | Num  |
| <b>COG_MAT_META_AUDIO_STATUS_COM</b>   | MAT - Status of recording   | Num  |
| <b>COG_MAT_META_PSTATUS_COM</b>        | MAT - Participant status  | Num  |
| <b>COG_REYII_SCORE_COM</b>             | REYII - Number of words (or variants) correctly recalled in 90 seconds - Delayed Recall | Num  |
| <b>COG_REYII_META_AUDIO_STATUS_COM</b> | REYII - Status of recording   | Num  |
| <b>COG_REYII_META_PSTATUS_COM</b>      | REYII - Participant status  | Num  |
| <b>TMT_LANG_COM</b>                    | Time-Based Prospective Memory Task start language                                       | Char |
| <b>TMT_STATUS_COM</b>                  | Time-Based Prospective Memory Test status   | Num  |
| <b>TMT_PASS_COM</b>                    | Subject passed all practice trials  | Num  |
| <b>TMT_ABLE_COM</b>                    | Participant able to do the test   | Num  |
| <b>TMT_FCT_LG_COM</b>                  | Had difficulty understanding English/French   | Num  |
| <b>TMT_FCT_PH_COM</b>                  | Physical impairment, such as difficulty hearing   | Num  |
| <b>TMT_FCT_DI_COM</b>                  | Distraction or noisy environment  | Num  |
| <b>TMT_FCT_IM_COM</b>                  | Impaired concentration/memory problems  | Num  |
| <b>TMT_FCT_AID_COM</b>                 | Used an aid   | Num  |
| <b>TMT_FCT_TE_COM</b>                  | Technical difficulties with the laptop  | Num  |
| <b>TMT_FCT_OT_COM</b>                  | Other factors prevented from doing the test   | Num  |

|                            |   |      |
|----------------------------|---|------|
| <b>TMT_FCT_DK_NA_COM</b>   | Factors prevented from doing the test - Don't know/ No answer | Num  |
| <b>TMT_FCT_REFUSED_COM</b> | Factors prevented from doing the test - Refused               | Num  |
| <b>TMT_DOTIM_COM</b>       | Participant's response to timer (1st) cue                     | Num  |
| <b>TMT_DOTIM_REP_COM</b>   | Repeated directions and tasks correctly                       | Num  |
| <b>TMT_DOENV_COM</b>       | Participant's response to envelope (2nd) cue                  | Num  |
| <b>TMT_DOCARD_COM</b>      | Participant's response to card (3rd) cue                      | Num  |
| <b>TMT_ITPEXACT_COM</b>    | Intention to perform  | Num  |
| <b>TMT_ACC_COM</b>         | Accuracy of Response  | Num  |
| <b>TMT_RMD_COM</b>         | Need of Reminders   | Num  |
| <b>TMT_RMDTWO_SP1_COM</b>  | Two reminders given - Specify 1st                             | Num  |
| <b>TMT_RMDTWO_SP2_COM</b>  | Two reminders given - Specify 2st                             | Num  |
| <b>NEUR_CONSREC_COM</b>    | consent to be recorded  | Num  |
| <b>PMT_LANG_COM</b>        | Event-Based Prospective Memory Task start language            | Char |
| <b>PMT_STATUS_COM</b>      | Event Prospective Memory Test status                          | Num  |
| <b>PMT_ABLE_COM</b>        | Assessment of participant ability to do the test              | Num  |
| <b>PMT_FCT_LG_COM</b>      | Had difficulty understanding English/French                   | Num  |
| <b>PMT_FCT_PH_COM</b>      | Physical impairment, such as difficulty hearing               | Num  |
| <b>PMT_FCT_DI_COM</b>      | Distraction or noisy environment                              | Num  |
| <b>PMT_FCT_IM_COM</b>      | Impaired concentration/memory problems                        | Num  |
| <b>PMT_FCT_AID_COM</b>     | Used an aid   | Num  |
| <b>PMT_FCT_TE_COM</b>      | Technical difficulties with the laptop                        | Num  |
| <b>PMT_FCT_OT_COM</b>      | Other factors prevented from doing the test                   | Num  |
| <b>PMT_FCT_DK_NA_COM</b>   | Factors prevented from doing the test - Don't know/ No answer | Num  |
| <b>PMT_FCT_REFUSED_COM</b> | Factors prevented from doing the test - Refused               | Num  |

|                           |  |      |
|---------------------------|--|------|
| <b>PMT_TIM_COM</b>        | First cue: Doing something when timer goes off   | Num  |
| <b>PMT_NOCUE_COM</b>      | Participant's response to timer cue  | Num  |
| <b>PMT_ENV_COM</b>        | Second cue: Doing something with envelope  | Num  |
| <b>PMT_MONEY_COM</b>      | Third reminder: Doing something with money   | Num  |
| <b>PMT_ITP_COM</b>        | Intention to perform   | Num  |
| <b>PMT_ACR_COM</b>        | Accuracy of Response   | Num  |
| <b>PMT_REM_COM</b>        | Need of Reminders  | Num  |
| <b>PMT_REMTWO_SP1_COM</b> | Two reminders given - Specify 1st  | Num  |
| <b>PMT_REMTWO_SP2_COM</b> | Two reminders given - Specify 2st  | Num  |
| <b>STP_STARTLANG_COM</b>  | Stroop test language   | Char |
| <b>STP_STATUS_COM</b>     | Stroop test status   | Num  |
| <b>STP_DOT_COM</b>        | Ready to begin - Colour of solid circles shown   | Num  |
| <b>STP_DOTRPT_COM</b>     | Ready to begin (repeat) - Colour of solid circles shown                                      | Num  |
| <b>STP_DOTFCTR_COM</b>    | Factors impairing performance - Colour of solid circles shown                                | Num  |
| <b>STP_DOT_LG_COM</b>     | Language Impairing performance - (Colour of solid circles shown)                             | Num  |
| <b>STP_DOT_PH_COM</b>     | Physical impairment impairing performance - (Colour of solid circles shown)                  | Num  |
| <b>STP_DOT_DI_COM</b>     | Distraction or noisy environment impairing performance (Colour of solid circles shown)       | Num  |
| <b>STP_DOT_IM_COM</b>     | Impaired concentration/memory problems impairing performance (Colour of solid circles shown) | Num  |
| <b>STP_DOT_AID_COM</b>    | Using an aid impaired performance (Colour of solid circles shown)                            | Num  |
| <b>STP_DOT_TE_COM</b>     | Technical difficulties impairing performance (Colour of solid circles shown)                 | Num  |

|                               |   |     |
|-------------------------------|---|-----|
| <b>STP_DOT_OT_COM</b>         | Other factors impairing performance (Colour of solid circles shown)                     | Num |
| <b>STP_DOT_DK_NA_COM</b>      | Factors impairing performance - Don't know/ No answer (Colour of solid circles shown)   | Num |
| <b>STP_DOTLST_REFUSED_COM</b> | Factors impairing performance - Refused (Colour of solid circles shown)                 | Num |
| <b>STP_DOTRECR_COM</b>        | Begin recording (Colour of solid circles shown)   | Num |
| <b>STP_DOTTIME_SS_COM</b>     | Time to say colour of each solid circle shown (in seconds)                              | Num |
| <b>STP_DOTERR_NB_COM</b>      | Number of errors - Colours  | Num |
| <b>STP_WOR_COM</b>            | Ready to begin - Ink colour of word shown   | Num |
| <b>STP_WORRPT_COM</b>         | Ready to begin (repeat) - Ink colour of word shown                                      | Num |
| <b>STP_WORFCTR_COM</b>        | Factors impairing performance - Ink colour of word shown                                | Num |
| <b>STP_WOR_LG_COM</b>         | Language Impairing performance - (Ink colour of word shown)                             | Num |
| <b>STP_WOR_PH_COM</b>         | Physical impairment impairing performance - (Ink colour of word shown)                  | Num |
| <b>STP_WOR_DI_COM</b>         | Distraction or noisy environment impairing performance (Ink colour of word shown)       | Num |
| <b>STP_WOR_IM_COM</b>         | Impaired concentration/memory problems impairing performance (Ink colour of word shown) | Num |
| <b>STP_WOR_AID_COM</b>        | Using an aid impaired performance (Ink colour of word shown)                            | Num |
| <b>STP_WOR_TE_COM</b>         | Technical difficulties impairing performance (Ink colour of word shown)                 | Num |
| <b>STP_WOR_OT_COM</b>         | Other factors impairing performance (Ink colour of word shown)                          | Num |
| <b>STP_WOR_DK_NA_COM</b>      | Factors impairing performance - Don't know/   | Num |

|                               |  |     |
|-------------------------------|--|-----|
|                               | No answer(Ink colour of word shown)  |     |
| <b>STP_WORLST_REFUSED_COM</b> | Factors impairing performance - Refused (Ink colour of word shown)                                   | Num |
| <b>STP_WORRECR_COM</b>        | Begin recording (Ink colour of word shown)   | Num |
| <b>STP_WORTIME_SS_COM</b>     | Time to say ink colour of each word shown (in seconds)   | Num |
| <b>STP_WORERR_NB_COM</b>      | Number of errors - Words   | Num |
| <b>STP_COL_COM</b>            | Ready to begin - colour names in different ink colours   | Num |
| <b>STP_COLRPT_COM</b>         | Ready to begin (repeat) - colour names in different ink colours                                      | Num |
| <b>STP_COLFCTR_COM</b>        | Factors impairing performance - colour names in different ink colours                                | Num |
| <b>STP_COL_LG_COM</b>         | Language Impairing performance - (colour names in different ink colours)                             | Num |
| <b>STP_COL_PH_COM</b>         | Physical impairment impairing performance - (colour names in different ink colours)                  | Num |
| <b>STP_COL_DI_COM</b>         | Distraction or noisy environment impairing performance (colour names in different ink colours)       | Num |
| <b>STP_COL_IM_COM</b>         | Impaired concentration/memory problems impairing performance (colour names in different ink colours) | Num |
| <b>STP_COL_AID_COM</b>        | Using an aid impaired performance (colour names in different ink colours)                            | Num |
| <b>STP_COL_TE_COM</b>         | Technical difficulties impairing performance (colour names in different ink colours)                 | Num |
| <b>STP_COL_OT_COM</b>         | Other factors impairing performance (colour names in different ink colours)                          | Num |
| <b>STP_COL_DK_NA_COM</b>      | Factors impairing performance - Don't know/ No answer(colour names in different ink colours)         | Num |
| <b>STP_COL_REFUSED_COM</b>    | Factors impairing performance - Refused  | Num |



|                                |  |      |
|--------------------------------|--|------|
|                                | (colour names in different ink colours)                            |      |
| <b>STP_COLRECR_COM</b>         | Begin recording (colour names in different ink colours)            | Num  |
| <b>STP_COLTIME_SS_COM</b>      | Time to say ink colour of each colour name (in seconds)            | Num  |
| <b>STP_COLERR_NB_COM</b>       | Number of errors - Interference                                    | Num  |
| <b>STP_DOTQLTY_COM</b>         | Dots: Was the recording quality good enough to score?              | Num  |
| <b>STP_WORQLTY_COM</b>         | Words: Was the recording quality good enough to score?             | Num  |
| <b>STP_COLQLTY_COM</b>         | Colours: Was the recording quality good enough to score?           | Num  |
| <b>FAS_STARTLANG_COM</b>       | FAS start language   | Char |
| <b>FAS_STATUS_COM</b>          | FAS test status  | Num  |
| <b>FAS_INSTRDY_COM</b>         | FAS - Ready to begin   | Num  |
| <b>FAS_INSTRPT_COM</b>         | FAS - Ready to begin (Repeat)                                      | Num  |
| <b>FAS_INSTFCTR_COM</b>        | Factors impairing performance - FAS                                | Num  |
| <b>FAS_INST_LG_COM</b>         | Language Impairing performance - (FAS)                             | Num  |
| <b>FAS_INST_PH_COM</b>         | Physical impairment impairing performance - (FAS)                  | Num  |
| <b>FAS_INST_DI_COM</b>         | Distraction or noisy environment impairing performance (FAS)       | Num  |
| <b>FAS_INST_IM_COM</b>         | Impaired concentration/memory problems impairing performance (FAS) | Num  |
| <b>FAS_INST_AID_COM</b>        | Using an aid impaired performance (FAS)                            | Num  |
| <b>FAS_INST_TE_COM</b>         | Technical difficulties impairing performance (FAS)                 | Num  |
| <b>FAS_INST_OT_COM</b>         | Other factors impairing performance (FAS)                          | Num  |
| <b>FAS_INST_DK_NA_COM</b>      | Factors impairing performance - Don't know/ No answer (FAS)        | Num  |
| <b>FAS_INSTLST_REFUSED_COM</b> | Factors impairing performance - Refused (FAS)                      | Num  |
| <b>FAS_RECR_F_COM</b>          | Begin recording letter F   | Num  |
| <b>FAS_COMP_F_COM</b>          | Completed reciting F words   | Num  |

|                                    |   |      |
|------------------------------------|---|------|
| <b>FAS_RECR_A_COM</b>              | Begin recording letter A                                    | Num  |
| <b>FAS_COMP_A_COM</b>              | Completed reciting A words                                  | Num  |
| <b>FAS_RECR_S_COM</b>              | Begin recording letter S                                    | Num  |
| <b>FAS_COMP_S_COM</b>              | Completed reciting S words                                  | Num  |
| <b>FAS_F_SCORE_COM</b>             | FAS score - Number of F words recited in 60 seconds         | Num  |
| <b>FAS_F_META_AUDIO_STATUS_COM</b> | FAS (F) - Status of recording                               | Num  |
| <b>FAS_F_META_PSTATUS_COM</b>      | FAS (F) - Participant status                                | Num  |
| <b>FAS_F_LANG_COM</b>              | FAS - Response language (letter F)                          | Char |
| <b>FAS_A_SCORE_COM</b>             | FAS score - Number of A words recited in 60 seconds         | Num  |
| <b>FAS_A_META_AUDIO_STATUS_COM</b> | FAS (A) - Status of recording                               | Num  |
| <b>FAS_A_META_PSTATUS_COM</b>      | FAS (A) - Participant status                                | Num  |
| <b>FAS_A_LANG_COM</b>              | FAS - Response language (letter A)                          | Char |
| <b>FAS_S_SCORE_COM</b>             | FAS score - Number of S words recited in 60 seconds         | Num  |
| <b>FAS_S_META_AUDIO_STATUS_COM</b> | FAS (S) - Status of recording                               | Num  |
| <b>FAS_S_META_PSTATUS_COM</b>      | FAS (S) - Participant status                                | Num  |
| <b>FAS_S_LANG_COM</b>              | FAS - Response language (letter S)                          | Char |
| <b>CRT_STATUS_COM</b>              | Choice Reaction Time test status                            | Num  |
| <b>CRT_LANG_COM</b>                | Cognitive test language                                     | Char |
| <b>CRT_COMPL_TEST_COM</b>          | Test Completed  | Num  |
| <b>CRT_TRIAL_NB_COM</b>            | Number of completed trials                                  | Num  |
| <b>CRT_TRIALEXCL_NB_COM</b>        | Number of completed trials (excluding missing)              | Num  |
| <b>CRT_TRIALCORR_NB_COM</b>        | Number of correct responses (excluding missing responses)   | Num  |
| <b>CRT_PERCT_CORRANS_COM</b>       | Percentage of correct keystrokes                            | Num  |
| <b>CRT_MRT_CORRANS_COM</b>         | Mean Reaction Time (in ms)                                  | Num  |
| <b>CRT_MRTWOUT_CORRANS_COM</b>     | Mean Reaction Time of correct answers without outliers (ms) | Char |
| <b>TRA_VERSION_MCQ</b>             | Transportation module version                               | Num  |
| <b>K10_DSCORE_MCQ</b>              | Kessler 10 - Psychological Distress Scale                   | Num  |
| <b>PER_DEXTR_MCQ</b>               | TIPi: Extraverted and Enthusiastic - Grouped                | Num  |
| <b>PER_DCRT_MCQ</b>                | TIPi: Critical and Quarrelsome - Grouped                    | Num  |
| <b>PER_DDP_MCQ</b>                 | TIPi: Dependable and Self-Disciplined- Grouped              | Num  |

|                          |   |      |
|--------------------------|---|------|
| <b>PER_DANX_MCQ</b>      | TIPI: Anxious and Easily Upset-Grouped              | Num  |
| <b>PER_DNEXP_MCQ</b>     | TIPI: Open to New Experiences and Complex - Grouped | Num  |
| <b>PER_DRSV_MCQ</b>      | TIPI: Reserved and Quiet - Grouped                  | Num  |
| <b>PER_DSYMP_MCQ</b>     | TIPI: Sympathetic and Warm - Grouped                | Num  |
| <b>PER_DDORG_MCQ</b>     | TIPI: Disorganized and Careless - Grouped           | Num  |
| <b>PER_DCALM_MCQ</b>     | TIPI: Calm and Emotionally Stable - Grouped         | Num  |
| <b>PER_DCNV_MCQ</b>      | TIPI: Conventional and Uncreative - Grouped         | Num  |
| <b>PER_DSCR_EXT_MCQ</b>  | TIPI: Extraversion Score                            | Num  |
| <b>PER_DSCR_AGR_MCQ</b>  | TIPI: Agreeableness Score                           | Num  |
| <b>PER_DSCR_CON_MCQ</b>  | TIPI: Conscientiousness Score                       | Num  |
| <b>PER_DSCR_EMOS_MCQ</b> | TIPI: Emotional Stability Score                     | Num  |
| <b>PER_DSCR_OPEX_MCQ</b> | TIPI: Openness to Experiences Score                 | Num  |
| <b>NUR_DHNR_MCQ</b>      | High Nutritional Risk Indicator                     | Num  |
| <b>NUR_DSCR_MCQ</b>      | The AB-SCREEN II Nutritional Risk Score             | Num  |
| <b>startdate_MCQ</b>     | 30 minute telephone interview start date            | Num  |
| <b>startlanguage_MCQ</b> | 30 minute telephone interview start language        | Char |
| <b>FAL_12MN_MCQ</b>      | Falls in the last 12 months                         | Num  |
| <b>FAL_NMBR_NB_MCQ</b>   | Number of falls in last 12 months                   | Num  |
| <b>HUP_FREE_MCQ</b>      | Usually free of pain and discomfort                 | Num  |
| <b>HUP_INTNSTY_MCQ</b>   | Usual intensity of pain or discomfort               | Num  |
| <b>HUP_PRVACT_MCQ</b>    | Activities prevented by pain or discomfort          | Num  |
| <b>ORH_HLTH_MCQ</b>      | Oral health status                                  | Num  |
| <b>ORH_TEETH_MCQ</b>     | Has one or more of original teeth                   | Num  |
| <b>ORH_DENT_MCQ</b>      | Wears dentures or false teeth                       | Num  |
| <b>ORH_UNCEAT_MCQ</b>    | Uncomfortable eating in last 12 months              | Num  |
| <b>ORH_AVDEAT_MCQ</b>    | Avoided eating in last 12 months                    | Num  |
| <b>ORH_EXP_TTH_MCQ</b>   | Oral health problems - Toothache                    | Num  |

|                            |  |     |
|----------------------------|--|-----|
| <b>ORH_EXP_CHW_MCQ</b>     | Oral health problems - Cannot chew adequately              | Num |
| <b>ORH_EXP_DNU_MCQ</b>     | Oral health problems - Dentures uncomfortable              | Num |
| <b>ORH_EXP_DNL_MCQ</b>     | Oral health problems - Dentures loose/don't fit            | Num |
| <b>ORH_EXP_DNB_MCQ</b>     | Oral health problems - Dentures broken                     | Num |
| <b>ORH_EXP_DNM_MCQ</b>     | Oral health problems - Dentures missing                    | Num |
| <b>ORH_EXP_SWL_MCQ</b>     | Oral health problems - Swelling in your mouth              | Num |
| <b>ORH_EXP_DRM_MCQ</b>     | Oral health problems - Dry mouth                           | Num |
| <b>ORH_EXP_BRM_MCQ</b>     | Oral health problems - Burning mouth                       | Num |
| <b>ORH_EXP_JWS_MCQ</b>     | Oral health problems - Jaw muscles sore                    | Num |
| <b>ORH_EXP_JJP_MCQ</b>     | Oral health problems - Jaw joints painful                  | Num |
| <b>ORH_EXP_NTD_MCQ</b>     | Oral health problems - Natural tooth decayed               | Num |
| <b>ORH_EXP_NTL_MCQ</b>     | Oral health problems - Natural tooth loose                 | Num |
| <b>ORH_EXP NTB_MCQ</b>     | Oral health problems - Natural tooth broken                | Num |
| <b>ORH_EXP_GUMS_MCQ</b>    | Oral health problems - Gums around natural teeth are sore  | Num |
| <b>ORH_EXP_GUMB_MCQ</b>    | Oral health problems - Gums around natural teeth bleed     | Num |
| <b>ORH_EXP_DNS_MCQ</b>     | Oral health problems - Denture-related sores               | Num |
| <b>ORH_EXP_TTHD_MCQ</b>    | Oral health problems - Teeth or dentures dirty             | Num |
| <b>ORH_EXP_BB_MCQ</b>      | Oral health problems - Bad breath                          | Num |
| <b>ORH_EXP_NONE_MCQ</b>    | Oral health problems - None                                | Num |
| <b>ORH_EXP_OT_MCQ</b>      | Oral health problems - Other                               | Num |
| <b>ORH_EXP_DK_NA_MCQ</b>   | Oral health problems - Don't know/No answer                | Num |
| <b>ORH_EXP_REFUSED_MCQ</b> | Oral health problems - Refused                             | Num |
| <b>ORH_BRUSH_NB_MCQ</b>    | Frequency brushing teeth and/or dentures                   | Num |
| <b>ORH_BRUSH_UNIT_MCQ</b>  | Frequency brushing teeth and/or dentures - Unit of measure | Num |

|                           |   |     |
|---------------------------|---|-----|
| <b>SNO_SNORE_MCQ</b>      | Snores loudly   | Num |
| <b>SNO_STOPBREATH_MCQ</b> | Stopped breathing in sleep  | Num |
| <b>HCU_FAMPHY_MCQ</b>     | Contact with a general practitioner, family physician in past 12 months                                   | Num |
| <b>HCU_SPEC_MCQ</b>       | Contact with a medical specialist (such as a cardiologist, gynaecologist, psychiatrist) in past 12 months | Num |
| <b>HCU_PSYCH_MCQ</b>      | Contact with a psychologist in past 12 months   | Num |
| <b>HCU_DEN_MCQ</b>        | Contact with a dentist in past 12 months  | Num |
| <b>HCU_OPTO_MCQ</b>       | Contact with a ophthalmologist or optometrist in past 12 months   | Num |
| <b>HCU_PHYSIO_MCQ</b>     | Contact with a physiotherapist, occupational therapist, or chiropractor in past 12 months                 | Num |
| <b>HCU_SOCLWRK_MCQ</b>    | Contact with a social worker in past 12 months  | Num |
| <b>HCU_EMEREG_MCQ</b>     | Seen in an Emergency Department in past 12 months   | Num |
| <b>HCU_HLOVRNT_MCQ</b>    | Patient in a hospital overnight in past 12 months   | Num |
| <b>HCU_NRSHM_MCQ</b>      | Patient in a nursing home or convalescent home in past 12 months  | Num |
| <b>DSU_MLTV_MCQ</b>       | Took multivitamin supplements in past month   | Num |
| <b>DSU_CAL_MCQ</b>        | Took calcium supplements in past month  | Num |
| <b>DSU_VITD_MCQ</b>       | Took vitamin D supplements in past month  | Num |
| <b>DSU_VITB12_MCQ</b>     | Took vitamin B12 supplements in past month  | Num |
| <b>DSU_IRON_MCQ</b>       | Took iron supplements in past month   | Num |
| <b>DSU_VITC_MCQ</b>       | Took Vitamin C supplements in past month  | Num |
| <b>DSU_OT_MCQ</b>         | Took other supplements in past month  | Num |
| <b>NUR_GLSWT_MCQ</b>      | SCREEN II-AB: Gained, lost or stayed the same weight  | Num |
| <b>NUR_WTGL_MCQ</b>       | SCREEN II-AB: How much weight gained or lost  | Num |
| <b>NUR_SKPMLS_MCQ</b>     | SCREEN II-AB: Skipped meals   | Num |

|                          |  |     |
|--------------------------|--|-----|
| <b>NUR_APPT_MCQ</b>      | SCREEN II-AB: Describe appetite                                | Num |
| <b>NUR_SWLLFD_MCQ</b>    | SCREEN II-AB: Cough, choke pain when swallowing food           | Num |
| <b>NUR_FRTVEG_MCQ</b>    | SCREEN II-AB: Servings fruits and vegetables per day           | Num |
| <b>NUR_DRKFLD_MCQ</b>    | SCREEN II-AB: Cups of fluid per day                            | Num |
| <b>NUR_MLSMN_MCQ</b>     | SCREEN II-AB: Meals with someone at least once a day           | Num |
| <b>NUR_CKMEALS_MCQ</b>   | SCREEN II-AB: Cook own meals                                   | Num |
| <b>NUR_MLPREP_MCQ</b>    | SCREEN II-AB: Experience of meal preparation by oneself        | Num |
| <b>NUR_MLPREPOT_MCQ</b>  | SCREEN II-AB: Satisfaction with meals prepared by others       | Num |
| <b>K10_TIRED_MCQ</b>     | K10 scale: Frequency tired out - past 30 days                  | Num |
| <b>K10_NRVS_MCQ</b>      | K10 scale: Frequency nervous - past 30 days                    | Num |
| <b>K10_NRVSLMD_MCQ</b>   | K10 scale: Frequency could not calm down - past 30 days        | Num |
| <b>K10_HPLS_MCQ</b>      | K10 scale: Frequency hopeless - past 30 days                   | Num |
| <b>K10_RSTLS_MCQ</b>     | K10 scale: Frequency restless or fidgety - past 30 days        | Num |
| <b>K10_RSTLSSTL_MCQ</b>  | K10 scale: Frequency can not sit still - past 30 days          | Num |
| <b>K10_DEP_MCQ</b>       | K10 scale: Frequency of depression - past 30 days              | Num |
| <b>K10_EFFRT_MCQ</b>     | K10 scale: Frequency everything an effort - past 30 days       | Num |
| <b>K10_NOCHRUP_MCQ</b>   | K10 scale: Frequency nothing can cheer up - past 30 days       | Num |
| <b>K10_WRTHLSS_MCQ</b>   | K10 scale: Frequency feeling worthless - past 30 days          | Num |
| <b>K10_FLING_MCQ</b>     | K10 scale: Feelings occurred - past 30 days                    | Num |
| <b>K10_FLINGLESS_MCQ</b> | K10 scale: Feelings less intense                               | Num |
| <b>K10_FLINGMORE_MCQ</b> | K10 scale: Feelings more intense                               | Num |
| <b>K10_UNWK_NB_MCQ</b>   | K10 scale: Number of days unable work because of feelings      | Num |
| <b>K10_HFWK_NB_MCQ</b>   | K10 scale: Number of days do half the work because of feelings | Num |

|                         |  |     |
|-------------------------|--|-----|
| <b>K10_DOC_NB_MCQ</b>   | K10 scale: Number of days see a doctor because of feelings               | Num |
| <b>K10_OTPFLING_MCQ</b> | K10 scale: Other Health Care professional                                | Num |
| <b>K10_PHYSHLTH_MCQ</b> | K10 scale: Physical health problems caused by feelings - past 30 days    | Num |
| <b>PER_EXTR_MCQ</b>     | TUPI scale: Sees oneself as extraverted and enthusiastic                 | Num |
| <b>PER_EXTRDIS_MCQ</b>  | TUPI scale: Degree of disagreement being extraverted and enthusiastic    | Num |
| <b>PER_EXTRAGR_MCQ</b>  | TUPI scale: Degree of agreement being extraverted and enthusiastic       | Num |
| <b>PER_CRT_MCQ</b>      | TUPI scale: Sees oneself as critical and quarrelsome                     | Num |
| <b>PER_CRDIS_MCQ</b>    | TUPI scale: Degree of disagreement being critical and quarrelsome        | Num |
| <b>PER_CRAGR_MCQ</b>    | TUPI scale: Degree of agreement being critical and quarrelsome           | Num |
| <b>PER_DP_MCQ</b>       | TUPI scale: Sees oneself as dependable and self-disciplined              | Num |
| <b>PER_DPDIS_MCQ</b>    | TUPI scale: Degree of disagreement being dependable and self-disciplined | Num |
| <b>PER_DPAGR_MCQ</b>    | TUPI scale: Degree of agreement being dependable and self-disciplined    | Num |
| <b>PER_ANX_MCQ</b>      | TUPI scale: Sees oneself as anxious and easily upset                     | Num |
| <b>PER_ANXDIS_MCQ</b>   | TUPI scale: Degree of disagreement being anxious and easily upset        | Num |
| <b>PER_ANXAGR_MCQ</b>   | TUPI scale: Degree of agreement being anxious and easily upset           | Num |
| <b>PER_NEXP_MCQ</b>     | TUPI scale: Sees oneself as open to new experiences and complex          | Num |
| <b>PER_NEXPDIS_MCQ</b>  | TUPI scale: Degree of disagreement being open to                         | Num |



|                        |   |     |
|------------------------|---|-----|
|                        | new experiences and complex   |     |
| <b>PER_NEXPAGR_MCQ</b> | TIPI scale: Degree of agreement being open to new experiences and complex | Num |
| <b>PER_RSV_MCQ</b>     | TIPI scale: Sees oneself as reserved and quiet                            | Num |
| <b>PER_RSVDIS_MCQ</b>  | TIPI scale: Degree of disagreement being reserved and quiet               | Num |
| <b>PER_RSVAGR_MCQ</b>  | TIPI scale: Degree of agreement being reserved and quiet                  | Num |
| <b>PER_SYMP_MCQ</b>    | TIPI scale: Sees oneself as sympathetic and warm                          | Num |
| <b>PER_SYMPDIS_MCQ</b> | TIPI scale: Degree of disagreement being sympathetic and warm             | Num |
| <b>PER_SYMPAGR_MCQ</b> | TIPI scale: Degree of agreement being sympathetic and warm                | Num |
| <b>PER_DORG_MCQ</b>    | TIPI scale: Sees oneself as disorganized and careless                     | Num |
| <b>PER_DORGDIS_MCQ</b> | TIPI scale: Degree of disagreement being disorganized and careless        | Num |
| <b>PER_DORGAGR_MCQ</b> | TIPI scale: Degree of agreement being disorganized and careless           | Num |
| <b>PER_CALM_MCQ</b>    | TIPI scale: Sees oneself as calm and emotionally stable                   | Num |
| <b>PER_CALMDIS_MCQ</b> | TIPI scale: Degree of disagreement being calm and emotionally stable      | Num |
| <b>PER_CALMAGR_MCQ</b> | TIPI scale: Degree of agreement being calm and emotionally stable         | Num |
| <b>PER_CNV_MCQ</b>     | TIPI scale: Sees oneself as conventional and uncreative                   | Num |
| <b>PER_CNVDIS_MCQ</b>  | TIPI scale: Degree of disagreement being conventional and uncreative      | Num |
| <b>PER_CNVAGR_MCQ</b>  | TIPI scale: Degree of agreement being conventional and uncreative         | Num |
| <b>SEQ_LADDER_MCQ</b>  | Self-rated social standing  | Num |

|                               |   |     |
|-------------------------------|---|-----|
| <b>INT_ACCESSHM_MCQ</b>       | Access to internet or email at home   | Num |
| <b>INT_FRQEMAIL_MCQ</b>       | Email use frequency   | Num |
| <b>INT_FRQWBSTS_MCQ</b>       | Websites access frequency   | Num |
| <b>INT_FRQHLTH_MCQ</b>        | Monthly frequency of health-related information searches on internet              | Num |
| <b>INT_SCLNTWRK_MCQ</b>       | Uses social networking sites  | Num |
| <b>INT_WYSSCL_MNF_MCQ</b>     | Uses social networking sites to make new friends                                  | Num |
| <b>INT_WYSSCL_FRI_MCQ</b>     | Uses social networking sites to stay in touch or make plans with friends          | Num |
| <b>INT_WYSSCL_FAM_MCQ</b>     | Uses social networking sites to stay in touch or make plans with family           | Num |
| <b>INT_WYSSCL_PRO_MCQ</b>     | Uses social networking sites to promote one's self or one's work                  | Num |
| <b>INT_WYSSCL_OT_MCQ</b>      | Ways use social networking sites - other  | Num |
| <b>INT_WYSSCL_DK_NA_MCQ</b>   | Ways use social networking sites - Don't know/ No answer                          | Num |
| <b>INT_WYSSCL_REFUSED_MCQ</b> | Ways use social networking sites - Refused  | Num |
| <b>INT_FRQMNF_MCQ</b>         | Frequency use social networking sites to make new friends                         | Num |
| <b>INT_FRQFRI_MCQ</b>         | Frequency use social networking sites to stay in touch or make plans with friends | Num |
| <b>INT_FRQFAM_MCQ</b>         | Frequency use social networking sites to stay in touch or make plans with family  | Num |
| <b>INT_FRQPRO_MCQ</b>         | Frequency use social networking sites to promote yourself or your work            | Num |
| <b>INT_FRQOT_MCQ</b>          | Frequency use social networking sites to 'Other'                                  | Num |
| <b>ENV_HMPRB_NOI_MCQ</b>      | Current home has problems with noise  | Num |
| <b>ENV_HMPRB_LEA_MCQ</b>      | Current home has problems with leaking  | Num |
| <b>ENV_HMPRB_CON_MCQ</b>      | Current home has problems with condensation                                       | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>ENV_HMPRB_EP_MCQ</b>      | Current home has problems with electrical wiring or plumbing                 | Num |
| <b>ENV_HMPRB_HEA_MCQ</b>     | Current home has problems with heating                                       | Num |
| <b>ENV_HMPRB_MAI_MCQ</b>     | Current home has problems with maintenance or repairs                        | Num |
| <b>ENV_HMPRB_INF_MCQ</b>     | Current home has problems with infestations                                  | Num |
| <b>ENV_HMPRB_OT_MCQ</b>      | Current home has other problems  | Num |
| <b>ENV_HMPRB_NONE_MCQ</b>    | Current home has no problems   | Num |
| <b>ENV_HMPRB_DK_NA_MCQ</b>   | Current home has problems - don't know/no answer                             | Num |
| <b>ENV_HMPRB_REFUSED_MCQ</b> | Current home has problems - refused  | Num |
| <b>ENV_STFHM_MCQ</b>         | Satisfied with current housing   | Num |
| <b>ENV_FLPRTAREA_MCQ</b>     | Feel a part of local area  | Num |
| <b>ENV_VNDLSM_MCQ</b>        | Vandalism or graffiti are a big problem in local area                        | Num |
| <b>ENV_FLLNLY_MCQ</b>        | Often feel lonely living in local area                                       | Num |
| <b>ENV_PPLTRST_MCQ</b>       | Most people in local area can be trusted                                     | Num |
| <b>ENV_AFRDWLK_MCQ</b>       | People would be afraid to walk alone after dark in local area                | Num |
| <b>ENV_PPLFRNDLY_MCQ</b>     | Most people in local area are friendly                                       | Num |
| <b>ENV_PPLTKADV_MCQ</b>      | People in local area will take advantage of you                              | Num |
| <b>ENV_CLEAN_MCQ</b>         | Local area is kept very clean  | Num |
| <b>ENV_PPLHLP_MCQ</b>        | Lots of people in local area who would help if in trouble                    | Num |
| <b>PA2_SIT_MCQ</b>           | PASE scale: Frequency of participation in sitting activities - past 7 days   | Num |
| <b>PA2_SIT_BIN_MCQ</b>       | PASE scale: Participated in sitting activities - Bingo, cards or other games | Num |
| <b>PA2_SIT_COM_MCQ</b>       | PASE scale: Participated in sitting activities - Computer activities         | Num |
| <b>PA2_SIT_CRO_MCQ</b>       | PASE scale: Participated in sitting activities - Crosswords, puzzles, etc.   | Num |

|                            |   |     |
|----------------------------|---|-----|
| <b>PA2_SIT_HAN_MCQ</b>     | PASE scale: Participated in sitting activities - Handicrafts                              | Num |
| <b>PA2_SIT_LIS_MCQ</b>     | PASE scale: Participated in sitting activities - Listening to radio/music                 | Num |
| <b>PA2_SIT_MUS_MCQ</b>     | PASE scale: Participated in sitting activities - Playing musical instruments              | Num |
| <b>PA2_SIT_REA_MCQ</b>     | PASE scale: Participated in sitting activities - Reading                                  | Num |
| <b>PA2_SIT_VIS_MCQ</b>     | PASE scale: Participated in sitting activities - Visiting with others                     | Num |
| <b>PA2_SIT_TV_MCQ</b>      | PASE scale: Participated in sitting activities - Watching TV                              | Num |
| <b>PA2_SIT_OT_MCQ</b>      | PASE scale: Participated in sitting activities - Other                                    | Num |
| <b>PA2_SIT_DK_NA_MCQ</b>   | PASE scale: Participated in sitting activities - Don't know/No answer                     | Num |
| <b>PA2_SIT_REFUSED_MCQ</b> | PASE scale: Participated in sitting activities - Refused                                  | Num |
| <b>PA2_SITHR_MCQ</b>       | PASE scale: Average hours per day engaged in sitting activities                           | Num |
| <b>PA2_WALK_MCQ</b>        | PASE scale: Frequency of taking a walk outside - past 7 days                              | Num |
| <b>PA2_WALKHR_MCQ</b>      | PASE scale: Average hours per day spent walking   | Num |
| <b>PA2_LSPRT_MCQ</b>       | PASE scale: Frequency of participation in light sports - past 7 days                      | Num |
| <b>PA2_LSPRT_ARC_MCQ</b>   | PASE scale: Participated in light sport or activity - Archery                             | Num |
| <b>PA2_LSPRT_BAD_MCQ</b>   | PASE scale: Participated in light sport or activity - Badminton                           | Num |
| <b>PA2_LSPRT_BIL_MCQ</b>   | PASE scale: Participated in light sport or activity - Billiards                           | Num |
| <b>PA2_LSPRT_BOA_MCQ</b>   | PASE scale: Participated in light sport or activity - Boating (canoeing, rowing, sailing) | Num |
| <b>PA2_LSPRT_BOC_MCQ</b>   | PASE scale: Participated in light sport or activity - Bocci                               | Num |
| <b>PA2_LSPRT_BOW_MCQ</b>   | PASE scale: Participated in light sport or activity - Bowling                             | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>PA2_LSPRT_CAT_MCQ</b>     | PASE scale: Participated in light sport or activity - Catch                  | Num |
| <b>PA2_LSPRT_CRO_MCQ</b>     | PASE scale: Participated in light sport or activity - Croquet                | Num |
| <b>PA2_LSPRT_DAR_MCQ</b>     | PASE scale: Participated in light sport or activity - Darts                  | Num |
| <b>PA2_LSPRT_FIS_MCQ</b>     | PASE scale: Participated in light sport or activity - Fishing                | Num |
| <b>PA2_LSPRT_FRI_MCQ</b>     | PASE scale: Participated in light sport or activity - Frisbee                | Num |
| <b>PA2_LSPRT_GOL_MCQ</b>     | PASE scale: Participated in light sport or activity - Golf with a power cart | Num |
| <b>PA2_LSPRT_HOR_MCQ</b>     | PASE scale: Participated in light sport or activity - Horseshoes             | Num |
| <b>PA2_LSPRT_MUS_MCQ</b>     | PASE scale: Participated in light sport or activity - Musical program        | Num |
| <b>PA2_LSPRT_RIF_MCQ</b>     | PASE scale: Participated in light sport or activity - Rifle shooting         | Num |
| <b>PA2_LSPRT_SHU_MCQ</b>     | PASE scale: Participated in light sport or activity - Shuffleboard           | Num |
| <b>PA2_LSPRT_SWI_MCQ</b>     | PASE scale: Participated in light sport or activity - Swimming: no laps      | Num |
| <b>PA2_LSPRT_TAB_MCQ</b>     | PASE scale: Participated in light sport or activity - Table tennis           | Num |
| <b>PA2_LSPRT_YOG_MCQ</b>     | PASE scale: Participated in light sport or activity - Yoga or stretching     | Num |
| <b>PA2_LSPRT_OT_MCQ</b>      | PASE scale: Participated in other light sport or activity                    | Num |
| <b>PA2_LSPRT_DK_NA_MCQ</b>   | PASE scale: Participated in light sport or activity - Don't know/No answer   | Num |
| <b>PA2_LSPRT_REFUSED_MCQ</b> | PASE scale: Participated in light sport or activity - Refused                | Num |
| <b>PA2_LSPRTHR_MCQ</b>       | PASE scale: Average hours per day engaged in light sports                    | Num |
| <b>PA2_MSPRT_MCQ</b>         | PASE scale: Frequency of participation in moderate sports - past 7 days      | Num |

|                          |  |     |
|--------------------------|--|-----|
| <b>PA2_MSPRT_BAR_MCQ</b> | PASE scale: Participated in moderate sport or activity - Barn chores                       | Num |
| <b>PA2_MSPRT_DAN_MCQ</b> | PASE scale: Participated in moderate sport or activity - Dancing (ballroom, ballet, disco) | Num |
| <b>PA2_MSPRT_FEN_MCQ</b> | PASE scale: Participated in moderate sport or activity - Fencing                           | Num |
| <b>PA2_MSPRT_FOO_MCQ</b> | PASE scale: Participated in moderate sport or activity - Football                          | Num |
| <b>PA2_MSPRT_GOL_MCQ</b> | PASE scale: Participated in moderate sport or activity - Golf (without a cart)             | Num |
| <b>PA2_MSPRT_HOR_MCQ</b> | PASE scale: Participated in moderate sport or activity - Horseback riding                  | Num |
| <b>PA2_MSPRT_HUN_MCQ</b> | PASE scale: Participated in moderate sport or activity - Hunting                           | Num |
| <b>PA2_MSPRT_PIL_MCQ</b> | PASE scale: Participated in moderate sport or activity - Pilates or tai chi                | Num |
| <b>PA2_MSPRT_SCU_MCQ</b> | PASE scale: Participated in moderate sport or activity - Scuba diving or snorkelling       | Num |
| <b>PA2_MSPRT_SKA_MCQ</b> | PASE scale: Participated in moderate sport or activity - Skating (ice, roller)             | Num |
| <b>PA2_MSPRT_SLE_MCQ</b> | PASE scale: Participated in moderate sport or activity - Sledding/snowmobiling             | Num |
| <b>PA2_MSPRT_SOF_MCQ</b> | PASE scale: Participated in moderate sport or activity - Softball/baseball/cricket         | Num |
| <b>PA2_MSPRT_SUR_MCQ</b> | PASE scale: Participated in moderate sport or activity - Surfing/snowboarding              | Num |
| <b>PA2_MSPRT_TEN_MCQ</b> | PASE scale: Participated in moderate sport or activity - Tennis (doubles)                  | Num |
| <b>PA2_MSPRT_TRA_MCQ</b> | PASE scale: Participated in moderate sport or activity - Trampoline                        | Num |

|                              |   |     |
|------------------------------|---|-----|
| <b>PA2_MSPRT_VOL_MCQ</b>     | PASE scale: Participated in moderate sport or activity - Volleyball                       | Num |
| <b>PA2_MSPRT_OT_MCQ</b>      | PASE scale: Participated in other moderate sport or activity                              | Num |
| <b>PA2_MSPRT_DK_NA_MCQ</b>   | PASE scale: Participated in moderate sport or activity - Don't know/No answer             | Num |
| <b>PA2_MSPRT_REFUSED_MCQ</b> | PASE scale: Participated in moderate sport or activity - Refused                          | Num |
| <b>PA2_MSPRTHR_MCQ</b>       | PASE scale: Average hours per day engaged in moderate sports                              | Num |
| <b>PA2_SSPRT_MCQ</b>         | PASE scale: Frequency of participation in strenuous sports - past 7 days                  | Num |
| <b>PA2_SSPRT_AER_MCQ</b>     | PASE scale: Participated in strenuous sport or activity - Aerobic dance or water aerobics | Num |
| <b>PA2_SSPRT_BAC_MCQ</b>     | PASE scale: Participated in strenuous sport or activity - Backpacking                     | Num |
| <b>PA2_SSPRT_BAS_MCQ</b>     | PASE scale: Participated in strenuous sport or activity - Basketball                      | Num |
| <b>PA2_SSPRT_BIC_MCQ</b>     | PASE scale: Participated in strenuous sport or activity - Bicycling/exercise bike         | Num |
| <b>PA2_SSPRT_BOA_MCQ</b>     | PASE scale: Participated in strenuous sport or activity - Board sailing                   | Num |
| <b>PA2_SSPRT_HAN_MCQ</b>     | PASE scale: Participated in strenuous sport or activity - Handball/paddleball             | Num |
| <b>PA2_SSPRT_HIK_MCQ</b>     | PASE scale: Participated in strenuous sport or activity - Hiking                          | Num |
| <b>PA2_SSPRT_HOC_MCQ</b>     | PASE scale: Participated in strenuous sport or activity - Hockey (ice or field)           | Num |
| <b>PA2_SSPRT_JOG_MCQ</b>     | PASE scale: Participated in strenuous sport or activity - Jogging                         | Num |



|                            |   |     |
|----------------------------|---|-----|
| <b>PA2_SSPRT_LAC_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Lacrosse                                | Num |
| <b>PA2_SSPRT_MOU_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Mountain climbing, running              | Num |
| <b>PA2_SSPRT_RAC_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Racquetball                             | Num |
| <b>PA2_SSPRT_ROP_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Rope skipping                           | Num |
| <b>PA2_SSPRT_ROW_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Rowing/canoeing for competition         | Num |
| <b>PA2_SSPRT_RWM_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Rowing machine                          | Num |
| <b>PA2_SSPRT_SKI_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Skiing (cross country, downhill, water) | Num |
| <b>PA2_SSPRT_SNO_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Snowshoeing                             | Num |
| <b>PA2_SSPRT_SOC_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Soccer                                  | Num |
| <b>PA2_SSPRT_SQU_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Squash                                  | Num |
| <b>PA2_SSPRT_STA_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Stair climbing                          | Num |
| <b>PA2_SSPRT_SWI_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Swimming (with laps)                    | Num |
| <b>PA2_SSPRT_TEN_MCQ</b>   | PASE scale: Participated in strenuous sport or activity - Tennis (single)                         | Num |
| <b>PA2_SSPRT_OT_MCQ</b>    | PASE scale: Participated in other strenuous sport or activity                                     | Num |
| <b>PA2_SSPRT_DK_NA_MCQ</b> | PASE scale: Participated in strenuous sport or activity - Don't know/No answer                    | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>PA2_SSPRT_REFUSED_MCQ</b> | PASE scale: Participated in strenuous sport or activity - Refused                        | Num |
| <b>PA2_SSPRTHR_MCQ</b>       | PASE scale: Average hours per day engaged in strenuous sports                            | Num |
| <b>PA2_EXER_MCQ</b>          | PASE scale: Frequency exercising to increase muscle strength and endurance - past 7 days | Num |
| <b>PA2_EXER_CAL_MCQ</b>      | PASE scale: Exercised to increase muscle strength - Callisthenics                        | Num |
| <b>PA2_EXER_PUS_MCQ</b>      | PASE scale: Exercised to increase muscle strength - Push-ups                             | Num |
| <b>PA2_EXER_SIT_MCQ</b>      | PASE scale: Exercised to increase muscle strength - Sit-ups                              | Num |
| <b>PA2_EXER_WEI_MCQ</b>      | PASE scale: Exercised to increase muscle strength - Weight lifting and hand weights      | Num |
| <b>PA2_EXER_OT_MCQ</b>       | PASE scale: Exercised to increase muscle strength - Other                                | Num |
| <b>PA2_EXER_DK_NA_MCQ</b>    | PASE scale: Exercised to increase muscle strength - Don't know/No answer                 | Num |
| <b>PA2_EXER_REFUSED_MCQ</b>  | PASE scale: Exercised to increase muscle strength - Refused                              | Num |
| <b>PA2_EXERHR_MCQ</b>        | PASE scale: Average hours per day exercised to increase muscle strength and endurance    | Num |
| <b>PA2_LTHSWK_MCQ</b>        | PASE scale: Engaged in light housework - past 7 days                                     | Num |
| <b>PA2_HVYHSWK_MCQ</b>       | PASE scale: Engaged in heavy housework or chores - past 7 days                           | Num |
| <b>PA2_HMREPAIR_MCQ</b>      | PASE scale: Engaged in home repairs - past 7 days  | Num |
| <b>PA2_HVYODA_MCQ</b>        | PASE scale: Engaged in lawn work or yard care - past 7 days                              | Num |
| <b>PA2_LTODA_MCQ</b>         | PASE scale: Engaged in outdoor gardening, sweeping                                       | Num |

|                          |  |     |
|--------------------------|--|-----|
|                          | the balcony or the stairs - past 7 days  |     |
| <b>PA2_CRPRSN_MCQ</b>    | PASE scale: Engaged in caring for another person - past 7 days                                     | Num |
| <b>PA2_WRK_MCQ</b>       | PASE scale: Work for pay or volunteer - past 7 days  | Num |
| <b>PA2_WRKHSR_NB_MCQ</b> | PASE scale: Hours worked for pay or as volunteer - past 7 days                                     | Num |
| <b>PA2_WRKPA_MCQ</b>     | PASE scale: Amount of physical activity required on job or volunteering                            | Num |
| <b>PA2_REPRTN_MCQ</b>    | Representation of activity routine over past 12 months   | Num |
| <b>PA2_PALVL_MCQ</b>     | Level of physical activity - past 7 days   | Num |
| <b>PA2_PARTPA_MCQ</b>    | Desire to participate in more physical activities - past 12 months                                 | Num |
| <b>PA2_PrvPA_COS_MCQ</b> | Factor preventing participation in more physical activities - Cost                                 | Num |
| <b>PA2_PrvPA_TRA_MCQ</b> | Factor preventing participation in more physical activities - Transportation problems              | Num |
| <b>PA2_PrvPA_ACT_MCQ</b> | Factor preventing participation in more physical activities - Activities not available in the area | Num |
| <b>PA2_PrvPA_LOC_MCQ</b> | Factor preventing participation in more physical activities - Location not physically accessible   | Num |
| <b>PA2_PrvPA_FAR_MCQ</b> | Factor preventing participation in more physical activities - Location is too far                  | Num |
| <b>PA2_PrvPA_HEA_MCQ</b> | Factor preventing participation in more physical activities - Health condition limitation          | Num |
| <b>PA2_PrvPA_ILL_MCQ</b> | Factor preventing participation in more physical activities - Illness/injury                       | Num |
| <b>PA2_PrvPA_FEA_MCQ</b> | Factor preventing participation in more physical activities - Fear of injury                       | Num |

|                              |   |     |
|------------------------------|---|-----|
| <b>PA2_PRVPA_TIM_MCQ</b>     | Factor preventing participation in more physical activities - Lack of time                | Num |
| <b>PA2_PRVPA_ENG_MCQ</b>     | Factor preventing participation in more physical activities - Lack of energy              | Num |
| <b>PA2_PRVPA_MOT_MCQ</b>     | Factor preventing participation in more physical activities - Lack of motivation          | Num |
| <b>PA2_PRVPA_SKI_MCQ</b>     | Factor preventing participation in more physical activities - Lack of skills or knowledge | Num |
| <b>PA2_PRVPA_OT_MCQ</b>      | Factor preventing participation in more physical activities - Other                       | Num |
| <b>PA2_PRVPA_DK_NA_MCQ</b>   | Factor preventing participation in more physical activities - Don't know/No answer        | Num |
| <b>PA2_PRVPA_REFUSED_MCQ</b> | Factor preventing participation in more physical activities - Refused                     | Num |
| <b>TRA_DSTATUS_MCQ</b>       | Driving status  | Num |
| <b>TRA_DFREQ_MCQ</b>         | Driving frequency   | Num |
| <b>TRA_CMNTR1_MCQ</b>        | Most common form of transportation in past year   | Num |
| <b>TRA_CMNTR2_MCQ</b>        | Most common form of transportation in past year   | Num |
| <b>TRA_TYPTR_PAS_MCQ</b>     | Form of transport used in last month: Passenger   | Num |
| <b>TRA_TYPTR_TAX_MCQ</b>     | Form of transport used in last month: Taxi  | Num |
| <b>TRA_TYPTR_PUB_MCQ</b>     | Form of transport used in last month: Public transit                                      | Num |
| <b>TRA_TYPTR_ACC_MCQ</b>     | Form of transport used in last month: Accessible transit                                  | Num |
| <b>TRA_TYPTR_CYC_MCQ</b>     | Form of transport used in last month: Cycling   | Num |
| <b>TRA_TYPTR_WAL_MCQ</b>     | Form of transport used in last month: Walking   | Num |
| <b>TRA_TYPTR_WHE_MCQ</b>     | Form of transport used in last month: Wheelchair / motorized cart                         | Num |
| <b>TRA_TYPTR_NONE_MCQ</b>    | Form of transport used in last month: None  | Num |

|                              |   |     |
|------------------------------|---|-----|
| <b>TRA_TYPTR_DK_NA_MCQ</b>   | Form of transport used in last month: Don't know / no answer          | Num |
| <b>TRA_TYPTR_REFUSED_MCQ</b> | Form of transport used in last month: Refused                         | Num |
| <b>TRA_PUBTR_NN_MCQ</b>      | Did not use public transit: Not needed                                | Num |
| <b>TRA_PUBTR_PNU_MCQ</b>     | Did not use public transit: Prefer no to use                          | Num |
| <b>TRA_PUBTR_UNA_MCQ</b>     | Did not use public transit: Service unavailable in participant's area | Num |
| <b>TRA_PUBTR_HEA_MCQ</b>     | Did not use public transit: Health / mobility limitations             | Num |
| <b>TRA_PUBTR_INC_MCQ</b>     | Did not use public transit: Inconvenient schedule / route             | Num |
| <b>TRA_PUBTR_COS_MCQ</b>     | Did not use public transit: Too costly                                | Num |
| <b>TRA_PUBTR_NAV_MCQ</b>     | Did not use public transit: service unavailable in area travelled to  | Num |
| <b>TRA_PUBTR_AWR_MCQ</b>     | Did not use public transit: Unaware of services                       | Num |
| <b>TRA_PUBTR_SCH_MCQ</b>     | Did not use public transit: Schedule unsuitable                       | Num |
| <b>TRA_PUBTR_NSF_MCQ</b>     | Did not use public transit: Unsafe                                    | Num |
| <b>TRA_PUBTR_ACC_MCQ</b>     | Did not use public transit: Difficulty getting to service             | Num |
| <b>TRA_PUBTR_COM_MCQ</b>     | Did not use public transit: Uncomfortable                             | Num |
| <b>TRA_PUBTR_OT_MCQ</b>      | Did not use public transit: Other                                     | Num |
| <b>TRA_PUBTR_DK_NA_MCQ</b>   | Did not use public transit: Don't know / no answer                    | Num |
| <b>TRA_PUBTR_REFUSED_MCQ</b> | Did not use public transit: Refused                                   | Num |
| <b>TRA_ACCTR_NN_MCQ</b>      | Did not use accessible transit: Not needed                            | Num |
| <b>TRA_ACCTR_PNU_MCQ</b>     | Did not use accessible transit: Preference                            | Num |
| <b>TRA_ACCTR_UNA_MCQ</b>     | Did not use accessible transit: Service unavailable in area           | Num |
| <b>TRA_ACCTR_HEA_MCQ</b>     | Did not use accessible transit: Health/mobility limitations           | Num |
| <b>TRA_ACCTR_INC_MCQ</b>     | Did not use accessible transit: Inconvenient schedule/route           | Num |

|                       |  |     |
|-----------------------|--|-----|
| TRA_ACCTR_COS_MCQ     | Did not use accessible transit:<br>Too costly                          | Num |
| TRA_ACCTR_OVB_MCQ     | Did not use accessible transit:<br>Unavailable due to<br>overbooking   | Num |
| TRA_ACCTR_CNB_MCQ     | Did not use accessible transit:<br>Could not book                      | Num |
| TRA_ACCTR_OT_MCQ      | Did not use accessible transit:<br>Other                               | Num |
| TRA_ACCTR_DK_NA_MCQ   | Did not use accessible transit:<br>Don't know / no answer              | Num |
| TRA_ACCTR_REFUSED_MCQ | Did not use accessible transit:<br>Refused                             | Num |
| TRA_PUBTRFRQ_MCQ      | Frequency of use of public<br>transit in last month                    | Num |
| TRA_TRIP_WK_MCQ       | Typical weekly trips: Work<br>commute                                  | Num |
| TRA_TRIP_BK_MCQ       | Typical weekly trips: Banking /<br>business appointments               | Num |
| TRA_TRIP_MD_MCQ       | Typical weekly trips: Medical<br>appointments                          | Num |
| TRA_TRIP_GR_MCQ       | Typical weekly trips: Grocery<br>shopping                              | Num |
| TRA_TRIP_RI_MCQ       | Typical weekly trips:<br>Recreational shopping,<br>restaurants         | Num |
| TRA_TRIP_RO_MCQ       | Typical weekly trips:<br>Recreational trips to outdoor<br>spaces       | Num |
| TRA_TRIP_CH_MCQ       | Typical weekly trips: Church /<br>worship service                      | Num |
| TRA_TRIP_FM_MCQ       | Typical weekly trips: Visiting<br>friends / family                     | Num |
| TRA_TRIP_SO_MCQ       | Typical weekly trips: Social<br>activities                             | Num |
| TRA_TRIP_OT_MCQ       | Typical weekly trips: Other  | Num |
| TRA_TRIP_DK_NA_MCQ    | Typical weekly trips: Don't<br>know / no answer                        | Num |
| TRA_TRIP_REFUSED_MCQ  | Typical weekly trips: Refused  | Num |
| TRA_TRIP_MISSING_MCQ  | Typical weekly trips: Missing  | Num |
| TRA_CHGRS_MCQ         | Ability to avoid rolling stops -<br>compared to 10 years ago           | Num |
| TRA_CHGHC_MCQ         | Ability to avoid hitting<br>curbs/medians -compared to<br>10 years ago | Num |
| TRA_CHGLPE_MCQ        | Ability to avoid lane position<br>errors -compared to 10 years<br>ago  | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>TRA_CHGSLC_MCQ</b>        | Ability to preform high speed lane changes -compared to 10 years ago                   | Num |
| <b>TRA_CHGJDG_MCQ</b>        | Ability to judge available gap/speed of approaching vehicles -compared to 10 years ago | Num |
| <b>TRA_CHGCOC_MCQ</b>        | Ability to avoid driving too slowly -compared to 10 years ago                          | Num |
| <b>TRA_CHGCGB_MCQ</b>        | Ability to distinguish gas and break pedal -compared to 10 years ago                   | Num |
| <b>TRA_CHGQDD_MCQ</b>        | Ability to make quick decisions -compared to 10 years ago                              | Num |
| <b>TRA_CHGDS_MCQ</b>         | Ability to drive safely - compared to 10 years ago                                     | Num |
| <b>TRA_AVOID_MISSING_MCQ</b> | Participant avoids: Missing variable   | Num |
| <b>TRA_AVOID_RA_MCQ</b>      | Participant avoids: On/off ramps   | Num |
| <b>TRA_AVOID_CR_MCQ</b>      | Participant avoids: Roundabouts  | Num |
| <b>TRA_AVOID_FW_MCQ</b>      | Participant avoids: Four way stops without traffic signals                             | Num |
| <b>TRA_AVOID_UN_MCQ</b>      | Participant avoids: unfamiliar routes  | Num |
| <b>TRA_AVOID_HV_MCQ</b>      | Participant avoids: Heavy traffic  | Num |
| <b>TRA_AVOID_ML_MCQ</b>      | Participant avoids: Heavy traffic on multi-lane  | Num |
| <b>TRA_AVOID_SL_MCQ</b>      | Participant avoids: Heavy traffic on single-lane                                       | Num |
| <b>TRA_AVOID_TL_MCQ</b>      | Participant avoids: Left hand turns with traffic lights                                | Num |
| <b>TRA_AVOID_NL_MCQ</b>      | Participant avoids: Left hand turns without traffic lights or stop sign                | Num |
| <b>TRA_AVOID_LG_MCQ</b>      | Participant avoids: Travelling next to large trucks                                    | Num |
| <b>TRA_AVOID_BS_MCQ</b>      | Participant avoids: Crossing or entering busy streets without traffic signals          | Num |
| <b>TRA_AVOID_YD_MCQ</b>      | Participant avoids: Yielding to traffic  | Num |
| <b>TRA_AVOID_SN_MCQ</b>      | Participant avoids: Driving in heavy rain / snow                                       | Num |



|                       |  |     |
|-----------------------|--|-----|
| TRA_AVOID_DW_MCQ      | Participant avoids: Driving at dawn / dusk                       | Num |
| TRA_AVOID_NT_MCQ      | Participant avoids: Driving at night                             | Num |
| TRA_AVOID_NONE_MCQ    | Participant avoids: Does not avoid these situations              | Num |
| TRA_AVOID_OT_MCQ      | Participant avoids: Other  | Num |
| TRA_AVOID_DK_NA_MCQ   | Participant avoids: Don't know / no answer                       | Num |
| TRA_AVOID_REFUSED_MCQ | Participant avoids: Refused                                      | Num |
| TRA_DRVST_YR_MCQ      | Years since participant stopped driving                          | Num |
| TRA_CEASE_ND_MCQ      | Reason to stop driving: No longer needed                         | Num |
| TRA_CEASE_EN_MCQ      | Reason to stop driving: No longer enjoyed it                     | Num |
| TRA_CEASE_CO_MCQ      | Reason to stop driving: Gas / car upkeep too expensive           | Num |
| TRA_CEASE_SF_MCQ      | Reason to stop driving: Was no longer safe                       | Num |
| TRA_CEASE_NR_MCQ      | Reason to stop driving: Nervous/ intimidated                     | Num |
| TRA_CEASE_DR_MCQ      | Reason to stop driving: Doctor advised against                   | Num |
| TRA_CEASE_FF_MCQ      | Reason to stop driving: Someone else advised against             | Num |
| TRA_CEASE_PT_MCQ      | Reason to stop driving: Improved availability of public transit  | Num |
| TRA_CEASE_DP_MCQ      | Reason to stop driving: Driving related events                   | Num |
| TRA_CEASE_RE_MCQ      | Reason to stop driving: License renewal or road test requirement | Num |
| TRA_CEASE_IN_MCQ      | Reason to stop driving: Inability to renew license               | Num |
| TRA_CEASE_PC_MCQ      | Reason to stop driving: Physical condition / limitation          | Num |
| TRA_CEASE_DV_MCQ      | Reason to stop driving: Deteriorating vision                     | Num |
| TRA_CEASE_IC_MCQ      | Reason to stop driving: Less confidence while driving            | Num |
| TRA_CEASE_NONE_MCQ    | Reason to stop driving: No reason                                | Num |
| TRA_CEASE_OT_MCQ      | Reason to stop driving: Other                                    | Num |
| TRA_CEASE_DK_NA_MCQ   | Reason to stop driving: Don't know / no answer                   | Num |

|                               |  |      |
|-------------------------------|--|------|
| <b>TRA_CEASE_REFUSED_MCQ</b>  | Reason to stop driving:<br>Refused   | Num  |
| <b>TRA_CEASE_OSTP01_MCQ</b>   | Reason to stop driving: Other<br>Specify1  | Char |
| <b>TRA_CEASE_OSTP02_MCQ</b>   | Reason to stop driving: Other<br>Specify2  | Char |
| <b>TRA_CEASE_OSTP03_MCQ</b>   | Reason to stop driving: Other<br>Specify3  | Char |
| <b>TRA_MED_MCQ</b>            | Participant contacted<br>medical professional<br>regarding driving abilities                 | Num  |
| <b>TRA_MEDTPC_CON_MCQ</b>     | Discussed with medical<br>professional: Safety related to<br>medical condition               | Num  |
| <b>TRA_MEDTPC_MED_MCQ</b>     | Discussed with medical<br>professional: Safety related to<br>prescription medication         | Num  |
| <b>TRA_MEDTPC_HRB_MCQ</b>     | Discussed with medical<br>professional: Safety related to<br>non-prescription medication     | Num  |
| <b>TRA_MEDTPC_ACC_MCQ</b>     | Discussed with medical<br>professional: Vehicle accident<br>/ near miss                      | Num  |
| <b>TRA_MEDTPC_INF_MCQ</b>     | Discussed with medical<br>professional: Driving infraction                                   | Num  |
| <b>TRA_MEDTPC_THR_MCQ</b>     | Discussed with medical<br>professional: Driving<br>assessment with occupational<br>therapist | Num  |
| <b>TRA_MEDTPC_LCS_MCQ</b>     | Discussed with medical<br>professional: Driving<br>assessment with driving<br>authority      | Num  |
| <b>TRA_MEDTPC_TRN_MCQ</b>     | Discussed with medical<br>professional: Driver retraining                                    | Num  |
| <b>TRA_MEDTPC_ADV_MCQ</b>     | Discussed with medical<br>professional: General<br>information / advice                      | Num  |
| <b>TRA_MEDTPC_OT_MCQ</b>      | Discussed with medical<br>professional: Other  | Num  |
| <b>TRA_MEDTPC_DK_NA_MCQ</b>   | Discussed with medical<br>professional: Don't know / no<br>answer                            | Num  |
| <b>TRA_MEDTPC_REFUSED_MCQ</b> | Discussed with medical<br>professional: Refused  | Num  |
| <b>TRA_MEDTPC_OSTP01_MCQ</b>  | Discussed with medical<br>professional: Other specify1                                       | Char |

|                       |  |      |
|-----------------------|--|------|
| TRA_MEDTPC_OSTP02_MCQ | Discussed with medical professional: Other specify2                      | Char |
| TRA_MEDTPC_OSTP03_MCQ | Discussed with medical professional: Other specify3                      | Char |
| TRA_MEDTPC_OSTP04_MCQ | Discussed with medical professional: Other specify4                      | Char |
| TRA_LVDHM_YR_MCQ      | Years spent in current home  | Num  |
| TRA_LVCMNTY_YR_MCQ    | Years spent in current community   | Num  |
| TRA_CMNTY_MISSING_MCQ | Reasons for moving to current location: Missing variable                 | Num  |
| TRA_CMNTY_CLI_MCQ     | Reasons for moving to current location: Climate and natural environment  | Num  |
| TRA_CMNTY_RET_MCQ     | Reasons for moving to current location: Retirement / retirement plans    | Num  |
| TRA_CMNTY_FAM_MCQ     | Reasons for moving to current location: Proximity to family              | Num  |
| TRA_CMNTY_FRI_MCQ     | Reasons for moving to current location: Proximity to friends             | Num  |
| TRA_CMNTY_HOU_MCQ     | Reasons for moving to current location: Better / more suitable housing   | Num  |
| TRA_CMNTY_REC_MCQ     | Reasons for moving to current location: Recreation facilities / services | Num  |
| TRA_CMNTY_HEA_MCQ     | Reasons for moving to current location: Health care                      | Num  |
| TRA_CMNTY_COS_MCQ     | Reasons for moving to current location: Lower cost of living             | Num  |
| TRA_CMNTY_EMP_MCQ     | Reasons for moving to current location: Employment opportunities         | Num  |
| TRA_CMNTY_APT_MCQ     | Reasons for moving to current location: Availability of public transit   | Num  |
| TRA_CMNTY_ACC_MCQ     | Reasons for moving to current location: Ease of access to public transit | Num  |
| TRA_CMNTY_DK_NA_MCQ   | Reasons for moving to current location: Other                            | Num  |
| TRA_CMNTY_OT_MCQ      | Reasons for moving to current location: Don't know / no answer           | Num  |
| TRA_CMNTY_REFUSED_MCQ | Reasons for moving to current location: Refused                          | Num  |

|                               |  |     |
|-------------------------------|--|-----|
| <b>WEA_MRTL_MCQ</b>           | Marital status same as baseline  | Num |
| <b>WEA_MRTL_CHANGE_MCQ</b>    | Marital status change from baseline                                    | Num |
| <b>WEA_MRTL_CURRENT_MCQ</b>   | Current marital status   | Num |
| <b>WEA_SVNGS_ACC_MCQ</b>      | Type of saving and investments: Bank account                           | Num |
| <b>WEA_SVNGS_RRSP_MCQ</b>     | Type of saving and investments: RRSPs                                  | Num |
| <b>WEA_SVNGS_INV_MCQ</b>      | Type of saving and investments: Financial investments outside of RRSPs | Num |
| <b>WEA_SVNGS_NONE_MCQ</b>     | Type of saving and investments: None                                   | Num |
| <b>WEA_SVNGS_DK_NA_MCQ</b>    | Type of saving and investments: Don't know/No answer                   | Num |
| <b>WEA_SVNGS_REFUSED_MCQ</b>  | Type of saving and investments: Refused                                | Num |
| <b>WEA_SVNGSVL_MCQ</b>        | Total value of savings and investments                                 | Num |
| <b>WEA_LFINS_MCQ</b>          | Have life insurance  | Num |
| <b>WEA_ASSETS_HSE_MCQ</b>     | Type of assets: House, apartment, or holiday home                      | Num |
| <b>WEA_ASSETS_PRES_MCQ</b>    | Type of assets: Principal residence                                    | Num |
| <b>WEA_ASSETS_FBS_MCQ</b>     | Type of assets: Farm or business property                              | Num |
| <b>WEA_ASSETS_OTL_MCQ</b>     | Type of assets: Other land   | Num |
| <b>WEA_ASSETS_MOWD_MCQ</b>    | Type of assets: Money owed to you by others                            | Num |
| <b>WEA_ASSETS_TRST_MCQ</b>    | Type of assets: A trust  | Num |
| <b>WEA_ASSETS_CINH_MCQ</b>    | Type of assets: A covenant or inheritance                              | Num |
| <b>WEA_ASSETS_NONE_MCQ</b>    | Type of assets: None   | Num |
| <b>WEA_ASSETS_OT_MCQ</b>      | Type of assets: Other assets   | Num |
| <b>WEA_ASSETS_DK_NA_MCQ</b>   | Type of assets: Don't know/No answer                                   | Num |
| <b>WEA_ASSETS_REFUSED_MCQ</b> | Type of assets: Refused  | Num |
| <b>WEA_DEBT_CCRD_MCQ</b>      | Type of debts: Credit or store cards                                   | Num |
| <b>WEA_DEBT_DBI_MCQ</b>       | Type of debts: Debts to friends/relatives/other private individuals    | Num |
| <b>WEA_DEBT_LNS_MCQ</b>       | Type of debts: Loans from banks or financial institutions              | Num |
| <b>WEA_DEBT_NONE_MCQ</b>      | Type of debts: No debt   | Num |

|                              |   |     |
|------------------------------|---|-----|
| <b>WEA_DEBT_DK_NA_MCQ</b>    | Type of debts: Don't know/No answer                                       | Num |
| <b>WEA_DEBT_REFUSED_MCQ</b>  | Type of debts: Refused  | Num |
| <b>WEA_FNSTATUS_MCQ</b>      | Getting along financially   | Num |
| <b>WEA_INCNEEDS_MCQ</b>      | Income satisfies basic needs  | Num |
| <b>WEA_THNGS_FOD_MCQ</b>     | Lack of money prevents:<br>Buying first choices of food items             | Num |
| <b>WEA_THNGS_FFO_MCQ</b>     | Lack of money prevents:<br>Having family/friends around for drink/meal    | Num |
| <b>WEA_THNGS_POF_MCQ</b>     | Lack of money prevents:<br>Having outfit for occasions                    | Num |
| <b>WEA_THNGS_HMR_MCQ</b>     | Lack of money prevents:<br>Keeping home in good state                     | Num |
| <b>WEA_THNGS_REL_MCQ</b>     | Lack of money prevents:<br>Replacement/repairing broken electrical goods  | Num |
| <b>WEA_THNGS_TRSP_MCQ</b>    | Lack of money prevents:<br>Paying fares or transportation costs           | Num |
| <b>WEA_THNGS_PRES_MCQ</b>    | Lack of money prevents:<br>Buying presents                                | Num |
| <b>WEA_THNGS_HLDY_MCQ</b>    | Lack of money prevents:<br>Taking desired holidays                        | Num |
| <b>WEA_THNGS_TRSLF_MCQ</b>   | Lack of money prevents:<br>Treating oneself                               | Num |
| <b>WEA_THNGS_NONE_MCQ</b>    | Lack of money prevents:<br>None of these                                  | Num |
| <b>WEA_THNGS_DK_NA_MCQ</b>   | Lack of money prevents:<br>Don't know/No answer                           | Num |
| <b>WEA_THNGS_REFUSED_MCQ</b> | Lack of money prevents:<br>Refused  | Num |
| <b>WEA_ORGMONEY_MCQ</b>      | Organization of family finance  | Num |
| <b>WEA_FNDEC_MCQ</b>         | Holder of big financial decisions   | Num |
| <b>WEA_SUFFUND_MCQ</b>       | Possibility of insufficient future funds                                  | Num |
| <b>WEA_INHERT_MCQ</b>        | Possibility of inheritance exceeding \$100,000                            | Num |
| <b>PA2_DSCR2_MCQ</b>         | PASE scale: PASE Score - Final  | Num |
| <b>PA2_DSCR_MCQ</b>          | PASE scale: Respondent's PASE score (not including recoding of open text) | Num |
| <b>FAS_TOTAL_SCORE_COM</b>   | FAS total score   | Num |
| <b>PMT_EVENT_SCORE_COM</b>   | Event based prospective memory test derived score                         | Num |

|                                       |   |     |
|---------------------------------------|---|-----|
| <b>TMT_TIME_SCORE_COM</b>             | Time based prospective memory test derived score              | Num |
| <b>STP_INTFR_RATIO_COM</b>            | Stroop Interference Ratio                                     | Num |
| <b>STP_INTFR_RATIO_EXFLAG_COM</b>     | Flag for extreme Stroop Interference Ratio                    | Num |
| <b>COG_REYI_NORMED_ZSCORE_COM</b>     | REYI z-score  | Num |
| <b>COG_REYI_NORMED_ORIGSCALE_COM</b>  | REYI normed score - original test scale                       | Num |
| <b>COG_REYII_NORMED_ZSCORE_COM</b>    | REYII z-score   | Num |
| <b>COG_REYII_NORMED_ORIGSCALE_COM</b> | REYII normed score - original test scale                      | Num |
| <b>COG_AF1_NORMED_ZSCORE_COM</b>      | AF1 z-score   | Num |
| <b>COG_AF1_NORMED_ORIGSCALE_COM</b>   | AF1 normed score - original test scale                        | Num |
| <b>COG_AF2_NORMED_ZSCORE_COM</b>      | AF2 z-score   | Num |
| <b>COG_AF2_NORMED_ORIGSCALE_COM</b>   | AF2 normed score - original test scale                        | Num |
| <b>COG_MAT_NORMED_ZSCORE_COM</b>      | MAT z-score   | Num |
| <b>COG_MAT_NORMED_ORIGSCALE_COM</b>   | MAT normed score - original test scale                        | Num |
| <b>STP_RATIO_NORMED_ZSCORE_COM</b>    | Stroop interference ratio z-score                             | Num |
| <b>STP_RATIO_NORMED_ORIGSCALE_COM</b> | Stroop interference ratio normed score - original test scale  | Num |
| <b>FAS_TOTAL_NORMED_ZSCORE_COM</b>    | FAS z-score   | Num |
| <b>FAS_TOTAL_NORMED_ORIGSCALE_COM</b> | FAS normed score - original test scale                        | Num |
| <b>COG_REYI_NORMED_SM10SD3_COM</b>    | REYI scaled score   | Num |
| <b>COG_REYII_NORMED_SM10SD3_COM</b>   | REYII scaled score  | Num |
| <b>COG_AF1_NORMED_SM10SD3_COM</b>     | AFT1 scaled score   | Num |
| <b>COG_AF2_NORMED_SM10SD3_COM</b>     | AFT2 scaled score   | Num |
| <b>COG_MAT_NORMED_SM10SD3_COM</b>     | MAT scaled score  | Num |
| <b>STP_RATIO_NORMED_SM10SD3_COM</b>   | Stroop interference ratio scaled score                        | Num |
| <b>FAS_TOTAL_NORMED_SM10SD3_COM</b>   | FAS scaled score  | Num |
| <b>COG_CONSTR_MEM_COM</b>             | Memory latent construct score                                 | Num |
| <b>COG_CONSTR_EF2_COM</b>             | Executive Functioning Latent Construct for 4-COG-test battery | Num |
| <b>COG_CONSTR_OVERALLCOG4_COM</b>     | Overall Cognition Latent Construct for 4-COG test battery     | Num |
| <b>COG_CONSTR_EF4_COM</b>             | Executive Functioning Latent Construct for 6-COG-test battery | Num |

|                                       |  |     |
|---------------------------------------|--|-----|
| <b>COG_CONSTR_OVERALLCOG6_COM</b>     | Overall Cognition Latent Construct for 6-COG test battery              | Num |
| <b>COG_REYI_IMP_COM</b>               | REYI Cognitive Impairment  | Num |
| <b>COG_REYII_IMP_COM</b>              | REYII Cognitive Impairment   | Num |
| <b>COG_AF1_IMP_COM</b>                | AF1 Cognitive Impairment   | Num |
| <b>COG_AF2_IMP_COM</b>                | AF2 Cognitive Impairment   | Num |
| <b>COG_MAT_IMP_COM</b>                | MAT Cognitive Impairment   | Num |
| <b>STP_RATIO_IMP_COM</b>              | Stroop Interference Ratio Cognitive Impairment                         | Num |
| <b>FAS_TOTAL_IMP_COM</b>              | FAS Total Score Cognitive Impairment                                   | Num |
| <b>PMT_EVENT_IMP_COM</b>              | Event based prospective memory test derived score cognitive impairment | Num |
| <b>TMT_TIME_IMP_COM</b>               | Time based prospective memory test cognitive impairment                | Num |
| <b>COG_OVERALL4_IMP_COM</b>           | Overall Cognitive Impairment on 4-Cognitive Test Battery               | Num |
| <b>COG_OVERALL6_IMP_BELOW2_COM</b>    | Overall Cognitive Impairment on 6-Cognitive Test Battery at 2.0%       | Num |
| <b>COG_OVERALL6_IMP_BELOW5PT8_COM</b> | Overall Cognitive Impairment on 6-Cognitive Test Battery at 5.8%       | Num |
| <b>COG_MEM_IMP_COM</b>                | Memory (MEM) Latent Construct Impairment                               | Num |
| <b>COG_4EF_IMP_COM</b>                | Executive Function (4EF) Latent Construct Impairment (6-test Battery)  | Num |
| <b>COG_2EF_IMP_COM</b>                | Executive Function (2EF) Latent Construct Impairment (4-test battery)  | Num |
| <b>ADM_DCS_AGE_COM</b>                | Participant age at Data Collection Site visit                          | Num |
| <b>ADM_SPECIAL_STATUS_COM</b>         | Data Collection Site visit special status                              | Num |
| <b>ADM_startDate_COM</b>              | Data Collection Site visit start date                                  | Num |
| <b>NPB_STATUS_COM</b>                 | NeuropsychologicalBattery status                                       | Num |
| <b>SN_LIVH_NB_COM</b>                 | Number of people living in household (excluding the participant)       | Num |
| <b>SN_LIVH_M1_A_COM</b>               | Age of participant - Member 1 in household                             | Num |



|                         |  |      |
|-------------------------|--|------|
| <b>SN_LIVH_M1_R_COM</b> | Participant - Member 1 in household        | Char |
| <b>SN_LIVH_M1_S_COM</b> | Sex of participant - Member 1 in household | Char |
| <b>SN_LIVH_M2_R_COM</b> | Relationship to participant - Member 2     | Num  |
| <b>SN_LIVH_M2_S_COM</b> | Sex of member in household - Member 2      | Char |
| <b>SN_LIVH_M2_A_COM</b> | Age of member in household - Member 2      | Num  |
| <b>SN_LIVH_M3_R_COM</b> | Relationship to participant - Member 3     | Num  |
| <b>SN_LIVH_M3_S_COM</b> | Sex of member in household - Member 3      | Char |
| <b>SN_LIVH_M3_A_COM</b> | Age of member in household - Member 3      | Num  |
| <b>SN_LIVH_M4_R_COM</b> | Relationship to participant - Member 4     | Num  |
| <b>SN_LIVH_M4_S_COM</b> | Sex of member in household - Member 4      | Char |
| <b>SN_LIVH_M4_A_COM</b> | Age of member in household - Member 4      | Num  |
| <b>SN_LIVH_M5_R_COM</b> | Relationship to participant - Member 5     | Num  |
| <b>SN_LIVH_M5_S_COM</b> | Sex of member in household - Member 5      | Char |
| <b>SN_LIVH_M5_A_COM</b> | Age of member in household - Member 5      | Num  |
| <b>SN_LIVH_M6_R_COM</b> | Relationship to participant - Member 6     | Num  |
| <b>SN_LIVH_M6_S_COM</b> | Sex of member in household - Member 6      | Char |
| <b>SN_LIVH_M6_A_COM</b> | Age of member in household - Member 6      | Num  |
| <b>SN_LIVH_M7_R_COM</b> | Relationship to participant - Member 7     | Num  |
| <b>SN_LIVH_M7_S_COM</b> | Sex of member in household - Member 7      | Char |
| <b>SN_LIVH_M7_A_COM</b> | Age of member in household - Member 7      | Num  |
| <b>SN_LIVH_M8_R_COM</b> | Relationship to participant - Member 8     | Num  |
| <b>SN_LIVH_M8_S_COM</b> | Sex of member in household - Member 8      | Char |
| <b>SN_LIVH_M8_A_COM</b> | Age of member in household - Member 8      | Num  |
| <b>SN_LIVH_M9_R_COM</b> | Relationship to participant - Member 9     | Num  |



|                             |   |      |
|-----------------------------|---|------|
| <b>SN_LIVH_M9_S_COM</b>     | Sex of member in household - Member 9                     | Char |
| <b>SN_LIVH_M9_A_COM</b>     | Age of member in household - Member 9                     | Num  |
| <b>SN_LIVH_M10_R_COM</b>    | Relationship to participant - Member 10                   | Num  |
| <b>SN_LIVH_M10_S_COM</b>    | Sex of member in household - Member 10                    | Char |
| <b>SN_LIVH_M10_A_COM</b>    | Age of member in household - Member 10                    | Num  |
| <b>SN_CHILD_NB_COM</b>      | Number of living children                                 | Num  |
| <b>SN_CHILDBIO_NB_COM</b>   | Number of living biological children                      | Num  |
| <b>SN_CHILDADP_NB_COM</b>   | Number of living adopted children                         | Num  |
| <b>SN_CHILDSTPPR_NB_COM</b> | Number of living step children or partner's children      | Num  |
| <b>SN_CHILDSTP_NB_COM</b>   | Number of living step children                            | Num  |
| <b>SN_CHILDPR_NB_COM</b>    | Number of living partner's children                       | Num  |
| <b>SN_DGHTRLIV_NB_COM</b>   | Number of living daughters                                | Num  |
| <b>SN_SONLIV_NB_COM</b>     | Number of living sons                                     | Num  |
| <b>SN_SEECHILD_COM</b>      | Last get together with children outside of household      | Num  |
| <b>SN_SIBLIV_NB_COM</b>     | Number of living siblings                                 | Num  |
| <b>SN_SEESIB_COM</b>        | Last get together with siblings outside of household      | Num  |
| <b>SN_RELLIV_NB_COM</b>     | Number of living relatives                                | Num  |
| <b>SN_SEEREL_COM</b>        | Last get together with relatives outside of household     | Num  |
| <b>SN_FRND_NB_COM</b>       | Number of close friends                                   | Num  |
| <b>SN_SEEFRND_COM</b>       | Last get together with close friends outside of household | Num  |
| <b>SN_NEIBR_NB_COM</b>      | Number of neighbours                                      | Num  |
| <b>SN_SEENEIBR_COM</b>      | Last get together with neighbours                         | Num  |
| <b>SN_PERWSCH_NB_COM</b>    | Number of people known through work or school             | Num  |
| <b>SN_PERCOM_NB_COM</b>     | Number of people known through community involvement      | Num  |
| <b>SN_PERACT_NB_COM</b>     | Number of people known through other activities           | Num  |
| <b>SSA_CONFBED_COM</b>      | MOS scale: Support availability if confined to bed        | Num  |
| <b>SSA_NDTLK_COM</b>        | MOS scale: Support availability if need to talk           | Num  |

|                        |  |     |
|------------------------|--|-----|
| <b>SSA_CRISIS_COM</b>  | MOS scale: Support availability for advising about a crisis                | Num |
| <b>SSA_TYTDR_COM</b>   | MOS scale: Support availability if need to go to doctor                    | Num |
| <b>SSA_SHLOV_COM</b>   | MOS scale: Support availability showing love and affection                 | Num |
| <b>SSA_GOODT_COM</b>   | MOS scale: Support availability having a good time                         | Num |
| <b>SSA_INFO_COM</b>    | MOS scale: Support availability providing information                      | Num |
| <b>SSA_CONFID_COM</b>  | MOS scale: Support availability if need to confide                         | Num |
| <b>SSA_HUGS_COM</b>    | MOS scale: Support availability through hugs                               | Num |
| <b>SSA_RELAX_COM</b>   | MOS scale: Support availability through get together for relaxation        | Num |
| <b>SSA_MEALS_COM</b>   | MOS scale: Support availability if unable to prepare meals                 | Num |
| <b>SSA_ADVCE_COM</b>   | MOS scale: Support availability through wanted advice                      | Num |
| <b>SSA_MINDOFF_COM</b> | MOS scale: Support availability through distraction activities             | Num |
| <b>SSA_CHORES_COM</b>  | MOS scale: Support availability with daily chores                          | Num |
| <b>SSA_SHFEAR_COM</b>  | MOS scale: Support availability to share fears                             | Num |
| <b>SSA_SUGG_COM</b>    | MOS scale: Support availability for suggestions with a personal problem    | Num |
| <b>SSA_ENJOY_COM</b>   | MOS scale: Support availability to do something enjoyable                  | Num |
| <b>SSA_PROBLM_COM</b>  | MOS scale: Support availability for understanding problems                 | Num |
| <b>SSA_LOVU_COM</b>    | MOS scale: Support availability by love and making participant feel wanted | Num |

|                             |  |     |
|-----------------------------|--|-----|
| <b>SSA_PET_COM</b>          | Own a household pet for companionship  | Num |
| <b>SPA_SOAC_RNP_COM</b>     | Reads a daily newspaper  | Num |
| <b>SPA_SOAC_HY_COM</b>      | Has a hobby or pastime   | Num |
| <b>SPA_SOAC_HIC_COM</b>     | Taken a holiday in Canada in last 12 months  | Num |
| <b>SPA_SOAC_HOC_COM</b>     | Taken a holiday outside of Canada in last 12 months  | Num |
| <b>SPA_SOAC_DT_COM</b>      | Gone on a daytrip or outing in last 12 months  | Num |
| <b>SPA_SOAC_INT_COM</b>     | Uses internet and/or e-mail  | Num |
| <b>SPA_SOAC_VOT_COM</b>     | Voted in last election   | Num |
| <b>SPA_SOAC_NONE_COM</b>    | None of social activities statements apply   | Num |
| <b>SPA_SOAC_DK_NA_COM</b>   | Social activities statements, Don't know   | Num |
| <b>SPA_SOAC_REFUSED_COM</b> | Social activities statements, Refused to answer  | Num |
| <b>SPA_OUTS_COM</b>         | Frequency of participation in family/ friends activities out of household (past 12 months) | Num |
| <b>SPA_CHRCH_COM</b>        | Frequency of participation in religious activities (past 12 months)                        | Num |
| <b>SPA_SPORT_COM</b>        | Frequency of participation in sports or physical activities with others (past 12 months)   | Num |
| <b>SPA_EDUC_COM</b>         | Frequency of participation in educational or cultural activities (past 12 months)          | Num |
| <b>SPA_CLUB_COM</b>         | Frequency of participation in clubs or fraternal organization activities (past 12 months)  | Num |
| <b>SPA_NEIBR_COM</b>        | Frequency of participation in association activities (past 12 months)                      | Num |
| <b>SPA_VOLUN_COM</b>        | Frequency of participation in volunteer or charity work (past 12 months)                   | Num |
| <b>SPA_OTACT_COM</b>        | Frequency of participation in other recreational activities (past 12 months)               | Num |
| <b>SPA_MORAC_COM</b>        | Desire to participate in more activities (past 12 months)                                  | Num |
| <b>SPA_PREVAC_CO_COM</b>    | Cost prevented activities participation  | Num |

|                               |  |     |
|-------------------------------|--|-----|
| <b>SPA_PREVAC_TP_COM</b>      | Transportation problems prevented activities participation         | Num |
| <b>SPA_PREVAC_ANA_COM</b>     | Lack of activities in area prevented participation                 | Num |
| <b>SPA_PREVAC_LNA_COM</b>     | Location accessibility prevented activities participation          | Num |
| <b>SPA_PREVAC_TF_COM</b>      | Far distance prevented activities participation                    | Num |
| <b>SPA_PREVAC_HC_COM</b>      | Health condition/ limitation prevented activities participation    | Num |
| <b>SPA_PREVAC_TI_COM</b>      | Suitability of activity timing prevented participation             | Num |
| <b>SPA_PREVAC_GA_COM</b>      | Going alone prevented activities participation                     | Num |
| <b>SPA_PREVAC_PR_COM</b>      | Personal/ family responsibility prevented activities participation | Num |
| <b>SPA_PREVAC_LRR_COM</b>     | Language reasons prevented activities participation                | Num |
| <b>SPA_PREVAC_TB_COM</b>      | Being too busy prevented activities participation                  | Num |
| <b>SPA_PREVAC_AF_COM</b>      | Safety concerns prevented activities participation                 | Num |
| <b>SPA_PREVAC_OT_COM</b>      | Other factors prevented activities participation                   | Num |
| <b>SPA_PREVAC_DK_NA_COM</b>   | Factors prevented activities participation, Don't know             | Num |
| <b>SPA_PREVAC_REFUSED_COM</b> | Factors prevented activities participation, Refused to answer      | Num |
| <b>SPA_PREVAC_GR_COM</b>      | Grieving prevented activities participation                        | Num |
| <b>SPA_PREVAC_WH_COM</b>      | Weather prevented activities participation                         | Num |
| <b>SPA_PREVAC_MO_COM</b>      | Lack of motivation prevented activities participation              | Num |
| <b>SPA_PREVAC_RL_COM</b>      | Relocation prevented activities participation                      | Num |
| <b>SPA_PREVAC_ANS_COM</b>     | Options not suitable prevented activities participation            | Num |
| <b>SPA_PREVAC_SC_COM</b>      | Social barriers prevented activities participation                 | Num |
| <b>WLK_STATUS_COM</b>         | 4mWalk test status   | Num |

|                               |  |     |
|-------------------------------|--|-----|
| <b>WLK_RES_STOP_COM</b>       | Participant stopped or paused before the end of the 4 meters | Num |
| <b>WLK_SMPTS_CHT_COM</b>      | Participant experienced chest pain during 4m walk            | Num |
| <b>WLK_SMPTS_DIZ_COM</b>      | Participant experienced dizziness during 4m walk             | Num |
| <b>WLK_SMPTS_PAIN_COM</b>     | Participant experienced hip, leg or calf pain during 4m walk | Num |
| <b>WLK_SMPTS_NONE_COM</b>     | Participant experienced no symptoms during 4m walk           | Num |
| <b>WLK_TIME_COM</b>           | Total time required to complete 4mWalk (in seconds)          | Num |
| <b>BP_STATUS_COM</b>          | Blood Pressure test status                                   | Num |
| <b>BP_IV_ARM_COM</b>          | Arm to be used for measurement                               | Num |
| <b>BP_IV_BANDSIZE_COM</b>     | Armband size used  | Num |
| <b>BP_SYSTOLIC_FIRST_COM</b>  | First systolic blood pressure reading                        | Num |
| <b>BP_DIASTOLIC_FIRST_COM</b> | First diastolic blood pressure reading                       | Num |
| <b>BP_PULSE_FIRST_COM</b>     | First pulse rate reading                                     | Num |
| <b>BP_SYSTOLIC_2_COM</b>      | Systolic blood pressure reading 2                            | Num |
| <b>BP_SYSTOLIC_3_COM</b>      | Systolic blood pressure reading 3                            | Num |
| <b>BP_SYSTOLIC_4_COM</b>      | Systolic blood pressure reading 4                            | Num |
| <b>BP_SYSTOLIC_5_COM</b>      | Systolic blood pressure reading 5                            | Num |
| <b>BP_SYSTOLIC_6_COM</b>      | Systolic blood pressure reading 6                            | Num |
| <b>BP_DIASTOLIC_2_COM</b>     | Diastolic blood pressure reading 2                           | Num |
| <b>BP_DIASTOLIC_3_COM</b>     | Diastolic blood pressure reading 3                           | Num |
| <b>BP_DIASTOLIC_4_COM</b>     | Diastolic blood pressure reading 4                           | Num |
| <b>BP_DIASTOLIC_5_COM</b>     | Diastolic blood pressure reading 5                           | Num |
| <b>BP_DIASTOLIC_6_COM</b>     | Diastolic blood pressure reading 6                           | Num |
| <b>BP_PULSE_2_COM</b>         | Pulse rate reading 2   | Num |
| <b>BP_PULSE_3_COM</b>         | Pulse rate reading 3   | Num |
| <b>BP_PULSE_4_COM</b>         | Pulse rate reading 4   | Num |

|                                    |  |      |
|------------------------------------|--|------|
| <b>BP_PULSE_5_COM</b>              | Pulse rate reading 5   | Num  |
| <b>BP_PULSE_6_COM</b>              | Pulse rate reading 6   | Num  |
| <b>BP_SYSTOLIC_AVG_COM</b>         | Average systolic blood pressure (excluding 1st reading)          | Num  |
| <b>BP_DIASTOLIC_AVG_COM</b>        | Average diastolic blood pressure (excluding 1st reading)         | Num  |
| <b>BP_PULSE_AVG_COM</b>            | Average pulse rate (excluding 1st reading)                       | Num  |
| <b>BP_SYSTOLIC_ALL_AVG_COM</b>     | Average Systolic Blood Pressure (All measurements)               | Num  |
| <b>BP_DIASTOLIC_ALL_AVG_COM</b>    | Average Diastolic Blood Pressure (All measurements)              | Num  |
| <b>BP_PULSE_ALL_AVG_COM</b>        | Average Pulse (All measurements)                                 | Num  |
| <b>CR_STATUS_COM</b>               | chair rise test status   | Num  |
| <b>CR_NB_COM</b>                   | Number of repetitions (Chair rises)                              | Num  |
| <b>CR_TIME_COM</b>                 | Total time required to complete ChairRise (in seconds)           | Num  |
| <b>CR_AVG_TIME_COM</b>             | Average time for 1 chair rise (in seconds)                       | Num  |
| <b>TUG_STATUS_COM</b>              | Timed Get Up and Go test status                                  | Num  |
| <b>TUG_DEVICE_COM</b>              | Assistive device used for Timed Get Up and Go                    | Num  |
| <b>TUG_TIME_COM</b>                | Total time required to complete Timed Get Up and Go (in seconds) | Num  |
| <b>SPR_STATUS_COM</b>              | Spirometry test status   | Num  |
| <b>SPR_INPUT_SEX_COM</b>           | Sex- spirometer input  | Char |
| <b>SPR_INPUT_HEIGHT_COM</b>        | Height - spirometer input  | Num  |
| <b>SPR_INPUT_WEIGHT_COM</b>        | Weight - spirometer input  | Num  |
| <b>SPR_OUTPUT_ETHN_COM</b>         | Ethnicity - spirometer output                                    | Num  |
| <b>SPR_OUTPUT_SMOKER_COM</b>       | Smoking status - spirometer output                               | Num  |
| <b>SPR_OUTPUT_QUALITYGRADE_COM</b> | Spirometry Quality Grade   | Char |
| <b>SPR_OUTPUT_RANK_T1_COM</b>      | Spirometry Trial1 Rank   | Num  |
| <b>SPR_OUTPUT_RANK_T2_COM</b>      | Spirometry Trial2 Rank   | Num  |
| <b>SPR_OUTPUT_RANK_T3_COM</b>      | Spirometry Trial3 Rank   | Num  |
| <b>SPR_OUTPUT_RANK_T4_COM</b>      | Spirometry Trial4 Rank   | Num  |
| <b>SPR_OUTPUT_RANK_T5_COM</b>      | Spirometry Trial5 Rank   | Num  |
| <b>SPR_OUTPUT_RANK_T6_COM</b>      | Spirometry Trial6 Rank   | Num  |
| <b>SPR_OUTPUT_RANK_T7_COM</b>      | Spirometry Trial7 Rank   | Num  |

|                                 |  |     |
|---------------------------------|--|-----|
| <b>SPR_OUTPUT_RANK_T8_COM</b>   | Spirometry Trial8 Rank                           | Num |
| <b>SPR_FEV1_T1_COM</b>          | Forced expiratory volume after 1 second - Trial1 | Num |
| <b>SPR_FEV1_T2_COM</b>          | Forced expiratory volume after 1 second - Trial2 | Num |
| <b>SPR_FEV1_T3_COM</b>          | Forced expiratory volume after 1 second - Trial3 | Num |
| <b>SPR_FEV1_T4_COM</b>          | Forced expiratory volume after 1 second - Trial4 | Num |
| <b>SPR_FEV1_T5_COM</b>          | Forced expiratory volume after 1 second - Trial5 | Num |
| <b>SPR_FEV1_T6_COM</b>          | Forced expiratory volume after 1 second - Trial6 | Num |
| <b>SPR_FEV1_T7_COM</b>          | Forced expiratory volume after 1 second - Trial7 | Num |
| <b>SPR_FEV1_T8_COM</b>          | Forced expiratory volume after 1 second - Trial8 | Num |
| <b>SPR_FVC_T1_COM</b>           | Forced vital capacity - Trial1                   | Num |
| <b>SPR_FVC_T2_COM</b>           | Forced vital capacity - Trial2                   | Num |
| <b>SPR_FVC_T3_COM</b>           | Forced vital capacity - Trial3                   | Num |
| <b>SPR_FVC_T4_COM</b>           | Forced vital capacity - Trial4                   | Num |
| <b>SPR_FVC_T5_COM</b>           | Forced vital capacity - Trial5                   | Num |
| <b>SPR_FVC_T6_COM</b>           | Forced vital capacity - Trial6                   | Num |
| <b>SPR_FVC_T7_COM</b>           | Forced vital capacity - Trial7                   | Num |
| <b>SPR_FVC_T8_COM</b>           | Forced vital capacity - Trial8                   | Num |
| <b>SPR_FEV1_FVC_T1_COM</b>      | Ratio of FEV1 to FVC - Trial1                    | Num |
| <b>SPR_FEV1_FVC_T2_COM</b>      | Ratio of FEV1 to FVC - Trial2                    | Num |
| <b>SPR_FEV1_FVC_T3_COM</b>      | Ratio of FEV1 to FVC - Trial3                    | Num |
| <b>SPR_FEV1_FVC_T4_COM</b>      | Ratio of FEV1 to FVC - Trial4                    | Num |
| <b>SPR_FEV1_FVC_T5_COM</b>      | Ratio of FEV1 to FVC - Trial5                    | Num |
| <b>SPR_FEV1_FVC_T6_COM</b>      | Ratio of FEV1 to FVC - Trial6                    | Num |
| <b>SPR_FEV1_FVC_T7_COM</b>      | Ratio of FEV1 to FVC - Trial7                    | Num |
| <b>SPR_FEV1_FVC_T8_COM</b>      | Ratio of FEV1 to FVC - Trial8                    | Num |
| <b>SPR_FEV1_FVC_PRED_T1_COM</b> | Predicted ratio of FEV1 to FVC - Trial1          | Num |
| <b>SPR_FEV1_FVC_PRED_T2_COM</b> | Predicted ratio of FEV1 to FVC - Trial2          | Num |
| <b>SPR_FEV1_FVC_PRED_T3_COM</b> | Predicted ratio of FEV1 to FVC - Trial3          | Num |
| <b>SPR_FEV1_FVC_PRED_T4_COM</b> | Predicted ratio of FEV1 to FVC - Trial4          | Num |
| <b>SPR_FEV1_FVC_PRED_T5_COM</b> | Predicted ratio of FEV1 to FVC - Trial5          | Num |
| <b>SPR_FEV1_FVC_PRED_T6_COM</b> | Predicted ratio of FEV1 to FVC - Trial6          | Num |



|                                   |   |      |
|-----------------------------------|---|------|
| <b>SPR_FEV1_FVC_PRED_T7_COM</b>   | Predicted ratio of FEV1 to FVC - Trial7         | Num  |
| <b>SPR_FEV1_FVC_PRED_T8_COM</b>   | Predicted ratio of FEV1 to FVC - Trial8         | Num  |
| <b>ECG_STATUS_COM</b>             | ECG test status                                 | Num  |
| <b>ECG_QUALITY_COM</b>            | ECG test quality                                | Num  |
| <b>ECG_RESULT_COM</b>             | ECG diagnosis result summary                    | Num  |
| <b>ECG_DIAGNOSIS_DETAILS_COM</b>  | Diagnosis of measurement                        | Char |
| <b>ECG_FILTER_SETTINGS_COM</b>    | Filter Settings of measurement                  | Char |
| <b>ECG_VENTRICULAR_RATE_COM</b>   | Ventricular Rate                                | Num  |
| <b>ECG_PQ_INTERVAL_COM</b>        | PQ Interval                                     | Num  |
| <b>ECG_P_DURATION_COM</b>         | P Duration                                      | Num  |
| <b>ECG_QRS_DURATION_COM</b>       | QRS Duration                                    | Num  |
| <b>ECG_QT_INTERVAL_COM</b>        | QT Interval                                     | Num  |
| <b>ECG_QTC_INTERVAL_COM</b>       | QTC Interval                                    | Num  |
| <b>ECG_RR_INTERVAL_COM</b>        | RR Interval                                     | Num  |
| <b>ECG_PP_INTERVAL_COM</b>        | PP Interval                                     | Num  |
| <b>ECG_P_AXIS_COM</b>             | P Axis  | Num  |
| <b>ECG_R_AXIS_COM</b>             | R Axis  | Num  |
| <b>ECG_T_AXIS_COM</b>             | T Axis  | Num  |
| <b>ECG_QRS_NUMBER_COM</b>         | QRS Number                                      | Num  |
| <b>ECG_P_ONSET_COM</b>            | P Onset   | Num  |
| <b>ECG_P_OFFSET_COM</b>           | P Offset  | Num  |
| <b>ECG_Q_ONSET_COM</b>            | Q Onset   | Num  |
| <b>ECG_Q_OFFSET_COM</b>           | Q Offset  | Num  |
| <b>ECG_T_OFFSET_COM</b>           | T Offset  | Num  |
| <b>GS_STATUS_COM</b>              | Grip strength test status                       | Num  |
| <b>GS_DOMINANT_HAND_COM</b>       | Dominant hand used for testing                  | Num  |
| <b>GS_MAX_REPS_COM</b>            | Number of repetitions                           | Num  |
| <b>GS_REST_TIME_COM</b>           | RestTime  | Num  |
| <b>GS_TRESHOLD_COM</b>            | Threshold                                       | Num  |
| <b>GS_TRIAL1_MAX_COM</b>          | Grip strength measurement attained at 1st trial | Num  |
| <b>GS_TRIAL2_MAX_COM</b>          | Grip strength measurement attained at 2nd trial | Num  |
| <b>GS_TRIAL3_MAX_COM</b>          | Grip strength measurement attained at 3rd trial | Num  |
| <b>GS_TRIAL_SIDE_COM</b>          | Hand used to perform test                       | Num  |
| <b>GS_TRIAL_RUNG_POSITION_COM</b> | Rung position                                   | Num  |
| <b>GS_EXAM_MAX_COM</b>            | Max grip strength attained on all trials        | Num  |
| <b>GS_EXAM_AVG_COM</b>            | Average grip strength for all trials            | Num  |
| <b>HGT_STATUS_COM</b>             | Height measure status                           | Num  |



|                           |   |     |
|---------------------------|---|-----|
| <b>HGT_HEIGHT1_CM_COM</b> | Measurement 1 - height in cm  | Num |
| <b>HGT_HEIGHT2_CM_COM</b> | Measurement 2 - height in cm  | Num |
| <b>HGT_HEIGHT_M_COM</b>   | Average height in m   | Num |
| <b>WGT_STATUS_COM</b>     | Weight measure status   | Num |
| <b>WGT_WEIGHT1_KG_COM</b> | Measurement 1 - weight in kg  | Num |
| <b>WGT_WEIGHT2_KG_COM</b> | Measurement 2 - weight in kg  | Num |
| <b>WGT_WEIGHT_KG_COM</b>  | Average weight in kg  | Num |
| <b>HWT_DBMI_COM</b>       | Body Mass Index   | Num |
| <b>HWT_DISW_COM</b>       | BMI Classification for Adults Aged 18 and Over - International Standard | Num |
| <b>FUL_STATUS_COM</b>     | Functionality Status stage status                                       | Num |
| <b>FUL_SHLD_COM</b>       | Difficulty extending arms above shoulders                               | Num |
| <b>FUL_SHLDDG_COM</b>     | Degree of difficulty extending arms above shoulders                     | Num |
| <b>FUL_STOOP_COM</b>      | Difficulty stooping, crouching or kneeling                              | Num |
| <b>FUL_STOOPDG_COM</b>    | Degree of difficulty stooping, crouching or kneeling                    | Num |
| <b>FUL_PUSH_COM</b>       | Difficulty pulling/ pushing large objects                               | Num |
| <b>FUL_PUSHDG_COM</b>     | Degree of difficulty pulling/ pushing large objects                     | Num |
| <b>FUL_LFT10_COM</b>      | Difficulty lifting 10 pounds  | Num |
| <b>FUL_LFT10DG_COM</b>    | Degree of difficulty lifting 10 pounds                                  | Num |
| <b>FUL_HDLG_COM</b>       | Difficulty handling small objects                                       | Num |
| <b>FUL_HDLGDG_COM</b>     | Degree of difficulty handling small objects                             | Num |
| <b>FUL_ST15_COM</b>       | Difficulty standing for a long period                                   | Num |
| <b>FUL_ST15DG_COM</b>     | Degree of difficulty standing for a long period                         | Num |
| <b>FUL_SIT1H_COM</b>      | Difficulty sitting for a long period                                    | Num |
| <b>FUL_SIT1HDG_COM</b>    | Degree of difficulty sitting for a long period                          | Num |
| <b>FUL_STDUP_COM</b>      | Difficulty standing up after sitting                                    | Num |
| <b>FUL_STDUPDG_COM</b>    | Degree of difficulty standing up after sitting                          | Num |
| <b>FUL_FSTR_COM</b>       | Difficulty walking up and down stairs                                   | Num |

|                          |   |     |
|--------------------------|---|-----|
| <b>FUL_FSTRDG_COM</b>    | Degree of difficulty walking up and down stairs                         | Num |
| <b>FUL_WK23B_COM</b>     | Difficulty walking 2 to 3 blocks  | Num |
| <b>FUL_WK23BDG_COM</b>   | Degree of difficulty walking 2 to 3 blocks                              | Num |
| <b>FUL_MKBED_COM</b>     | Difficulty making bed   | Num |
| <b>FUL_MKBEDDG_COM</b>   | Degree of difficulty making bed   | Num |
| <b>FUL_WSHBK_COM</b>     | Difficulty washing back   | Num |
| <b>FUL_WSHBKDG_COM</b>   | Degree of difficulty washing back                                       | Num |
| <b>FUL_KNCUT_COM</b>     | Difficulty using a knife  | Num |
| <b>FUL_KNCUTDG_COM</b>   | Degree of difficulty using a knife                                      | Num |
| <b>FUL_FORC_COM</b>      | Difficulty taking force or impact in arms, hands or shoulders           | Num |
| <b>FUL_FORCDG_COM</b>    | Degree of difficulty taking force or impact in arms, hands or shoulders | Num |
| <b>DIS_STATUS_COM</b>    | DiseaseSymptoms test status   | Num |
| <b>CCC_HEART_COM</b>     | Heart disease (including congestive heart failure, or CHF)              | Num |
| <b>CCC_PVD_COM</b>       | Peripheral vascular disease or poor circulation in limbs                | Num |
| <b>CCC_MEMPB_COM</b>     | Memory problem  | Num |
| <b>CCC_ALZH_COM</b>      | Dementia or Alzheimer's disease   | Num |
| <b>CCC_MS_COM</b>        | Multiple sclerosis  | Num |
| <b>CCC_EPIL_COM</b>      | Epilepsy  | Num |
| <b>CCC_MGRN_COM</b>      | Migraine headaches  | Num |
| <b>CCC_ULCR_COM</b>      | Intestinal or stomach ulcers  | Num |
| <b>CCC_IBDIBS_COM</b>    | Bowel disorder  | Num |
| <b>CCC_BOWINC_COM</b>    | Bowel incontinence  | Num |
| <b>CCC_URIINC_COM</b>    | Urinary incontinence  | Num |
| <b>CCC_MACDEG_COM</b>    | Macular degeneration  | Num |
| <b>CCC_CANC_COM</b>      | Cancer  | Num |
| <b>CCC_CANTP_BR_COM</b>  | Breast cancer   | Num |
| <b>CCC_CANTP_COL_COM</b> | Colorectal cancer   | Num |
| <b>CCC_CANTP_SNM_COM</b> | Skin cancer: non-melanoma   | Num |
| <b>CCC_CANTP_BL_COM</b>  | Bladder cancer  | Num |
| <b>CCC_CANTP_KD_COM</b>  | Kidney cancer   | Num |
| <b>CCC_CANTP_LU_COM</b>  | Lung cancer   | Num |
| <b>CCC_CANTP_TH_COM</b>  | Thyroid cancer  | Num |
| <b>CCC_CANTP_PR_COM</b>  | Prostate cancer   | Num |

|                              |   |      |
|------------------------------|---|------|
| <b>CCC_CANTP_OV_COM</b>      | Ovarian cancer  | Num  |
| <b>CCC_CANTP_LK_COM</b>      | Leukemia (cancer)   | Num  |
| <b>CCC_CANTP_PA_COM</b>      | Pancreatic cancer   | Num  |
| <b>CCC_CANTP_NHL_COM</b>     | Non-Hodgkin Lymphoma (cancer)                                     | Num  |
| <b>CCC_CANTP_OT_COM</b>      | Other cancer  | Num  |
| <b>CCC_CANTP_DK_NA_COM</b>   | Diagnosed with cancer, Don't know                                 | Num  |
| <b>CCC_CANTP_REFUSED_COM</b> | Diagnosed with cancer, Refused to answer                          | Num  |
| <b>CCC_CANTP_OR_COM</b>      | lip, oral cavity and pharynx cancer                               | Num  |
| <b>CCC_CANTP_OR_SP_COM</b>   | lip, oral cavity and pharynx cancer - ICD10                       | Char |
| <b>CCC_CANTP_DG_COM</b>      | Other digestive organs cancer                                     | Num  |
| <b>CCC_CANTP_DG_SP_COM</b>   | digestive organs cancer - ICD10                                   | Char |
| <b>CCC_CANTP_RS_COM</b>      | Other respiratory and intrathoracic organs cancer                 | Num  |
| <b>CCC_CANTP_RS_SP_COM</b>   | respiratory and intrathoracic organs cancer - ICD10               | Char |
| <b>CCC_CANTP_BN_COM</b>      | bone and articular cartilage cancer                               | Num  |
| <b>CCC_CANTP_BN_SP_COM</b>   | bone and articular cartilage cancer - ICD10                       | Char |
| <b>CCC_CANTP_SNS_COM</b>     | skin cancer: not specified  | Num  |
| <b>CCC_CANTP_MST_COM</b>     | Other mesothelial and soft tissue cancer                          | Num  |
| <b>CCC_CANTP_MST_SP_COM</b>  | mesothelial and soft tissue cancer - ICD10                        | Char |
| <b>CCC_CANTP_FGO_COM</b>     | Other female genital organs cancer                                | Num  |
| <b>CCC_CANTP_FGO_SP_COM</b>  | female genital organs cancer - ICD10                              | Char |
| <b>CCC_CANTP_MGO_COM</b>     | Other male genital organs cancer                                  | Num  |
| <b>CCC_CANTP_MGO_SP_COM</b>  | male genital organs cancer - ICD10                                | Char |
| <b>CCC_CANTP_UR_COM</b>      | Other urinary tract cancer  | Num  |
| <b>CCC_CANTP_UR_SP_COM</b>   | urinary tract cancer - ICD10                                      | Char |
| <b>CCC_CANTP_CNS_COM</b>     | eye, brain & other parts of central nervous system cancer         | Num  |
| <b>CCC_CANTP_CNS_SP_COM</b>  | eye, brain & other parts of central nervous system cancer - ICD10 | Char |
| <b>CCC_CANTP_EG_COM</b>      | endocrine glands (other than thyroid) cancer                      | Num  |

|                             |   |      |
|-----------------------------|---|------|
| <b>CCC_CANTP_UN_COM</b>     | ill-defined, secondary and unspecified sites cancer         | Num  |
| <b>CCC_CANTP_UN_SP_COM</b>  | ill-defined, secondary and unspecified sites cancer - ICD10 | Char |
| <b>CCC_CANTP_LHT_COM</b>    | Other lymphoid, haematopoietic and related tissue cancer    | Num  |
| <b>CCC_CANTP_LHT_SP_COM</b> | lymphoid, haematopoietic and related tissue cancer - ICD10  | Char |
| <b>CCC_ANXI_COM</b>         | Anxiety disorder  | Num  |
| <b>CCC_MOOD_COM</b>         | Mood disorder   | Num  |
| <b>CCC_ALLRG_COM</b>        | Allergies   | Num  |
| <b>CCC_BCKP_COM</b>         | Back problems excluding fibromyalgia and arthritis          | Num  |
| <b>CCC_KIDN_COM</b>         | Kidney disease or kidney failure                            | Num  |
| <b>CCC_DITYP_COM</b>        | Receiving dialysis treatment                                | Num  |
| <b>CCC_DITIM_DATE_COM</b>   | Date last dialysis treatment received                       | Num  |
| <b>CCC_DITIM_HOUR_COM</b>   | Hour last dialysis treatment received                       | Num  |
| <b>CCC_DITIM_MIN_COM</b>    | Minute last dialysis treatment received                     | Num  |
| <b>CCC_OTCCC_COM</b>        | Other long-term physical or mental condition                | Num  |
| <b>CCC_DRPNEU_COM</b>       | Pneumonia - past year                                       | Num  |
| <b>CCC_DRFLU_COM</b>        | Flu (Influenza) - past year                                 | Num  |
| <b>CCC_DRUTI_COM</b>        | Urinary Tract Infection - past year                         | Num  |
| <b>CCC_DROT_COM</b>         | Other infections - past year                                | Num  |
| <b>TBI_TYP_VH_COM</b>       | Head Injury caused by vehicular crash                       | Num  |
| <b>TBI_TYP_VHSP_COM</b>     | Type of vehicular crash causing head injury                 | Char |
| <b>TBI_TYP_FL_COM</b>       | Head Injury caused by fall                                  | Num  |
| <b>TBI_TYP_SPT_COM</b>      | Head Injury caused by sports-related activity               | Num  |
| <b>TBI_TYP_SPTSP_COM</b>    | Type of sports related activity causing head injury         | Char |
| <b>TBI_TYP_NONE_COM</b>     | Head Injury cause, None                                     | Num  |
| <b>TBI_TYP_OT_COM</b>       | Head Injury cause, Other                                    | Num  |
| <b>TBI_TYP_DK_NA_COM</b>    | Head Injury cause, Don't know                               | Num  |
| <b>TBI_TYP_REFUSED_COM</b>  | Head Injury cause, Refused to answer                        | Num  |

|                              |   |     |
|------------------------------|---|-----|
| <b>TBI_NMBR_NB_COM</b>       | Number of head injuries (life time)                       | Num |
| <b>TBI_RSLT_DZ_COM</b>       | Head injury result - dazed, confused, or "seeing stars"   | Num |
| <b>TBI_RSLT_DRM_COM</b>      | Head injury result - not remembering injury               | Num |
| <b>TBI_RSLT_KO1_COM</b>      | Head injury result - lost consciousness, less than 1 min  | Num |
| <b>TBI_RSLT_KO20_COM</b>     | Head injury result - lost consciousness, 1 to 20 min      | Num |
| <b>TBI_RSLT_KO20MORE_COM</b> | Head injury result - lost consciousness, more than 20 min | Num |
| <b>TBI_RSLT_NONE_COM</b>     | Head injury did not result in any of above                | Num |
| <b>TBI_RSLT_DK_NA_COM</b>    | Head injury result - Don't know/No answer                 | Num |
| <b>TBI_RSLT_REFUSED_COM</b>  | Head injury result - Refused                              | Num |
| <b>TBI_MCR_PHA_COM</b>       | Physician assessment/visit for head injury                | Num |
| <b>TBI_MCR_ED_COM</b>        | Emergency department visit for head injury                | Num |
| <b>TBI_MCR_HO_COM</b>        | Hospitalization for head injury                           | Num |
| <b>TBI_MCR_NONE_COM</b>      | Received no medical care for head injury                  | Num |
| <b>TBI_MCR_DK_NA_COM</b>     | Medical care for head injury - Don't know/No answer       | Num |
| <b>TBI_MCR_REFUSED_COM</b>   | Medical care for head injury - Refused                    | Num |
| <b>TBI_PROB_HA_COM</b>       | Headaches related to head injury                          | Num |
| <b>TBI_PROB_DIZ_COM</b>      | Dizziness related to head injury                          | Num |
| <b>TBI_PROB_MEM_COM</b>      | Memory problems related to head injury                    | Num |
| <b>TBI_PROB_BAL_COM</b>      | Balance problems related to head injury                   | Num |
| <b>TBI_PROB_EAR_COM</b>      | ringing in the ears related to head injury                | Num |
| <b>TBI_PROB_IRT_COM</b>      | Irritability related to head injury                       | Num |
| <b>TBI_PROB_SLP_COM</b>      | Sleep problems related to head injury                     | Num |
| <b>TBI_PROB_NONE_COM</b>     | Not experiencing any problems related to head injury      | Num |
| <b>TBI_PROB_OT_COM</b>       | Other problems related to head injury                     | Num |

|                             |   |     |
|-----------------------------|---|-----|
| <b>TBI_PROB_DK_NA_COM</b>   | Problems related to head injury - Don't know/No answer            | Num |
| <b>TBI_PROB_REFUSED_COM</b> | Problems related to head injury - Refused                         | Num |
| <b>TBI_POSITIVE_COM</b>     | Positive Screen for Traumatic Brain Injury (TBI)                  | Num |
| <b>ROS_PAIN_COM</b>         | WHO Rose - Chest pain or discomfort                               | Num |
| <b>ROS_HILL_COM</b>         | WHO Rose - Pain or discomfort walk uphill or hurry                | Num |
| <b>ROS_LEVEL_COM</b>        | WHO Rose - Pain or discomfort walk at ordinary pace               | Num |
| <b>ROS_BLOCK_NB_COM</b>     | WHO Rose - Number of blocks of walking bring on chest pain        | Num |
| <b>ROS_DOWLK_COM</b>        | WHO Rose - Type of action if experiences chest pain while walking | Num |
| <b>ROS_STILL_COM</b>        | WHO Rose - Chest pain status if stands still                      | Num |
| <b>ROS_SOON_COM</b>         | WHO Rose - Time to chest pain improvement if stands still         | Num |
| <b>ROS_LOC_01_COM</b>       | WHO Rose - Location of pain or discomfort: Position-01            | Num |
| <b>ROS_LOC_02_COM</b>       | WHO Rose - Location of pain or discomfort: Position-02            | Num |
| <b>ROS_LOC_03_COM</b>       | WHO Rose - Location of pain or discomfort: Position-03            | Num |
| <b>ROS_LOC_04_COM</b>       | WHO Rose - Location of pain or discomfort: Position-04            | Num |
| <b>ROS_LOC_05_COM</b>       | WHO Rose - Location of pain or discomfort: Position-05            | Num |
| <b>ROS_LOC_06_COM</b>       | WHO Rose - Location of pain or discomfort: Position-06            | Num |
| <b>ROS_LOC_07_COM</b>       | WHO Rose - Location of pain or discomfort: Position-07            | Num |
| <b>ROS_LOC_08_COM</b>       | WHO Rose - Location of pain or discomfort: Position-08            | Num |
| <b>ROS_LOC_DK_NA_COM</b>    | WHO Rose - Location of pain or discomfort: Don't know             | Num |
| <b>ROS_LOC_REFUSED_COM</b>  | WHO Rose - Location of pain or discomfort: Refused                | Num |
| <b>ROS_SEVPAIN_COM</b>      | WHO Rose - Severe pain across chest at least 30 mins              | Num |
| <b>CCC_OAHAND_COM</b>       | Osteoarthritis in one or both hands                               | Num |
| <b>OSA_AGE_NB_COM</b>       | Age of osteoarthritis   | Num |
| <b>OSA_LGJNT_COM</b>        | Enlargement small joints close to the fingernails                 | Num |

|                        |   |     |
|------------------------|---|-----|
| <b>OSA_NBFNG_COM</b>   | Number of fingers with enlarged small joints  | Num |
| <b>OSA_PAINJNT_COM</b> | Pain most days in small joints close to fingernails - past 4 weeks                            | Num |
| <b>OSA_LGTMB_COM</b>   | Enlargement in base of thumbs   | Num |
| <b>OSA_PAINTMB_COM</b> | Pain most days in base of thumbs - past 4 weeks   | Num |
| <b>CCC_OAHIP_COM</b>   | Osteoarthritis in the hip   | Num |
| <b>OSH_AGE_NB_COM</b>  | Age of hip osteoarthritis   | Num |
| <b>OSH_HIPRPL_COM</b>  | Hip replacement operation   | Num |
| <b>OSH_FRAC_COM</b>    | Hip replacement operation result of break or fracture   | Num |
| <b>OSH_PAIN_COM</b>    | Pain in groin or upper inner thigh - past 4 weeks   | Num |
| <b>OSH_PAINSL_COM</b>  | Pain in groin or upper inner thigh climbing down stairs or walking down slopes - past 4 weeks | Num |
| <b>OSH_LOM_COM</b>     | Range of motion of hips limitation - past 4 weeks   | Num |
| <b>CCC_OAKNEE_COM</b>  | Osteoarthritis in the knee  | Num |
| <b>OSK_AGE_NB_COM</b>  | Age of knee osteoarthritis  | Num |
| <b>OSK_KNERPL_COM</b>  | Knee replacement operation  | Num |
| <b>OSK_PAIN_COM</b>    | Knee pain - past 4 weeks  | Num |
| <b>OSK_PAINSL_COM</b>  | Pain in knee climbing down stairs or walking down slopes - past 4 weeks                       | Num |
| <b>OSK_SWELL_COM</b>   | Swelling in knee - past 4 weeks   | Num |
| <b>CCC_RA_COM</b>      | Rheumatoid arthritis  | Num |
| <b>CCC_ARTOT_COM</b>   | Other type of arthritis   | Num |
| <b>OAR_AGE_NB_COM</b>  | Age of knee arthritis   | Num |
| <b>OAR_MED_COM</b>     | Currently taking medication for arthritis   | Num |
| <b>OAR_MEDOT_COM</b>   | Ever taken medication for arthritis   | Num |
| <b>DEP_BOTR_COM</b>    | CES-D 10 scale: Frequency easily bothered   | Num |
| <b>DEP_MIND_COM</b>    | CES-D 10 scale: Frequency trouble concentrating   | Num |
| <b>DEP_FLDP_COM</b>    | CES-D 10 scale: Frequency feel depressed  | Num |
| <b>DEP_FFRT_COM</b>    | CES-D 10 scale: Frequency feel everything is an effort  | Num |
| <b>DEP_HPFL_COM</b>    | CES-D 10 scale: Frequency feel hopeful about the future                                       | Num |



|                            |  |     |
|----------------------------|--|-----|
| <b>DEP_FRFL_COM</b>        | CES-D 10 scale: Frequency feel fearful or tearful                  | Num |
| <b>DEP_RSTLS_COM</b>       | CES-D 10 scale: Frequency sleep is restless                        | Num |
| <b>DEP_HAPP_COM</b>        | CES-D 10 scale: Frequency feel happy                               | Num |
| <b>DEP_LONLY_COM</b>       | CES-D 10 scale: Frequency feel lonely                              | Num |
| <b>DEP_GTGO_COM</b>        | CES-D 10 scale: Frequency feel could not 'get going'               | Num |
| <b>CCC_CANTP_SM_COM</b>    | Skin cancer: melanoma  | Num |
| <b>DIA_DIAB_COM</b>        | Diabetes, borderline diabetes or blood sugar is high               | Num |
| <b>CCC_HBP_COM</b>         | High blood pressure or hypertension                                | Num |
| <b>CCC_UTHYR_COM</b>       | UNDER-active thyroid gland   | Num |
| <b>CCC_ANGI_COM</b>        | angina   | Num |
| <b>CCC_CVA_COM</b>         | Stroke or CVA  | Num |
| <b>DIA_TYPE_COM</b>        | Type of diabetes   | Num |
| <b>HBP_AGE_NB_COM</b>      | Age of hypertension  | Num |
| <b>HYP_UTHYRAGE_NB_COM</b> | RECORD AGE (IN YEARS)  | Num |
| <b>IHD_ANGIAGE_NB_COM</b>  | Age of angina  | Num |
| <b>STR_CVAAGE_NB_COM</b>   | Age of stroke  | Num |
| <b>DIA_AGE_NB_COM</b>      | Age of diagnosed diabetes, borderline diabetes or high blood sugar | Num |
| <b>HBP_PRG_COM</b>         | High blood pressure during pregnancy                               | Num |
| <b>HYP_UTHYRMED_COM</b>    | Taking medication for UNDER-active thyroid gland                   | Num |
| <b>CCC_AMI_COM</b>         | Heart attack or myocardial infarction                              | Num |
| <b>STR_MED_COM</b>         | Taking medication for stroke                                       | Num |
| <b>DIA_EVPRG_COM</b>       | Ever been pregnant   | Num |
| <b>HBP_OTPRG_COM</b>       | High blood pressure not during pregnancy                           | Num |
| <b>HYP_UTHYRMEDCUR_COM</b> | Currently taking drugs for hypothyroidism                          | Num |
| <b>IHD_AMIAGE_NB_COM</b>   | Age of heart attack  | Num |
| <b>STR_MEDCUR_COM</b>      | Currently taking drugs for stroke                                  | Num |
| <b>DIA_PRGDIA_COM</b>      | Diabetes, borderline diabetes or high blood sugar when pregnant    | Num |
| <b>HBP_MED_COM</b>         | Taking medication for hypertension                                 | Num |



|                                |   |     |
|--------------------------------|---|-----|
| <b>IHD_CAB_COM</b>             | Coronary artery bypass surgery                              | Num |
| <b>DIA_MED_COM</b>             | Taking medication for diabetes                              | Num |
| <b>HBP_MEDCUR_COM</b>          | Currently taking drugs for hypertension                     | Num |
| <b>IHD_ANGIO_COM</b>           | Angiogram   | Num |
| <b>DIA_MEDCUR_COM</b>          | Currently taking drugs for diabetes                         | Num |
| <b>HYP_UTHYREVRMED_COM</b>     | Ever taken medication for UNDER-active thyroid gland        | Num |
| <b>IHD_BLOCK_COM</b>           | Blockage in your arteries                                   | Num |
| <b>STR_OTHMD_COM</b>           | Undergoing other treatment for stroke                       | Num |
| <b>CCC_OTHYR_COM</b>           | OVER-active thyroid gland (hyperthyroidism)                 | Num |
| <b>IHD_MED_COM</b>             | Medications for heart disease                               | Num |
| <b>STR_EVRMD_COM</b>           | Ever taken medication for stroke                            | Num |
| <b>DIA_MEDINSNAME_HUMU_COM</b> | Diabetes medication-HUMULIN                                 | Num |
| <b>HBP_EVRMED_COM</b>          | Ever taken medications for high blood pressure              | Num |
| <b>HYP_OTHYRAGE_NB_COM</b>     | Age of hyperthyroidism                                      | Num |
| <b>IHD_MEDCUR_COM</b>          | Currently taking drugs for ischemic heart disease           | Num |
| <b>CCC_TIA_COM</b>             | Experienced a ministroke or TIA                             | Num |
| <b>DIA_MEDINSNAME_LEVE_COM</b> | Diabetes medication-LEVEMIR                                 | Num |
| <b>HBP_TRT_COM</b>             | Non-pharmacological treatments to lower high blood pressure | Num |
| <b>HYP_OTHYRMED_COM</b>        | Taking medication for OVER-active thyroid gland             | Num |
| <b>STR_TIAAGE_NB_COM</b>       | Age of ministroke   | Num |
| <b>DIA_MEDINSNAME_HUMA_COM</b> | Diabetes medication-HUMALOG                                 | Num |
| <b>HBP_EVTRT_COM</b>           | Ever non-pharmacological lowering treatments                | Num |
| <b>HYP_OTHYRMEDCUR_COM</b>     | Currently taking drugs for hyperthyroidism                  | Num |
| <b>STR_TIAMED_COM</b>          | Taking medication for ministroke                            | Num |
| <b>DIA_MEDINSNAME_APID_COM</b> | Diabetes medication-APIDRA                                  | Num |
| <b>IHD_EVRMED_COM</b>          | Ever taken medication for heart disease                     | Num |

|                                   |   |     |
|-----------------------------------|---|-----|
| <b>STR_TIAMEDCUR_COM</b>          | Currently taking drugs for ministroke               | Num |
| <b>DIA_MEDINSNAME_NOVOR_COM</b>   | Diabetes medication-NOVORAPID                       | Num |
| <b>DIA_MEDINSNAME_LANT_COM</b>    | Diabetes medication-LANTUS                          | Num |
| <b>HYP_OTHYREVRMD_COM</b>         | Ever taken medication for OVER-active thyroid gland | Num |
| <b>DIA_MEDINSNAME_NOVOM_COM</b>   | Diabetes medication-NOVOMIX                         | Num |
| <b>STR_TIAOTHMD_COM</b>           | Undergoing other treatment for ministroke           | Num |
| <b>DIA_MEDINSNAME_OT_COM</b>      | Diabetes medication-OTHER                           | Num |
| <b>STR_TIAEVMD_COM</b>            | Ever taken medication for ministroke                | Num |
| <b>DIA_MEDINSNAME_NONE_COM</b>    | Diabetes medication-NONE                            | Num |
| <b>CCC_CVAFX_COM</b>              | Suffering from effects of stroke, CVA or TIA        | Num |
| <b>DIA_MEDINSNAME_MISSING_COM</b> | Diabetes medication-Missing                         | Num |
| <b>STR_WEAK_COM</b>               | One-sided sudden painless weakness                  | Num |
| <b>DIA_MEDINSNAME_DK_NA_COM</b>   | Diabetes medication-Don't know                      | Num |
| <b>STR_WEAK_DUR_COM</b>           | Duration of one-sided sudden painless weakness      | Num |
| <b>DIA_MEDINSNAME_REFUSED_COM</b> | Diabetes medication-Refused                         | Num |
| <b>STR_NUMB_COM</b>               | One-sided sudden numbness                           | Num |
| <b>DIA_MEDAGE_NB_COM</b>          | Age began taking insulin                            | Num |
| <b>STR_NUMB_DUR_COM</b>           | Duration of one-sided sudden numbness               | Num |
| <b>STR_VIS_COM</b>                | Sudden painless loss of vision                      | Num |
| <b>STR_VIS_DUR_COM</b>            | Duration of sudden painless loss of vision          | Num |
| <b>STR_NOVIS_COM</b>              | Sudden loss of vision in one eye                    | Num |
| <b>STR_NOVIS_DUR_COM</b>          | Duration of sudden loss of vision in one eye        | Num |
| <b>STR_NOUND_COM</b>              | Sudden loss of understanding ability                | Num |
| <b>STR_NOUND_DUR_COM</b>          | Duration of sudden loss of understanding ability    | Num |
| <b>STR_NOEXP_COM</b>              | Sudden loss of expression ability                   | Num |
| <b>STR_NOEXP_DUR_COM</b>          | Duration of sudden loss of expression ability       | Num |
| <b>CCC_ASTHM_COM</b>              | Asthma  | Num |
| <b>DPR_CLINDEP_COM</b>            | Clinical depression                                 | Num |
| <b>CCC OSTPO_COM</b>              | Osteoporosis  | Num |

|                            |   |     |
|----------------------------|---|-----|
| <b>CCC_PARK_COM</b>        | Parkinsonism or Parkinson's Disease                               | Num |
| <b>CAO_ASTHMAGE_NB_COM</b> | Age of asthma   | Num |
| <b>DPR_AGE_NB_COM</b>      | Age of clinical depression  | Num |
| <b>OST_AGE_NB_COM</b>      | Age of osteoporosis   | Num |
| <b>PKD_AGE_NB_COM</b>      | Age of Parkinson's Disease  | Num |
| <b>CAO_WHEZ_COM</b>        | Wheezing or whistling in chest - last 12 months                   | Num |
| <b>DPR_MED_COM</b>         | Taking medication for depression                                  | Num |
| <b>OST_MED_COM</b>         | Taking medication for osteoporosis                                | Num |
| <b>PKD_MED_COM</b>         | Taking medication for Parkinson's Disease                         | Num |
| <b>CAO_SOBFLAT_COM</b>     | Short of breath walking on flat surface                           | Num |
| <b>DPR_MEDCUR_COM</b>      | Currently taking drugs for Depression                             | Num |
| <b>OST_MEDCUR_COM</b>      | Currently taking drugs for Osteoporosis                           | Num |
| <b>PKD_MEDCUR_COM</b>      | Currently taking drugs for Parkinsonism                           | Num |
| <b>CAO_EXERT_COM</b>       | Wheeze with mild to moderate exertion                             | Num |
| <b>CAO_SOBUP_COM</b>       | Short of breath climbing stairs or walking uphill                 | Num |
| <b>CAO_SOBPM_COM</b>       | Shortness of breath following strenuous activity - last 12 months | Num |
| <b>DPR_OTHMD_COM</b>       | Other treatment for depression                                    | Num |
| <b>OST_EVRMD_COM</b>       | Ever taken drug for osteoporosis                                  | Num |
| <b>PKD_OTHMD_COM</b>       | Other treatment for Parkinsonism or Parkinson's Disease           | Num |
| <b>CAO_WKWHEZ_COM</b>      | Woken up with an attack of wheezing - last 12 months              | Num |
| <b>DPR_EVRMED_COM</b>      | Ever taken medication for depression                              | Num |
| <b>OST_BONE_COM</b>        | Broken bone from fall or injury                                   | Num |
| <b>PKD_EVRMED_COM</b>      | Ever taken medications for Parkinsonism or Parkinson's Disease    | Num |
| <b>CAO_WKCOF_COM</b>       | Woken up with an attack of coughing - last 12 months              | Num |
| <b>OST_FRAC_HIP_COM</b>    | Type of fracture -Hip   | Num |

|                             |   |     |
|-----------------------------|---|-----|
| <b>PKD_SHKE_COM</b>         | Arms or legs shake  | Num |
| <b>CAO_WKSOB_COM</b>        | Shortness of breath while at rest - last 12 months                              | Num |
| <b>OST_FRAC_ARM_COM</b>     | Type of fracture - Humerus (upper arm)  | Num |
| <b>PKD_SHKSEV_COM</b>       | Shaking severe  | Num |
| <b>CCC_COPD_COM</b>         | Emphysema, chronic bronchitis, COPD, or chronic changes in lungs due to smoking | Num |
| <b>OST_FRAC_SPIN_COM</b>    | Type of fracture - Spine  | Num |
| <b>PKD_SMWRT_COM</b>        | Handwriting smaller   | Num |
| <b>CAO_COPDAGE_NB_COM</b>   | Age of emphysema/chronic bronchitis/COPD/chronic lung changes                   | Num |
| <b>OST_FRAC_WRST_COM</b>    | Type of fracture - Wrist  | Num |
| <b>PKD_BUTON_COM</b>        | Trouble buttoning buttons   | Num |
| <b>CAO_COLD_COM</b>         | Frequent colds persisting longer than other people                              | Num |
| <b>OST_FRAC_RIB_COM</b>     | Type of fracture - Rib  | Num |
| <b>PKD_VOICE_COM</b>        | Voice softer  | Num |
| <b>CAO_COPPY_COM</b>        | Coughed most days - last 12 months  | Num |
| <b>OST_FRAC_PELV_COM</b>    | Type of fracture - Pelvis   | Num |
| <b>PKD_FEET_COM</b>         | Feet suddenly freeze  | Num |
| <b>CAO_COFAM_COM</b>        | Cough up phlegm in the morning  | Num |
| <b>OST_FRAC_OT_COM</b>      | Type of fracture - Other  | Num |
| <b>PKD_WALK_COM</b>         | Shuffle feet  | Num |
| <b>CAO_COFMAM_COM</b>       | Cough phlegm most mornings  | Num |
| <b>OST_FRAC_DK_NA_COM</b>   | Type of fracture - Don't know   | Num |
| <b>PKD_BAL_COM</b>          | Balance poor  | Num |
| <b>CAO_PHLEGMPY_COM</b>     | Bring up phlegm most days during the year                                       | Num |
| <b>OST_FRAC_REFUSED_COM</b> | Type of fracture - Refused to answer  | Num |
| <b>PKD_FACE_COM</b>         | Face less expressive  | Num |
| <b>CAO_MED_COM</b>          | Taking medications for respiratory problems                                     | Num |
| <b>PKD_RISE_COM</b>         | Trouble rising from chair   | Num |
| <b>CAO_MEDCUR_COM</b>       | Currently taking drugs for respiratory problems                                 | Num |
| <b>OST_MOM_COM</b>          | Mother hip fracture after 50  | Num |
| <b>OST_DAD_COM</b>          | Father hip fracture after 50  | Num |
| <b>OST_HGT_M_COM</b>        | Height in Meters in 20's  | Num |

|                          |  |      |
|--------------------------|--|------|
| <b>OST_CST_COM</b>       | Ever taken systemic corticosteroids                                      | Num  |
| <b>OST_CST_MTNB_COM</b>  | Number of months used corticosteroids                                    | Num  |
| <b>OST_BP_COM</b>        | Back pain at least one month   | Num  |
| <b>OST_BP_DUR_YR_COM</b> | Duration of back pain in years   | Num  |
| <b>OST_BCKPPM_COM</b>    | Back pain past 12 months   | Num  |
| <b>OST_BCKPLOC_COM</b>   | Location of back pain  | Num  |
| <b>ICQ_DOMHAND_COM</b>   | Dominant hand  | Num  |
| <b>ICQ_HNDSWL_COM</b>    | Severe swelling, open sores, wounds, infection, or burns affecting hands | Num  |
| <b>ICQ_HNDCST_COM</b>    | Cast on hand   | Num  |
| <b>ICQ_HNDHMT_COM</b>    | Hematoma (bruise) on hand  | Num  |
| <b>ICQ_ARMSWL_COM</b>    | Severe swelling affecting one or both of upper arms                      | Num  |
| <b>ICQ_ARMCST_COM</b>    | Cast on one or both of upper arms  | Num  |
| <b>ICQ_LEGSWL_COM</b>    | Severe swelling affecting one or both of legs                            | Num  |
| <b>ICQ_LEGCSST_COM</b>   | Cast on one or both of legs  | Num  |
| <b>ICQ_SRG3MO_COM</b>    | Operation (surgery) within last 3 months                                 | Num  |
| <b>ICQ_SRGYARM_COM</b>   | Arm surgery - last 3 months  | Num  |
| <b>ICQ_SRGYCHT_COM</b>   | Chest or breast surgery - last 3 months                                  | Num  |
| <b>ICQ_SRGYHND_COM</b>   | Hand or wrist surgery - last 3 months                                    | Num  |
| <b>ICQ_SRGYART_COM</b>   | Arteriovenous shunt/fistula surgery - last 3 months                      | Num  |
| <b>ICQ_SRGYEYE_COM</b>   | Eye surgery - last 3 months  | Num  |
| <b>ICQ_SRGYABD_COM</b>   | Abdominal surgery - last 3 months  | Num  |
| <b>ICQ_SRGYHRT_COM</b>   | Heart surgery - last 3 months  | Num  |
| <b>ICQ_SRGYOT_COM</b>    | Other type of surgery - last 3 months                                    | Num  |
| <b>ICQ_SRGYOTSP_COM</b>  | Other type of surgery - last 3 months, Please Specify                    | Char |
| <b>ICQ_PAINHND_COM</b>   | Pain or paralysis in hands or wrists                                     | Num  |
| <b>ICQ_RISEASSI_COM</b>  | Able to rise from chair - no personal assistance                         | Num  |
| <b>ICQ_RISECANE_COM</b>  | Use cane or walker to stand or rise from chair                           | Num  |
| <b>ICQ_ABLESTND_COM</b>  | Able to stand - no personal assistance                                   | Num  |

|                     |  |     |
|---------------------|--|-----|
| ICQ_ABLEWLK_COM     | Able to walk - no personal assistance          | Num |
| ICQ_PREGNT_COM      | Pregnancy indicator                            | Num |
| ICQ_PREGNTWK_NB_COM | Number of pregnancy weeks                      | Num |
| ICQ_ILLUNG_COM      | Disease interfering with lung performance test | Num |
| ICQ_HRTCOND_COM     | Unstable heart condition within last 3 months  | Num |
| ICQ_EMB6WK_COM      | Pulmonary embolism within last 6 weeks         | Num |
| ICQ_EMBMED_COM      | Currently taking anticoagulants                | Num |
| ICQ_DERET3MO_COM    | Detached retina within last 3 months           | Num |
| ICQ_EYEINF_COM      | Eye infections                                 | Num |
| ICQ_EARINF_COM      | Ear infections                                 | Num |
| ICQ_CATRCT_COM      | Ever had cataracts                             | Num |
| ICQ_CATRCT2_COM     | Currently suffering from cataracts             | Num |
| ICQ_GLAUC_COM       | Ever had glaucoma                              | Num |
| ICQ_HRAID_COM       | Wears hearing aid                              | Num |
| ICQ_HRWORKING_COM   | Currently wearing hearing aid                  | Num |
| ICQ_GLASSES_COM     | Wears glasses                                  | Num |
| ICQ_GLASSESWR_COM   | Currently wearing glasses                      | Num |
| ICQ_CTLENS_COM      | Wears contact lenses                           | Num |
| ICQ_CTLENSWR_COM    | Currently wearing contact lenses               | Num |
| ICQ_PROSLIM_COM     | Prosthetic limbs or joints                     | Num |
| ICQ_PROSARM_COM     | Prosthetic arm                                 | Num |
| ICQ_PROSLEG_COM     | Prosthetic leg                                 | Num |
| ICQ_PROSHND_COM     | Prosthetic hand or fingers                     | Num |
| ICQ_PROSFT_COM      | Prosthetic foot                                | Num |
| ICQ_PROSHIP_COM     | Prosthetic hip                                 | Num |
| ICQ_PROSKNEE_COM    | Prosthetic knee                                | Num |
| ICQ_FX_COM          | Ever suffered break or fracture                | Num |
| ICQ_FXARM_COM       | Broken or fractured arm                        | Num |
| ICQ_FXSHLD_COM      | Broken or fractured shoulder                   | Num |
| ICQ_FXHND_COM       | Broken or fractured hand or fingers            | Num |
| ICQ_FXRIB_COM       | Broken or fractured ribs                       | Num |
| ICQ_FXLEG_COM       | Broken or fractured leg                        | Num |
| ICQ_FXANK_COM       | Broken or fractured ankle                      | Num |
| ICQ_FXFT_COM        | Broken or fractured foot or toes               | Num |
| ICQ_FXHIP_COM       | Broken or fractured hip                        | Num |

|                                |  |     |
|--------------------------------|--|-----|
| <b>ICQ_FXKNEE_COM</b>          | Broken or fractured knee                                 | Num |
| <b>ICQ_FXCHK_COM</b>           | Broken or fractured cheek                                | Num |
| <b>ICQ_FXJAW_COM</b>           | Broken or fractured jaw                                  | Num |
| <b>ICQ_FXNOSE_COM</b>          | Broken or fractured nose                                 | Num |
| <b>ICQ_FXSKL_COM</b>           | Broken or fractured skull                                | Num |
| <b>ICQ_FXNECK_COM</b>          | Broken or fractured neck                                 | Num |
| <b>ICQ_FXBACK_COM</b>          | Broken or fractured back                                 | Num |
| <b>ICQ_FXCOLLR_COM</b>         | Broken or fractured collar bone                          | Num |
| <b>ICQ_FXPELV_COM</b>          | Broken or fractured pelvis                               | Num |
| <b>ICQ_LAMIN_COM</b>           | Ever had a laminectomy                                   | Num |
| <b>ICQ_POLIO_COM</b>           | Ever had Polio   | Num |
| <b>ICQ_BLDSP3MO_COM</b>        | Blood in sputum or coughed up blood within last 3 months | Num |
| <b>ICQ_ANEURY_COM</b>          | Thoracic, abdominal or cerebral aneurysm                 | Num |
| <b>ICQ_PACEMKR_COM</b>         | Pacemaker implanted                                      | Num |
| <b>ICQ_DEFIBR_COM</b>          | Defibrillator implanted                                  | Num |
| <b>ICQ_COCHLIMP_COM</b>        | Cochlear implant implanted                               | Num |
| <b>ICQ_NGTUBE_COM</b>          | Nasogastric feeding tube                                 | Num |
| <b>ICQ_ABDTUBE_COM</b>         | Abdominal feeding tube                                   | Num |
| <b>ICQ_CHEMO4WK_COM</b>        | Chemotherapy treatment within last 4 weeks               | Num |
| <b>ICQ_HAEMO_COM</b>           | Haemophilia or another type of blood clotting disease    | Num |
| <b>ICQ_BLDTR24H_COM</b>        | Blood transfusion or donation within last 24 hours       | Num |
| <b>ICQ_NUCLMED_COM</b>         | Involved in a Nuclear Medicine study last 7 days         | Num |
| <b>ICQ_NUCL48H_COM</b>         | Nuclear medicine test within past 48 hours               | Num |
| <b>ICQ_NUCLIV24H_COM</b>       | IV CT or MRI contrast test in past 24 hours              | Num |
| <b>ICQ_BARSWAL_COM</b>         | Barium test last 7 days                                  | Num |
| <b>ICQ_TINNIT_COM</b>          | Suffer from Tinnitus                                     | Num |
| <b>ICQ_SMOKE_COM</b>           | Smoking status   | Num |
| <b>ICQ_SMOKE24H_COM</b>        | Smoked in the last 24 hours                              | Num |
| <b>ICQ_SMOKETIME_HOURS_COM</b> | Time since last cigarette, cigar or pipe                 | Num |
| <b>ICQ_INHALERLONG_COM</b>     | Long acting inhalers last 12 hours                       | Num |
| <b>ICQ_INHALERSHORT_COM</b>    | Short acting inhalers last 12 hours                      | Num |
| <b>BP_EXCLLFT_COM</b>          | Left arm exclusion - Blood pressure                      | Num |



|                        |  |     |
|------------------------|--|-----|
| <b>BP_EXCLRGT_COM</b>  | Right arm exclusion - Blood pressure                     | Num |
| <b>BP_EXCL_COM</b>     | Test exclusion - Blood pressure                          | Num |
| <b>GRP_EXCLLFT_COM</b> | Left arm exclusion - Grip strength                       | Num |
| <b>GRP_EXCLRGT_COM</b> | Right arm exclusion - Grip strength                      | Num |
| <b>GRP_EXCL_COM</b>    | Test exclusion - Grip strength                           | Num |
| <b>TUG_EARINF_COM</b>  | To be noted, ear infection - TUG                         | Num |
| <b>TUG_PROS_COM</b>    | To be noted, prosthetic limb or joint - TUG              | Num |
| <b>TUG_EXCL_COM</b>    | Test exclusion - TUG                                     | Num |
| <b>CHR_EARINF_COM</b>  | To be noted, ear infection - Chair Rise                  | Num |
| <b>CHR_PROS_COM</b>    | To be noted, prosthetic limb or joint - Chair Rise       | Num |
| <b>CHR_EXCL_COM</b>    | Test exclusion - Chair Rise                              | Num |
| <b>WLK_EARINF_COM</b>  | To be noted, ear infection - 4-Metre Walk                | Num |
| <b>WLK_PROS_COM</b>    | To be noted, prosthetic limb or joint - 4-Metre Walk     | Num |
| <b>WLK_EXCL_COM</b>    | Test exclusion - 4-Metre Walk                            | Num |
| <b>WHC_EXCL_COM</b>    | Test exclusion - Hip-Waist Ratio                         | Num |
| <b>VIS_EYEINF_COM</b>  | To be noted, eye infection - Vision                      | Num |
| <b>VIS_GLAUC_COM</b>   | To be noted, glaucoma - Vision                           | Num |
| <b>VIS_CATRCT_COM</b>  | To be noted, cataracts - Vision                          | Num |
| <b>VIS_GLASSES_COM</b> | To be noted, glasses - Vision                            | Num |
| <b>VIS_CTLENS_COM</b>  | To be noted, contact lenses - Vision                     | Num |
| <b>TON_EXCL_COM</b>    | Test exclusion - Tonometer                               | Num |
| <b>HRG_EARINF_COM</b>  | To be noted, ear infection - Hearing                     | Num |
| <b>HRG_AIDS_COM</b>    | To be noted, hearing aids - Hearing                      | Num |
| <b>HRG_TINN_COM</b>    | To be noted, Tinnitus - Hearing                          | Num |
| <b>SPI_EXCL_COM</b>    | Test exclusion - Spirometry                              | Num |
| <b>STDHT_EXCL_COM</b>  | Test exclusion - Standing Height                         | Num |
| <b>STB_EARINF_COM</b>  | To be noted, ear infection - Standing Balance            | Num |
| <b>STB_PROS_COM</b>    | To be noted, prosthetic limb or joint - Standing Balance | Num |
| <b>STB_EXCL_COM</b>    | Test exclusion - Standing Balance                        | Num |



|                              |   |      |
|------------------------------|---|------|
| <b>WGT_PREGNT_COM</b>        | To be noted, pregnancy - Weight   | Num  |
| <b>WGT_EXCL_COM</b>          | Test exclusion, cannot stand unassisted - Weight                                    | Num  |
| <b>DXA_EXCLARM_COM</b>       | Test exclusion, Forearm - DXA   | Num  |
| <b>DXA_EXCLHP_COM</b>        | Test exclusion, Hip - DXA   | Num  |
| <b>DXA_EXCLLARM_COM</b>      | Test exclusion, Left Forearm - DXA  | Num  |
| <b>DXA_EXCLLHP_COM</b>       | Test exclusion, Left Hip - DXA  | Num  |
| <b>DXA_EXCLRARM_COM</b>      | Test exclusion, Right Forearm - DXA   | Num  |
| <b>DXA_EXCLRHP_COM</b>       | Test exclusion, Right Hip - DXA   | Num  |
| <b>DXA_EXCLSP_COM</b>        | Test exclusion, Lateral Spine IVA - DXA   | Num  |
| <b>DXA_EXCL_COM</b>          | Test exclusion, Whole Body - DXA  | Num  |
| <b>DXA_FX_COM</b>            | To be noted, breaks or fractures - DXA  | Num  |
| <b>DXA_HP_COM</b>            | To be noted, prosthetic hip - DXA   | Num  |
| <b>DXA_CAST_COM</b>          | To be noted, cast - DXA   | Num  |
| <b>DXA_IMPLANT_COM</b>       | To be noted, medical device implant - DXA   | Num  |
| <b>DXA_HRAID_COM</b>         | To be noted, hearing aid - DXA  | Num  |
| <b>DXA_LAMIN_COM</b>         | To be noted, laminectomy - DXA  | Num  |
| <b>DXA_POLIO_COM</b>         | To be noted, Polio - DXA  | Num  |
| <b>DXA_PROS_COM</b>          | To be noted, prosthetic limb or joint - DXA   | Num  |
| <b>DXA_SRGYART_COM</b>       | To be noted, Arteriovenous shunt/Fistula - DXA                                      | Num  |
| <b>ECG_EXCL_COM</b>          | Test exclusion - ECG  | Num  |
| <b>CD_EXCL_COM</b>           | Test exclusion - Carotid doppler  | Num  |
| <b>ICQ_STATUS_COM</b>        | Contraindications questionnaire status  | Num  |
| <b>HRG_STATUS_COM</b>        | Hearing test status   | Num  |
| <b>HRG_TEST_DATETIME_COM</b> | Hearing test time   | Num  |
| <b>HRG_RIGHT_1KT_ERR_COM</b> | Audiometric hearing threshold at 1 kHz test frequency - right ear test trial, error | Char |
| <b>HRG_RIGHT_500_ERR_COM</b> | Audiometric hearing threshold at 500 Hz test frequency - right ear, error           | Char |

|                             |  |      |
|-----------------------------|--|------|
| <b>HRG_RIGHT_1K_ERR_COM</b> | Audiometric hearing threshold at 1 kHz test frequency - right ear, error           | Char |
| <b>HRG_RIGHT_2K_ERR_COM</b> | Audiometric hearing threshold at 2 kHz test frequency - right ear, error           | Char |
| <b>HRG_RIGHT_3K_ERR_COM</b> | Audiometric hearing threshold at 3 kHz test frequency - right ear, error           | Char |
| <b>HRG_RIGHT_4K_ERR_COM</b> | Audiometric hearing threshold at 4 kHz test frequency - right ear, error           | Char |
| <b>HRG_RIGHT_6K_ERR_COM</b> | Audiometric hearing threshold at 6 kHz test frequency - right ear, error           | Char |
| <b>HRG_RIGHT_8K_ERR_COM</b> | Audiometric hearing threshold at 8 kHz test frequency - right ear, error           | Char |
| <b>HRG_LEFT_1KT_ERR_COM</b> | Audiometric hearing threshold at 1 kHz test frequency - left ear test trial, error | Char |
| <b>HRG_LEFT_500_ERR_COM</b> | Audiometric hearing threshold at 500 Hz test frequency - left ear, error           | Char |
| <b>HRG_LEFT_1K_ERR_COM</b>  | Audiometric hearing threshold at 1 kHz test frequency - left ear, error            | Char |
| <b>HRG_LEFT_2K_ERR_COM</b>  | Audiometric hearing threshold at 2 kHz test frequency - left ear, error            | Char |
| <b>HRG_LEFT_3K_ERR_COM</b>  | Audiometric hearing threshold at 3 kHz test frequency - left ear, error            | Char |
| <b>HRG_LEFT_4K_ERR_COM</b>  | Audiometric hearing threshold at 4 kHz test frequency - left ear, error            | Char |
| <b>HRG_LEFT_6K_ERR_COM</b>  | Audiometric hearing threshold at 6 kHz test frequency - left ear, error            | Char |
| <b>HRG_LEFT_8K_ERR_COM</b>  | Audiometric hearing threshold at 8 kHz test frequency - left ear, error            | Char |
| <b>HRG_RIGHT_1KT_COM</b>    | Audiometric hearing threshold at 1 kHz test frequency - right ear test trial       | Num  |
| <b>HRG_RIGHT_500_COM</b>    | Audiometric hearing threshold at 500 Hz test frequency - right ear                 | Num  |

|                              |   |     |
|------------------------------|---|-----|
| <b>HRG_RIGHT_1K_COM</b>      | Audiometric hearing threshold at 1 kHz test frequency - right ear           | Num |
| <b>HRG_RIGHT_2K_COM</b>      | Audiometric hearing threshold at 2 kHz test frequency - right ear           | Num |
| <b>HRG_RIGHT_3K_COM</b>      | Audiometric hearing threshold at 3 kHz test frequency - right ear           | Num |
| <b>HRG_RIGHT_4K_COM</b>      | Audiometric hearing threshold at 4 kHz test frequency - right ear           | Num |
| <b>HRG_RIGHT_6K_COM</b>      | Audiometric hearing threshold at 6 kHz test frequency - right ear           | Num |
| <b>HRG_RIGHT_8K_COM</b>      | Audiometric hearing threshold at 8 kHz test frequency - right ear           | Num |
| <b>HRG_LEFT_1KT_COM</b>      | Audiometric hearing threshold at 1 kHz test frequency - left ear test trial | Num |
| <b>HRG_LEFT_500_COM</b>      | Audiometric hearing threshold at 500 Hz test frequency - left ear           | Num |
| <b>HRG_LEFT_1K_COM</b>       | Audiometric hearing threshold at 1 kHz test frequency - left ear            | Num |
| <b>HRG_LEFT_2K_COM</b>       | Audiometric hearing threshold at 2 kHz test frequency - left ear            | Num |
| <b>HRG_LEFT_3K_COM</b>       | Audiometric hearing threshold at 3 kHz test frequency - left ear            | Num |
| <b>HRG_LEFT_4K_COM</b>       | Audiometric hearing threshold at 4 kHz test frequency - left ear            | Num |
| <b>HRG_LEFT_6K_COM</b>       | Audiometric hearing threshold at 6 kHz test frequency - left ear            | Num |
| <b>HRG_LEFT_8K_COM</b>       | Audiometric hearing threshold at 8 kHz test frequency - left ear            | Num |
| <b>HRG_RELIABILITY_L_COM</b> | Test reliability for left ear   | Num |
| <b>HRG_RELIABILITY_R_COM</b> | Test reliability for right ear  | Num |
| <b>HRG_EARSTATUS_L_COM</b>   | Left ear status   | Num |
| <b>HRG_EARSTATUS_R_COM</b>   | Right ear status  | Num |
| <b>BAL_STATUS_COM</b>        | Standing balance test status  | Num |

|                               |  |     |
|-------------------------------|--|-----|
| <b>BAL_COMPL_R_COM</b>        | Standing balance completed on right leg                      | Num |
| <b>BAL_UNCOMPL_R_COM</b>      | Reason standing balance not done on right leg                | Num |
| <b>BAL_TIME_R_COM</b>         | Total time completed right leg Standing Balance (in seconds) | Num |
| <b>BAL_COMPL_L_COM</b>        | Standing balance completed on left leg                       | Num |
| <b>BAL_UNCOMPL_L_COM</b>      | Reason standing balance not done on left leg                 | Num |
| <b>BAL_TIME_L_COM</b>         | Total time completed left leg Standing Balance (in seconds)  | Num |
| <b>BAL_BEST_COM</b>           | Best attained time - Standing Balance                        | Num |
| <b>TON_STATUS_COM</b>         | Tonometry test status  | Num |
| <b>TON_EYE_R_COM</b>          | Tonometry right eye test completed                           | Num |
| <b>TON_EYE_L_COM</b>          | Tonometry left eye test completed                            | Num |
| <b>TON_IOPG_R_COM</b>         | Intraocular pressure - right eye                             | Num |
| <b>TON_IOPG_L_COM</b>         | Intraocular pressure - left eye                              | Num |
| <b>TON_IOPCC_R_COM</b>        | Corneal-compensated IOP - right eye                          | Num |
| <b>TON_IOPCC_L_COM</b>        | Corneal-compensated IOP - left eye                           | Num |
| <b>TON_CRF_R_COM</b>          | Corneal resistance factor - right eye                        | Num |
| <b>TON_CRF_L_COM</b>          | Corneal resistance factor - left eye                         | Num |
| <b>TON_CH_R_COM</b>           | Corneal hysteresis - right eye                               | Num |
| <b>TON_CH_L_COM</b>           | Corneal hysteresis - left eye                                | Num |
| <b>TON_QUALITYINDEX_R_COM</b> | Quality index - right eye                                    | Num |
| <b>TON_QUALITYINDEX_L_COM</b> | Quality index - left eye                                     | Num |
| <b>VA_STATUS_COM</b>          | Vision Acuity test user                                      | Num |
| <b>VA_GLASSES_COM</b>         | Participant wearing glasses during test                      | Num |
| <b>VA_CNTLENS_COM</b>         | Participant wearing contact lenses during test               | Num |
| <b>VA_DONE_R_COM</b>          | Was the right eye test done?                                 | Num |
| <b>VA_DONE_R_RSN_COM</b>      | Why not?   | Num |
| <b>VA_DONE_L_COM</b>          | Was the left eye test done?                                  | Num |
| <b>VA_DONE_L_RSN_COM</b>      | Why not?   | Num |
| <b>VA_DONE_R_PO_COM</b>       | Was the right eye with pinhole test done?                    | Num |
| <b>VA_DONE_R_PO_RSN_COM</b>   | Why not?   | Num |
| <b>VA_DONE_L_PO_COM</b>       | Was the left eye with pinhole test done?                     | Num |

|                               |   |     |
|-------------------------------|---|-----|
| <b>VA_DONE_L_PO_RSN_COM</b>   | Why not?  | Num |
| <b>VA_DONE_BOTH_COM</b>       | Was the both eyes test done?  | Num |
| <b>VA_DONE_BOTH_RSN_COM</b>   | Why not?  | Num |
| <b>VA_ETDRS_R_NB_COM</b>      | Last row all 5 letters identified correctly - Right eye (20/)                 | Num |
| <b>VA_ETDRS_R_LTR_COM</b>     | Number of letters correctly identified past last row - Right eye              | Num |
| <b>VA_ETDRS_L_NB_COM</b>      | Last row all 5 letters identified correctly - Left eye (20/)                  | Num |
| <b>VA_ETDRS_L_LTR_COM</b>     | Number of letters correctly identified past last row - Left eye               | Num |
| <b>VA_ETDRS_R_PO_NB_COM</b>   | Last row all 5 letters identified correctly - Right eye with pinhole (20/)    | Num |
| <b>VA_ETDRS_R_PO_LTR_COM</b>  | Number of letters correctly identified past last row - Right eye with pinhole | Num |
| <b>VA_ETDRS_L_PO_NB_COM</b>   | Last row all 5 letters identified correctly - Left eye with pinhole (20/)     | Num |
| <b>VA_ETDRS_L_PO_LTR_COM</b>  | Number of letters correctly identified past last row - Left eye with pinhole  | Num |
| <b>VA_ETDRS_BOTH_NB_COM</b>   | Last row all 5 letters identified correctly - Both eyes (20/)                 | Num |
| <b>VA_ETDRS_BOTH_LTR_COM</b>  | Number of letters correctly identified past last row - Both eyes              | Num |
| <b>VA_ETDRS_BOTH_RSLT_COM</b> | Visual acuity test result for both eyes                                       | Num |
| <b>VA_ETDRS_L_PO_RSLT_COM</b> | Visual acuity test result for left eye with pinhole                           | Num |
| <b>VA_ETDRS_L_RSLT_COM</b>    | Visual acuity test result for left eye  | Num |
| <b>VA_ETDRS_R_PO_RSLT_COM</b> | Visual acuity test result for right eye with pinhole                          | Num |
| <b>VA_ETDRS_R_RSLT_COM</b>    | Visual acuity test result for right eye                                       | Num |
| <b>WHC_STATUS_COM</b>         | HipsWaist measure status  | Num |
| <b>WHC_CLTHLAYERS_COM</b>     | Waist measurement taken directly on skin or over layer(s) of clothing         | Num |
| <b>WHC_WAIST_CM_COM</b>       | Waist circumference in cm   | Num |
| <b>WHC_HIP_CM_COM</b>         | Hips circumference in cm  | Num |
| <b>WHC_RATIO_COM</b>          | Waist to hip ratio  | Num |

|                                  |   |     |
|----------------------------------|---|-----|
| <b>DXA_HIP_STATUS_COM</b>        | Dual Hip DXA status   | Num |
| <b>DXA_HIPR_QC_PASS_COM</b>      | DXA right hip quality pass  | Num |
| <b>DXA_HIPL_QC_PASS_COM</b>      | DXA left hip quality pass   | Num |
| <b>DXA_HIPR_QC_AB_COM</b>        | Right femur is abducted   | Num |
| <b>DXA_HIPL_QC_AB_COM</b>        | Left femur is abducted  | Num |
| <b>DXA_HIPR_QC_AD_COM</b>        | Right femur is adducted   | Num |
| <b>DXA_HIPL_QC_AD_COM</b>        | Left femur is adducted  | Num |
| <b>DXA_HIPR_QC_IROT_COM</b>      | Right femur is internally rotated   | Num |
| <b>DXA_HIPL_QC_IROT_COM</b>      | Left femur is internally rotated  | Num |
| <b>DXA_HIPR_QC_EROT_COM</b>      | Right femur is externally rotated   | Num |
| <b>DXA_HIPL_QC_EROT_COM</b>      | Left femur is externally rotated  | Num |
| <b>DXA_HIPR_QC_HIGH_COM</b>      | Right hip ROI is placed too high and/or clipping of lower anatomy                                   | Num |
| <b>DXA_HIPL_QC_HIGH_COM</b>      | Left hip ROI is placed too high and/or clipping of lower anatomy                                    | Num |
| <b>DXA_HIPR_QC_LOW_COM</b>       | Right hip ROI is placed too low and/or clipping of upper anatomy                                    | Num |
| <b>DXA_HIPL_QC_LOW_COM</b>       | Left hip ROI is placed too low and/or clipping of upper anatomy                                     | Num |
| <b>DXA_HIPR_QC_LEFT_COM</b>      | Right hip ROI is placed too far right and/or clipping of the anatomy along the left side of the ROI | Num |
| <b>DXA_HIPL_QC_LEFT_COM</b>      | Left hip ROI is placed too far right and/or clipping of the anatomy along the left side of the ROI  | Num |
| <b>DXA_HIPR_QC_RIGHT_COM</b>     | Right hip ROI is placed too far left and/or clipping of the anatomy along the right side of the ROI | Num |
| <b>DXA_HIPL_QC_RIGHT_COM</b>     | Left hip ROI is placed too far left and/or clipping of the anatomy along the right side of the ROI  | Num |
| <b>DXA_HIPR_QC_OTHER_COM</b>     | Right hip - Corrupt file or other condition   | Num |
| <b>DXA_HIPL_QC_OTHER_COM</b>     | Left hip - Corrupt file or other condition  | Num |
| <b>DXA_HIPR_QC_ART_METAL_COM</b> | Right hip -Metal artifact   | Num |
| <b>DXA_HIPL_QC_ART_METAL_COM</b> | Left hip - Metal artifact   | Num |

|                                    |  |     |
|------------------------------------|--|-----|
| <b>DXA_HIPR_QC_ART_STREAK_COM</b>  | Right hip - Streak or banding artifact               | Num |
| <b>DXA_HIPL_QC_ART_STREAK_COM</b>  | Left hip - Streak or banding artifact                | Num |
| <b>DXA_HIPR_QC_ART_BLUR_COM</b>    | Right hip - Blurring artifact                        | Num |
| <b>DXA_HIPL_QC_ART_BLUR_COM</b>    | Left hip - Blurring artifact                         | Num |
| <b>DXA_HIPR_QC_ART_MOTION_COM</b>  | Right hip - Motion artifact                          | Num |
| <b>DXA_HIPL_QC_ART_MOTION_COM</b>  | Left hip - Motion artifact                           | Num |
| <b>DXA_HIPR_QC_ART_NOISE_COM</b>   | Right hip - Noise or poor quality (grainy) image     | Num |
| <b>DXA_HIPL_QC_ART_NOISE_COM</b>   | Left hip - Noise or poor quality (grainy) image      | Num |
| <b>DXA_HIPR_QC_ART_OBJECT_COM</b>  | Right hip - Object artifact                          | Num |
| <b>DXA_HIPL_QC_ART_OBJECT_COM</b>  | Left hip - Object artifact                           | Num |
| <b>DXA_HIPR_QC_ART_UNKNOWN_COM</b> | Right hip - Unknown artifact                         | Num |
| <b>DXA_HIPL_QC_ART_UNKNOWN_COM</b> | Left hip - Unknown artifact                          | Num |
| <b>DXA_ETHNICITY_COM</b>           | Participant ethnicity                                | Num |
| <b>DXA_HIPR_TROCH_AREA_COM</b>     | Area for Trochanter Bone analysis - Right hip        | Num |
| <b>DXA_HIPR_TROCH_BMC_COM</b>      | BMC for Trochanter Bone analysis - Right hip         | Num |
| <b>DXA_HIPR_TROCH_BMD_COM</b>      | BMD for Trochanter Bone analysis - Right hip         | Num |
| <b>DXA_HIPL_TROCH_AREA_COM</b>     | Area for Trochanter Bone analysis - Left hip         | Num |
| <b>DXA_HIPL_TROCH_BMC_COM</b>      | BMC for Trochanter Bone analysis - Left hip          | Num |
| <b>DXA_HIPL_TROCH_BMD_COM</b>      | BMD for Trochanter Bone analysis - Left hip          | Num |
| <b>DXA_HIPR_INTER_AREA_COM</b>     | Area for inter -Trochanter Bone analysis - Right hip | Num |
| <b>DXA_HIPR_INTER_BMD_COM</b>      | BMD for inter -Trochanter Bone analysis - Right hip  | Num |
| <b>DXA_HIPL_INTER_AREA_COM</b>     | Area for inter -Trochanter Bone analysis - left hip  | Num |
| <b>DXA_HIPL_INTER_BMD_COM</b>      | BMD for inter -Trochanter Bone analysis - left hip   | Num |
| <b>DXA_HIPR_INTER_BMC_COM</b>      | BMC for inter -Trochanter Bone analysis - right hip  | Num |
| <b>DXA_HIPR_NECK_AREA_COM</b>      | Area for Neck Bone analysis - right hip              | Num |
| <b>DXA_HIPR_NECK_BMC_COM</b>       | BMC for Neck Bone analysis - right hip               | Num |
| <b>DXA_HIPR_NECK_BMD_COM</b>       | BMD for Neck Bone analysis - right hip               | Num |
| <b>DXA_HIPL_INTER_BMC_COM</b>      | BMC for inter -Trochanter Bone analysis - left hip   | Num |



|                                 |   |     |
|---------------------------------|---|-----|
| <b>DXA_HIPL_NECK_AREA_COM</b>   | Area for Neck Bone analysis - left hip  | Num |
| <b>DXA_HIPL_NECK_BMC_COM</b>    | BMC for Neck Bone analysis - left hip   | Num |
| <b>DXA_HIPL_NECK_BMD_COM</b>    | BMD for Neck Bone analysis - left hip   | Num |
| <b>DXA_HIPR_WARDS_AREA_COM</b>  | Area for Ward's Triangle Bone analysis - right hip  | Num |
| <b>DXA_HIPR_WARDS_BMC_COM</b>   | BMC for Ward's Triangle Bone analysis - right hip   | Num |
| <b>DXA_HIPR_WARDS_BMD_COM</b>   | BMD for Ward's Triangle Bone analysis - right hip   | Num |
| <b>DXA_HIPL_WARDS_AREA_COM</b>  | Area for Ward's Triangle Bone analysis - left hip   | Num |
| <b>DXA_HIPL_WARDS_BMC_COM</b>   | BMC for Ward's Triangle Bone analysis - left hip  | Num |
| <b>DXA_HIPL_WARDS_BMD_COM</b>   | BMD for Ward's Triangle Bone analysis - left hip  | Num |
| <b>DXA_HIPR_HTOT_AREA_COM</b>   | Area for Total Bone analysis for all included regions - right hip                               | Num |
| <b>DXA_HIPR_HTOT_BMC_COM</b>    | BMC for Total Bone analysis for all included regions - right hip                                | Num |
| <b>DXA_HIPR_HTOT_BMD_COM</b>    | BMD for Total Bone analysis for all included regions - right hip                                | Num |
| <b>DXA_HIPL_HTOT_AREA_COM</b>   | Area for Total Bone analysis for all included regions - left hip                                | Num |
| <b>DXA_HIPL_HTOT_BMC_COM</b>    | BMC for Total Bone analysis for all included regions - left hip                                 | Num |
| <b>DXA_HIPL_HTOT_BMD_COM</b>    | BMD for Total Bone analysis for all included regions - left hip                                 | Num |
| <b>DXA_HIPR_ROI_TYPE_COM</b>    | Type of Region of Interest (ROI) analysis to be done - closely related to scan type - right hip | Num |
| <b>DXA_HIPL_ROI_TYPE_COM</b>    | Type of Region of Interest (ROI) analysis to be done - closely related to scan type - left hip  | Num |
| <b>DXA_HIPR_ROI_WIDTH_COM</b>   | Width of ROI in cm - Right hip  | Num |
| <b>DXA_HIPL_ROI_WIDTH_COM</b>   | Width of ROI in cm - left hip   | Num |
| <b>DXA_HIPR_ROI_HEIGHT_COM</b>  | Height of ROI in cm - Right hip   | Num |
| <b>DXA_HIPL_ROI_HEIGHT_COM</b>  | Height of ROI in cm - Left hip  | Num |
| <b>DXA_HIPR_AXIS_LENGTH_COM</b> | Length of Right Hip Axis in cm  | Num |
| <b>DXA_HIPL_AXIS_LENGTH_COM</b> | Length of Left Hip Axis in cm   | Num |
| <b>DXA_HIPR_NN_BMD_COM</b>      | Narrow Neck Bone Mineral Density (g/cm <sup>2</sup> ) -Right hip                                | Num |

|                                 |   |     |
|---------------------------------|---|-----|
| <b>DXA_HIPL_NN_BMD_COM</b>      | Narrow Neck Bone Mineral Density (g/cm <sup>2</sup> ) -Left hip             | Num |
| <b>DXA_HIPL_NN_CSA_COM</b>      | Narrow Neck Cross Sectional Area (cm <sup>2</sup> ) - left hip              | Num |
| <b>DXA_HIPL_NN_CSMI_COM</b>     | Narrow Neck Cross Sectional Moment of Inertia (cm <sup>4</sup> ) - left hip | Num |
| <b>DXA_HIPL_NN_WIDTH_COM</b>    | Narrow Neck Subperiosteal Width (cm) - left hip                             | Num |
| <b>DXA_HIPL_NN_ED_COM</b>       | Narrow Neck Endocortical Diameter (cm) - left hip                           | Num |
| <b>DXA_HIPL_NN_ACT_COM</b>      | Narrow Neck Average Cortical Thickness (cm) - left hip                      | Num |
| <b>DXA_HIPL_NN_PCD_COM</b>      | Narrow Neck Profile Center Distance (cm) - left hip                         | Num |
| <b>DXA_HIPL_NN_CMP_COM</b>      | Narrow Neck Center of Mass Position (dimensionless) - left hip              | Num |
| <b>DXA_HIPL_NN_SECT_MOD_COM</b> | Narrow Neck Section Modulus (cm <sup>3</sup> ) - left hip                   | Num |
| <b>DXA_HIPL_NN_BR_COM</b>       | Narrow Neck Buckling Ratio (dimensionless) - left hip                       | Num |
| <b>DXA_HIPR_NN_CSA_COM</b>      | Narrow Neck Cross Sectional Area (cm <sup>2</sup> ) -right hip              | Num |
| <b>DXA_HIPR_NN_CSMI_COM</b>     | Narrow Neck Cross Sectional Moment of Inertia (cm <sup>4</sup> ) -right hip | Num |
| <b>DXA_HIPR_NN_WIDTH_COM</b>    | Narrow Neck Subperiosteal Width (cm) -right hip                             | Num |
| <b>DXA_HIPR_NN_ED_COM</b>       | Narrow Neck Endocortical Diameter (cm) -right hip                           | Num |
| <b>DXA_HIPR_NN_ACT_COM</b>      | Narrow Neck Average Cortical Thickness (cm) -right hip                      | Num |
| <b>DXA_HIPR_NN_PCD_COM</b>      | Narrow Neck Profile Center Distance (cm) -right hip                         | Num |
| <b>DXA_HIPR_NN_CMP_COM</b>      | Narrow Neck Center of Mass Position (dimensionless) -right hip              | Num |
| <b>DXA_HIPR_NN_SECT_MOD_COM</b> | Narrow Neck Section Modulus (cm <sup>3</sup> ) -right hip                   | Num |
| <b>DXA_HIPR_NN_BR_COM</b>       | Narrow Neck Buckling Ratio (dimensionless) -right hip                       | Num |
| <b>DXA_HIPL_IT_CSA_COM</b>      | Intertrochanter Cross Sectional Area (cm <sup>2</sup> ) - left hip          | Num |

|                                 |   |     |
|---------------------------------|---|-----|
| <b>DXA_HIPL_IT_CSMI_COM</b>     | Intertrochanter Cross Sectional Moment of Inertia (cm <sup>4</sup> ) - left hip | Num |
| <b>DXA_HIPL_IT_WIDTH_COM</b>    | Intertrochanter Subperiosteal Width (cm) - left hip                             | Num |
| <b>DXA_HIPL_IT_ED_COM</b>       | Intertrochanter Endocortical Diameter (cm) - left hip                           | Num |
| <b>DXA_HIPL_IT_ACT_COM</b>      | Intertrochanter Average Cortical Thickness (cm) - left hip                      | Num |
| <b>DXA_HIPL_IT_PCD_COM</b>      | Intertrochanter Profile Center Distance (cm) - left hip                         | Num |
| <b>DXA_HIPL_IT_CMP_COM</b>      | Intertrochanter Center of Mass Position (dimensionless) - left hip              | Num |
| <b>DXA_HIPL_IT_SECT_MOD_COM</b> | Intertrochanter Section Modulus (cm <sup>3</sup> ) - left hip                   | Num |
| <b>DXA_HIPL_IT_BR_COM</b>       | Intertrochanter Buckling Ratio (dimensionless) - left hip                       | Num |
| <b>DXA_HIPR_IT_CSA_COM</b>      | Intertrochanter Cross Sectional Area (cm <sup>2</sup> ) -right hip              | Num |
| <b>DXA_HIPR_IT_CSMI_COM</b>     | Intertrochanter Cross Sectional Moment of Inertia (cm <sup>4</sup> ) -right hip | Num |
| <b>DXA_HIPR_IT_WIDTH_COM</b>    | Intertrochanter Subperiosteal Width (cm) -right hip                             | Num |
| <b>DXA_HIPR_IT_ED_COM</b>       | Intertrochanter Endocortical Diameter (cm) -right hip                           | Num |
| <b>DXA_HIPR_IT_ACT_COM</b>      | Intertrochanter Average Cortical Thickness (cm) -right hip                      | Num |
| <b>DXA_HIPR_IT_PCD_COM</b>      | Intertrochanter Profile Center Distance (cm) -right hip                         | Num |
| <b>DXA_HIPR_IT_CMP_COM</b>      | Intertrochanter Center of Mass Position (dimensionless) -right hip              | Num |
| <b>DXA_HIPR_IT_SECT_MOD_COM</b> | Intertrochanter Section Modulus (cm <sup>3</sup> ) -right hip                   | Num |
| <b>DXA_HIPR_IT_BR_COM</b>       | Intertrochanter Buckling Ratio (dimensionless) -right hip                       | Num |
| <b>DXA_HIPL_FS_CSA_COM</b>      | Femur Shaft Cross Sectional Area (cm <sup>2</sup> ) - left hip                  | Num |
| <b>DXA_HIPL_FS_CSMI_COM</b>     | Femur Shaft Cross Sectional Moment of Inertia (cm <sup>4</sup> ) - left hip     | Num |
| <b>DXA_HIPL_FS_WIDTH_COM</b>    | Femur Shaft Subperiosteal Width (cm) - left hip                                 | Num |

|                                      |   |     |
|--------------------------------------|---|-----|
| <b>DXA_HIPL_FS_ED_COM</b>            | Femur Shaft Endocortical Diameter (cm) - left hip                           | Num |
| <b>DXA_HIPL_FS_ACT_COM</b>           | Femur Shaft Average Cortical Thickness (cm) - left hip                      | Num |
| <b>DXA_HIPL_FS_PCD_COM</b>           | Femur Shaft Profile Center Distance (cm) - left hip                         | Num |
| <b>DXA_HIPL_FS_CMP_COM</b>           | Femur Shaft Center of Mass Position (dimensionless) - left hip              | Num |
| <b>DXA_HIPL_FS_SECT_MOD_COM</b>      | Femur Shaft Section Modulus (cm <sup>3</sup> ) - left hip                   | Num |
| <b>DXA_HIPL_FS_BR_COM</b>            | Femur Shaft Buckling Ratio (dimensionless) - left hip                       | Num |
| <b>DXA_HIPR_FS_CSA_COM</b>           | Femur Shaft Cross Sectional Area (cm <sup>2</sup> ) -right hip              | Num |
| <b>DXA_HIPR_FS_CSMI_COM</b>          | Femur Shaft Cross Sectional Moment of Inertia (cm <sup>4</sup> ) -right hip | Num |
| <b>DXA_HIPR_FS_WIDTH_COM</b>         | Femur Shaft Subperiosteal Width (cm) -right hip                             | Num |
| <b>DXA_HIPR_FS_ED_COM</b>            | Femur Shaft Endocortical Diameter (cm) -right hip                           | Num |
| <b>DXA_HIPR_FS_ACT_COM</b>           | Femur Shaft Average Cortical Thickness (cm) -right hip                      | Num |
| <b>DXA_HIPR_FS_PCD_COM</b>           | Femur Shaft Profile Center Distance (cm) -right hip                         | Num |
| <b>DXA_HIPR_FS_CMP_COM</b>           | Femur Shaft Center of Mass Position (dimensionless) -right hip              | Num |
| <b>DXA_HIPR_FS_SECT_MOD_COM</b>      | Femur Shaft Section Modulus (cm <sup>3</sup> ) -right hip                   | Num |
| <b>DXA_HIPR_FS_BR_COM</b>            | Femur Shaft Buckling Ratio (dimensionless) -right hip                       | Num |
| <b>DXA_HIPR_IT_BMD_COM</b>           | Intertrochanter Bone Mineral Density (g/cm <sup>2</sup> ) - right hip       | Num |
| <b>DXA_HIPL_IT_BMD_COM</b>           | Intertrochanter Bone Mineral Density (g/cm <sup>2</sup> ) - left hip        | Num |
| <b>DXA_HIPR_FS_BMD_COM</b>           | Femur Shaft Bone Mineral Density (g/cm <sup>2</sup> ) - right hip           | Num |
| <b>DXA_HIPR_SHAFT_NECK_ANGLE_COM</b> | Angle formed by shaft center line and neck axis in degrees - right hip      | Num |
| <b>DXA_HIPL_FS_BMD_COM</b>           | Femur Shaft Bone Mineral Density (g/cm <sup>2</sup> ) - left hip            | Num |
| <b>DXA_HIPL_SHAFT_NECK_ANGLE_COM</b> | Angle formed by shaft center line and neck axis in degrees - left hip       | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>DXA_HIPR_NECK_T_COM</b>   | T-score for Neck Bone analysis - right hip                           | Num |
| <b>DXA_HIPR_TROCH_T_COM</b>  | T-score for Trochanter Bone analysis - Right hip                     | Num |
| <b>DXA_HIPR_INTER_T_COM</b>  | T-score for inter -Trochanter Bone analysis - right hip              | Num |
| <b>DXA_HIPR_WARDS_T_COM</b>  | T-score for Ward's Triangle Bone analysis - right hip                | Num |
| <b>DXA_HIPR_HTOT_T_COM</b>   | T-score for Total Bone analysis for all included regions - right hip | Num |
| <b>DXA_HIPL_NECK_T_COM</b>   | T-score for Neck Bone analysis - left hip                            | Num |
| <b>DXA_HIPL_TROCH_T_COM</b>  | T-score for Trochanter Bone analysis - left hip                      | Num |
| <b>DXA_HIPL_INTER_T_COM</b>  | T-score for inter -Trochanter Bone analysis - left hip               | Num |
| <b>DXA_HIPL_WARDS_T_COM</b>  | T-score for Ward's Triangle Bone analysis - left hip                 | Num |
| <b>DXA_HIPL_HTOT_T_COM</b>   | T-score for Total Bone analysis for all included regions - left hip  | Num |
| <b>DXA_HIPR_NECK_Z_COM</b>   | Z-score for Neck Bone analysis - right hip                           | Num |
| <b>DXA_HIPR_NECK_PR_COM</b>  | Peak reference for Neck Bone analysis - right hip                    | Num |
| <b>DXA_HIPR_NECK_AM_COM</b>  | Age matched percent for Neck Bone analysis - right hip               | Num |
| <b>DXA_HIPR_TROCH_Z_COM</b>  | Z-score for Trochanter Bone analysis - Right hip                     | Num |
| <b>DXA_HIPR_TROCH_PR_COM</b> | Peak reference for Trochanter Bone analysis - Right hip              | Num |
| <b>DXA_HIPR_TROCH_AM_COM</b> | Age matched percent for Trochanter Bone analysis - Right hip         | Num |
| <b>DXA_HIPR_INTER_Z_COM</b>  | Z-score for inter -Trochanter Bone analysis - right hip              | Num |
| <b>DXA_HIPR_INTER_PR_COM</b> | Peak reference for inter -Trochanter Bone analysis - right hip       | Num |
| <b>DXA_HIPR_INTER_AM_COM</b> | Age matched percent for inter -Trochanter Bone analysis - right hip  | Num |
| <b>DXA_HIPR_WARDS_Z_COM</b>  | Z-score for Ward's Triangle Bone analysis - right hip                | Num |
| <b>DXA_HIPR_WARDS_PR_COM</b> | Peak reference for Ward's Triangle Bone analysis - right hip         | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>DXA_HIPR_WARDS_AM_COM</b> | Age matched percent for Ward's Triangle Bone analysis - right hip                | Num |
| <b>DXA_HIPR_HTOT_Z_COM</b>   | Z-score for Total Bone analysis for all included regions - right hip             | Num |
| <b>DXA_HIPR_HTOT_PR_COM</b>  | Peak reference for Total Bone analysis for all included regions - right hip      | Num |
| <b>DXA_HIPR_HTOT_AM_COM</b>  | Age matched percent for Total Bone analysis for all included regions - right hip | Num |
| <b>DXA_HIPL_NECK_Z_COM</b>   | Z-score for Neck Bone analysis - left hip  | Num |
| <b>DXA_HIPL_NECK_PR_COM</b>  | Peak reference for Neck Bone analysis - left hip                                 | Num |
| <b>DXA_HIPL_NECK_AM_COM</b>  | Age matched percent for Neck Bone analysis - left hip                            | Num |
| <b>DXA_HIPL_TROCH_Z_COM</b>  | Z-score for Trochanter Bone analysis - left hip                                  | Num |
| <b>DXA_HIPL_TROCH_PR_COM</b> | Peak reference for Trochanter Bone analysis - left hip                           | Num |
| <b>DXA_HIPL_TROCH_AM_COM</b> | Age matched percent for Trochanter Bone analysis - left hip                      | Num |
| <b>DXA_HIPL_INTER_Z_COM</b>  | Z-score for inter-Trochanter Bone analysis - left hip                            | Num |
| <b>DXA_HIPL_INTER_PR_COM</b> | Peak reference for inter-Trochanter Bone analysis - left hip                     | Num |
| <b>DXA_HIPL_INTER_AM_COM</b> | Age matched percent for inter-Trochanter Bone analysis - left hip                | Num |
| <b>DXA_HIPL_WARDS_Z_COM</b>  | Z-score for Ward's Triangle Bone analysis - left hip                             | Num |
| <b>DXA_HIPL_WARDS_PR_COM</b> | Peak reference for Ward's Triangle Bone analysis - left hip                      | Num |
| <b>DXA_HIPL_WARDS_AM_COM</b> | Age matched percent for Ward's Triangle Bone analysis - left hip                 | Num |
| <b>DXA_HIPL_HTOT_Z_COM</b>   | Z-score for Total Bone analysis for all included regions - left hip              | Num |
| <b>DXA_HIPL_HTOT_PR_COM</b>  | Peak reference for Total Bone analysis for all included regions - left hip       | Num |

|                                  |   |     |
|----------------------------------|---|-----|
| <b>DXA_HIPL_HTOT_AM_COM</b>      | Age matched percent for Total Bone analysis for all included regions - left hip                   | Num |
| <b>FRAX_OSTFX_COM</b>            | 10 year probability (x 100) of osteoporotic fracture, without knowing BMD                         | Num |
| <b>FRAX_HIPFX_COM</b>            | 10 year probability (x 100) of hip fracture, without knowing BMD                                  | Num |
| <b>FRAX_OSTFX_BMD_COM</b>        | 10 year probability (x 100) of osteoporotic fracture, knowing BMD                                 | Num |
| <b>FRAX_HIPFX_BMD_COM</b>        | 10 year probability (x 100) of hip fracture, knowing BMD  | Num |
| <b>FRAX_OSTFX_CATEGORY_COM</b>   | Fracture risk classification of 10 year probability (x 100) of osteoporotic fracture, knowing BMD | Num |
| <b>DXA_FA_QC_PASS_COM</b>        | DXA forearm quality pass  | Num |
| <b>DXA_FA_QC_AB_COM</b>          | Forearm is abducted   | Num |
| <b>DXA_FA_QC_AD_COM</b>          | Forearm is adducted   | Num |
| <b>DXA_FA_QC_HIGH_COM</b>        | Forearm ROI is placed too high and/or clipping of lower anatomy                                   | Num |
| <b>DXA_FA_QC_LOW_COM</b>         | Forearm ROI is placed too low and/or clipping of upper anatomy                                    | Num |
| <b>DXA_FA_QC_LEFT_COM</b>        | Forearm ROI is placed too far right and/or clipping of the anatomy along the left side of the ROI | Num |
| <b>DXA_FA_QC_RIGHT_COM</b>       | Forearm ROI is placed too far left and/or clipping of the anatomy along the right side of the ROI | Num |
| <b>DXA_FA_QC_OTHER_COM</b>       | Forearm - Corrupt file or other condition   | Num |
| <b>DXA_FA_QC_ART_METAL_COM</b>   | Forearm -Metal artifact   | Num |
| <b>DXA_FA_QC_ART_STREAK_COM</b>  | Forearm - Streak or banding artifact  | Num |
| <b>DXA_FA_QC_ART_BLUR_COM</b>    | Forearm - Blurring artifact   | Num |
| <b>DXA_FA_QC_ART_MOTION_COM</b>  | Forearm - Motion artifact   | Num |
| <b>DXA_FA_QC_ART_NOISE_COM</b>   | Forearm - Noise or poor quality (grainy) image  | Num |
| <b>DXA_FA_QC_ART_OBJECT_COM</b>  | Forearm - Object artifact   | Num |
| <b>DXA_FA_QC_ART_UNKNOWN_COM</b> | Forearm - Unknown artifact  | Num |



|                                |  |     |
|--------------------------------|--|-----|
| <b>DXA_FA_SIDE_COM</b>         | Side on which Forearm is scanned                       | Num |
| <b>DXA_FA_R_13_BMD_COM</b>     | Bone Mineral Density for 1/3 distal radius - forearm   | Num |
| <b>DXA_FA_R_13_AREA_COM</b>    | Area for 1/3 distal radius - forearm                   | Num |
| <b>DXA_FA_R_13_BMC_COM</b>     | Bone Mineral Content for 1/3 distal radius - forearm   | Num |
| <b>DXA_FA_R_MID_BMD_COM</b>    | Bone Mineral Density for mid distal radius - forearm   | Num |
| <b>DXA_FA_R_MID_AREA_COM</b>   | Area for mid distal radius - forearm                   | Num |
| <b>DXA_FA_R_MID_BMC_COM</b>    | Bone Mineral Content for mid distal radius - forearm   | Num |
| <b>DXA_FA_R_UD_BMD_COM</b>     | Bone Mineral Density for ultra distal radius - forearm | Num |
| <b>DXA_FA_R_UD_AREA_COM</b>    | Area for ultra distal radius - forearm                 | Num |
| <b>DXA_FA_R_UD_BMC_COM</b>     | Bone Mineral Content for ultra distal radius - forearm | Num |
| <b>DXA_FA_U_13_BMD_COM</b>     | Bone Mineral Density for 1/3 distal ulna - forearm     | Num |
| <b>DXA_FA_U_13_AREA_COM</b>    | Area for 1/3 distal ulna - forearm                     | Num |
| <b>DXA_FA_U_13_BMC_COM</b>     | Bone Mineral Content for 1/3 distal ulna - forearm     | Num |
| <b>DXA_FA_U_MID_BMD_COM</b>    | Bone Mineral Density for mid distal ulna - forearm     | Num |
| <b>DXA_FA_U_UD_BMD_COM</b>     | Bone Mineral Density for ultra distal ulna - forearm   | Num |
| <b>DXA_FA_RTOT_BMD_COM</b>     | Total BMD analysis for radius. - forearm               | Num |
| <b>DXA_FA_RTOT_AREA_COM</b>    | Total area analysis for radius. - forearm              | Num |
| <b>DXA_FA_RTOT_BMC_COM</b>     | Total BMC analysis for radius. - forearm               | Num |
| <b>DXA_FA_UTOT_BMD_COM</b>     | Total BMD analysis for ulna - forearm                  | Num |
| <b>DXA_FA_UTOT_AREA_COM</b>    | Total area analysis for ulna - forearm                 | Num |
| <b>DXA_FA_UTOT_BMC_COM</b>     | Total BMC analysis for ulna - forearm                  | Num |
| <b>DXA_FA_RU13TOT_BMD_COM</b>  | Total BMD for 1/3 distal radius and ulna - forearm     | Num |
| <b>DXA_FA_RU13TOT_AREA_COM</b> | Total area for 1/3 distal radius and ulna - forearm    | Num |
| <b>DXA_FA_RU13TOT_BMC_COM</b>  | Total BMC for 1/3 distal radius and ulna - forearm     | Num |

|                                 |   |     |
|---------------------------------|---|-----|
| <b>DXA_FA_RUMIDTOT_BMD_COM</b>  | Total BMD for mid distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUMIDTOT_AREA_COM</b> | Total area for mid distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RUMIDTOT_BMC_COM</b>  | Total BMC for mid distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUUDTOT_BMD_COM</b>   | Total BMD for ultra distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUUDTOT_AREA_COM</b>  | Total area for ultra distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RUUDTOT_BMC_COM</b>   | Total BMC for ultra distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUTOT_BMD_COM</b>     | Total BMD for radius and ulna - forearm   | Num |
| <b>DXA_FA_RUTOT_AREA_COM</b>    | Total area for radius and ulna - forearm  | Num |
| <b>DXA_FA_RUTOT_BMC_COM</b>     | Total BMC for radius and ulna - forearm   | Num |
| <b>DXA_FA_ROI_TYPE_COM</b>      | Type of Region of Interest (ROI) analysis to be done - closely related to scan type - right forearm | Num |
| <b>DXA_FA_ROI_WIDTH_COM</b>     | Width of ROI in cm - forearm  | Num |
| <b>DXA_FA_ROI_HEIGHT_COM</b>    | Height of ROI in cm - forearm   | Num |
| <b>DXA_FA_ARM_LENGTH_COM</b>    | Length of the right arm in mm.  | Num |
| <b>DXA_FA_RU13TOT_T_COM</b>     | T-score for 1/3 distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RU13TOT_Z_COM</b>     | Z-score for 1/3 distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RU13TOT_PR_COM</b>    | Peak reference for 1/3 distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RU13TOT_AM_COM</b>    | Age matched percent for 1/3 distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUMIDTOT_T_COM</b>    | T-score for mid distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUMIDTOT_Z_COM</b>    | Z-score for mid distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUMIDTOT_PR_COM</b>   | Peak reference for mid distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RUMIDTOT_AM_COM</b>   | Age matched percent for mid distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUUDTOT_T_COM</b>     | T-score for ultra distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUUDTOT_Z_COM</b>     | Z-score for ultra distal radius and ulna - forearm  | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>DXA_FA_RUUDTOT_PR_COM</b> | Peak reference for ultra distal radius and ulna - forearm      | Num |
| <b>DXA_FA_RUUDTOT_AM_COM</b> | Age matched percent for ultra distal radius and ulna - forearm | Num |
| <b>DXA_FA_RUTOT_T_COM</b>    | T-score for radius and ulna - forearm                          | Num |
| <b>DXA_FA_RUTOT_Z_COM</b>    | Z-score for radius and ulna - forearm                          | Num |
| <b>DXA_FA_RUTOT_PR_COM</b>   | Peak reference for radius and ulna - forearm                   | Num |
| <b>DXA_FA_RUTOT_AM_COM</b>   | Age matched percent for radius and ulna - forearm              | Num |
| <b>DXA_FA_R_13_T_COM</b>     | T-score for 1/3 distal radius - forearm                        | Num |
| <b>DXA_FA_R_13_Z_COM</b>     | Z-score for 1/3 distal radius - forearm                        | Num |
| <b>DXA_FA_R_13_PR_COM</b>    | Peak reference for 1/3 distal radius - forearm                 | Num |
| <b>DXA_FA_R_13_AM_COM</b>    | Age matched percent for 1/3 distal radius - forearm            | Num |
| <b>DXA_FA_R_MID_T_COM</b>    | T-score for mid distal radius - forearm                        | Num |
| <b>DXA_FA_R_MID_Z_COM</b>    | Z-score for mid distal radius - forearm                        | Num |
| <b>DXA_FA_R_MID_PR_COM</b>   | Peak reference for mid distal radius - forearm                 | Num |
| <b>DXA_FA_R_MID_AM_COM</b>   | Age matched percent for mid distal radius - forearm            | Num |
| <b>DXA_FA_R_UD_T_COM</b>     | T-score for ultra distal radius - forearm                      | Num |
| <b>DXA_FA_R_UD_Z_COM</b>     | Z-score for ultra distal radius - forearm                      | Num |
| <b>DXA_FA_R_UD_PR_COM</b>    | Peak reference for ultra distal radius - forearm               | Num |
| <b>DXA_FA_R_UD_AM_COM</b>    | Age matched percent for ultra distal radius - forearm          | Num |
| <b>DXA_FA_RTOT_T_COM</b>     | T-score for total radius - forearm                             | Num |
| <b>DXA_FA_RTOT_Z_COM</b>     | Z-score for total radius - forearm                             | Num |
| <b>DXA_FA_RTOT_PR_COM</b>    | Peak reference for total radius - forearm                      | Num |
| <b>DXA_FA_RTOT_AM_COM</b>    | Age matched percent for total radius - forearm                 | Num |
| <b>DXA_FA_U_13_T_COM</b>     | T-score for 1/3 distal ulna - forearm                          | Num |

|                                   |   |      |
|-----------------------------------|---|------|
| <b>DXA_FA_U_13_Z_COM</b>          | Z-score for 1/3 distal ulna - forearm                                       | Num  |
| <b>DXA_FA_U_13_PR_COM</b>         | Peak reference for 1/3 distal ulna - forearm                                | Num  |
| <b>DXA_FA_U_13_AM_COM</b>         | Age matched percent for 1/3 distal ulna - forearm                           | Num  |
| <b>DXA_FA_U_MID_T_COM</b>         | T-score for mid distal ulna - forearm                                       | Num  |
| <b>DXA_FA_U_MID_Z_COM</b>         | Z-score for mid distal ulna - forearm                                       | Num  |
| <b>DXA_FA_U_MID_PR_COM</b>        | Peak reference for mid distal ulna - forearm                                | Num  |
| <b>DXA_FA_U_MID_AM_COM</b>        | Age matched percent for mid distal ulna - forearm                           | Num  |
| <b>DXA_FA_U_UD_T_COM</b>          | T-score for ultra distal ulna - forearm                                     | Num  |
| <b>DXA_FA_U_UD_Z_COM</b>          | Z-score for ultra distal ulna - forearm                                     | Num  |
| <b>DXA_FA_U_UD_PR_COM</b>         | Peak reference for ultra distal ulna - forearm                              | Num  |
| <b>DXA_FA_U_UD_AM_COM</b>         | Age matched percent for ultra distal ulna - forearm                         | Num  |
| <b>DXA_FA_UTOT_T_COM</b>          | T-score for total ulna - forearm  | Num  |
| <b>DXA_FA_UTOT_Z_COM</b>          | Z-score for total ulna - forearm  | Num  |
| <b>DXA_FA_UTOT_PR_COM</b>         | Peak reference for total ulna - forearm                                     | Num  |
| <b>DXA_FA_UTOT_AM_COM</b>         | Age matched percent for total ulna - forearm                                | Num  |
| <b>DXA_WB_QC_PASS_COM</b>         | Dexa whole body passed QC   | Num  |
| <b>DXA_WB_STATUS_COM</b>          | Dexa whole body bone density status   | Num  |
| <b>DXA_WB_QC_NOTE_COM</b>         | QC additional textual content   | Char |
| <b>DXA_WB_QC_ART_METAL_COM</b>    | metal artifact  | Num  |
| <b>DXA_WB_QC_ART_OBJECT_COM</b>   | object artifact   | Num  |
| <b>DXA_WB_QC_LINES_LEGS_COM</b>   | the legs are improperly framed  | Num  |
| <b>DXA_WB_QC_LINES_PELVIS_COM</b> | the pelvis is improperly framed   | Num  |
| <b>DXA_WB_QC_ART_BLUR_COM</b>     | blurring artifact   | Num  |
| <b>DXA_WB_QC_LINES_ARMS_COM</b>   | the arm line(s) are improperly placed through the glenoid fossa             | Num  |
| <b>DXA_WB_QC_LINES_NECK_COM</b>   | neck line is improperly placed  | Num  |
| <b>DXA_WB_QC_ART_UNKNOWN_COM</b>  | unkown artifact   | Num  |
| <b>DXA_WB_QC_LINES_SPINE_COM</b>  | the spine is improperly framed and/or incorrect division between T12 and L1 | Num  |

|   |   |      |
|---|---|------|
| <b>DXA_WB_QC_ROI_RIGHT_COM</b>          | the ROI is placed too far left and/or clipping of the anatomy along the right side of the ROI | Num  |
| <b>DXA_WB_QC_SYM_RIGHT_ARM_COM</b>      | right arm symmetry computations required  | Num  |
| <b>DXA_WB_QC_ROI_LOW_COM</b>            | the ROI is placed too low and/or clipping of the upper anatomy                                | Num  |
| <b>DXA_WB_QC_SEPARATION_COM</b>         | insufficient separation or overlap of anatomy   | Num  |
| <b>DXA_WB_QC_ROI_LEFT_COM</b>           | the ROI is placed too far right and/or clipping of the anatomy along the left side of the ROI | Num  |
| <b>DXA_WB_QC_SYM_LEFT_ARM_COM</b>       | left arm symmetry computations required   | Num  |
| <b>DXA_WB_QC_ROI_HIGH_COM</b>           | the ROI is placed too high and/or clipping of the lower anatomy                               | Num  |
| <b>DXA_WB_QC_ART_MOTION_COM</b>         | motion artifact   | Num  |
| <b>DXA_WB_QC_OTHER_COM</b>              | corrupt file or other condition   | Num  |
| <b>DXA_WB_QC_AMPUTEES_COM</b>           | amputated limb(s)   | Num  |
| <b>DXA_WB_QC_ART_NOISE_COM</b>          | noise or poor quality (grainy) image  | Num  |
| <b>DXA_WB_QC_ART_STREAK_COM</b>         | streak or banding artifact  | Num  |
| <b>DXA_WB_QC_SYM_LEFT_HALF_BODY_COM</b> | left leg and arm symmetry computations required   | Num  |
| <b>DXA_WB_WEIGHT_COM</b>                | weight  | Num  |
| <b>DXA_WB_HEIGHT_COM</b>                | height  | Num  |
| <b>DXA_WB_ETHNICITY_COM</b>             | ethnicity   | Char |
| <b>DXA_WB_WBTOT_AREA_COM</b>            | Total body area   | Num  |
| <b>DXA_WB_WBTOT_BMC_COM</b>             | Total BMC   | Num  |
| <b>DXA_WB_WBTOT_BMD_COM</b>             | Total BMD   | Num  |
| <b>DXA_WB_SUBTOT_AREA_COM</b>           | Total bone area excluding the head region   | Num  |
| <b>DXA_WB_SUBTOT_BMC_COM</b>            | Total BMC excluding the head region   | Num  |
| <b>DXA_WB_SUBTOT_BMD_COM</b>            | Total BMD excluding the head region   | Num  |
| <b>DXA_WB_HEAD_AREA_COM</b>             | Bone area for the Head region Bone analysis   | Num  |
| <b>DXA_WB_HEAD_BMC_COM</b>              | Bone mineral content for the Head region  | Num  |
| <b>DXA_WB_HEAD_BMD_COM</b>              | Bone mineral density for the Head region  | Num  |

|                             |  |     |
|-----------------------------|--|-----|
| <b>DXA_WB_LARM_AREA_COM</b> | Bone area for the Left Arm region                | Num |
| <b>DXA_WB_LARM_BMC_COM</b>  | Bone mineral content for the Left Arm region     | Num |
| <b>DXA_WB_LARM_BMD_COM</b>  | Bone mineral density for the Left Arm region     | Num |
| <b>DXA_WB_RARM_AREA_COM</b> | Bone area for the Right Arm region               | Num |
| <b>DXA_WB_RARM_BMC_COM</b>  | Bone mineral content for the Right Arm region    | Num |
| <b>DXA_WB_RARM_BMD_COM</b>  | Bone mineral density for the Right Arm region    | Num |
| <b>DXA_WB_LRIB_AREA_COM</b> | Bone area for the Left Rib region                | Num |
| <b>DXA_WB_LRIB_BMC_COM</b>  | Bone mineral content for the Left Rib region     | Num |
| <b>DXA_WB_LRIB_BMD_COM</b>  | Bone mineral density for the Left Rib region     | Num |
| <b>DXA_WB_RRIB_AREA_COM</b> | Bone area for the Right Rib region               | Num |
| <b>DXA_WB_RRIB_BMC_COM</b>  | Bone mineral content for the Right Rib region    | Num |
| <b>DXA_WB_RRIB_BMD_COM</b>  | Bone mineral density for the Right Rib region    | Num |
| <b>DXA_WB_T_S_AREA_COM</b>  | Bone area for the Thoracic region                | Num |
| <b>DXA_WB_T_S_BMC_COM</b>   | Bone mineral content for the Thoracic region     | Num |
| <b>DXA_WB_T_S_BMD_COM</b>   | Bone mineral density for the Thoracic region     | Num |
| <b>DXA_WB_L_S_AREA_COM</b>  | Bone area for the Lumbar Spine region            | Num |
| <b>DXA_WB_L_S_BMC_COM</b>   | Bone mineral content for the Lumbar Spine region | Num |
| <b>DXA_WB_L_S_BMD_COM</b>   | Bone mineral density for the Lumbar Spine region | Num |
| <b>DXA_WB_PELV_AREA_COM</b> | Bone area for the Pelvic region                  | Num |
| <b>DXA_WB_PELV_BMC_COM</b>  | Bone mineral content for the Pelvic region       | Num |
| <b>DXA_WB_PELV_BMD_COM</b>  | Bone mineral density for the Pelvic region       | Num |
| <b>DXA_WB_LLEG_AREA_COM</b> | Bone area for the Left Leg region                | Num |
| <b>DXA_WB_LLEG_BMC_COM</b>  | Bone mineral content for the Left Leg region     | Num |
| <b>DXA_WB_LLEG_BMD_COM</b>  | Bone mineral density for the Left Leg region     | Num |

|                               |   |     |
|-------------------------------|---|-----|
| <b>DXA_WB_RLEG_AREA_COM</b>   | Bone area for the Right Leg region                                | Num |
| <b>DXA_WB_RLEG_BMC_COM</b>    | Bone mineral content for the Right Leg region                     | Num |
| <b>DXA_WB_RLEG_BMD_COM</b>    | Bone mineral density for the Right Leg region                     | Num |
| <b>DXA_WBC_FAT_STD_COM</b>    | The value is always 68  | Num |
| <b>DXA_WBC_LEAN_STD_COM</b>   | The value is always -10   | Num |
| <b>DXA_WBC_BRAIN_FAT_COM</b>  | Assumed %%fat for brain tissue                                    | Num |
| <b>DXA_WBC_WATER_LBM_COM</b>  | Assumed %% of the lean body mass that is water                    | Num |
| <b>DXA_WBC_HEAD_FAT_COM</b>   | Grams of Fat tissue in Head region                                | Num |
| <b>DXA_WBC_HEAD_LEAN_COM</b>  | Grams of Lean tissue in Head region                               | Num |
| <b>DXA_WBC_HEAD_MASS_COM</b>  | Mass in grams in Head region                                      | Num |
| <b>DXA_WBC_HEAD_PFAT_COM</b>  | Percentage of fat tissue to total tissue mass in Head region      | Num |
| <b>DXA_WBC_LARM_FAT_COM</b>   | Grams of Fat tissue in Left arm region                            | Num |
| <b>DXA_WBC_LARM_LEAN_COM</b>  | Grams of Lean tissue in Left arm region                           | Num |
| <b>DXA_WBC_LARM_MASS_COM</b>  | Mass in grams in Left arm region                                  | Num |
| <b>DXA_WBC_LARM_PFAT_COM</b>  | Percentage of fat tissue to total tissue mass in Left arm region  | Num |
| <b>DXA_WBC_RARM_FAT_COM</b>   | Grams of Fat tissue in Right arm region                           | Num |
| <b>DXA_WBC_RARM_LEAN_COM</b>  | Grams of Lean tissue in Right arm region                          | Num |
| <b>DXA_WBC_RARM_MASS_COM</b>  | Mass in grams in Right arm region                                 | Num |
| <b>DXA_WBC_RARM_PFAT_COM</b>  | Percentage of fat tissue to total tissue mass in Right arm region | Num |
| <b>DXA_WBC_TRUNK_FAT_COM</b>  | Grams of Fat tissue in Trunk region                               | Num |
| <b>DXA_WBC_TRUNK_LEAN_COM</b> | Grams of Lean tissue in Trunk region                              | Num |
| <b>DXA_WBC_TRUNK_MASS_COM</b> | Mass in grams in Trunk region                                     | Num |
| <b>DXA_WBC_TRUNK_PFAT_COM</b> | Percentage of fat tissue to total tissue mass in Trunk region     | Num |
| <b>DXA_WBC_L_LEG_FAT_COM</b>  | Grams of Fat tissue in Left leg region                            | Num |



|  |   |     |
|--|---|-----|
| <b>DXA_WBC_L_LEG_LEAN_COM</b>          | Grams of Lean tissue in Left leg region                               | Num |
| <b>DXA_WBC_L_LEG_MASS_COM</b>          | Mass in grams in Left leg region                                      | Num |
| <b>DXA_WBC_L_LEG_PFAT_COM</b>          | Percentage of fat tissue to total tissue mass in Left leg region      | Num |
| <b>DXA_WBC_R_LEG_FAT_COM</b>           | Grams of Fat tissue in Right leg region                               | Num |
| <b>DXA_WBC_R_LEG_LEAN_COM</b>          | Grams of Lean tissue in Right leg region                              | Num |
| <b>DXA_WBC_R_LEG_MASS_COM</b>          | Mass in grams in Right leg region                                     | Num |
| <b>DXA_WBC_R_LEG_PFAT_COM</b>          | Percentage of fat tissue to total tissue mass in Right leg region     | Num |
| <b>DXA_WBC_SUBTOT_FAT_COM</b>          | Grams of Fat tissue in Summary  | Num |
| <b>DXA_WBC_SUBTOT_LEAN_COM</b>         | Grams of Lean tissue in Summary                                       | Num |
| <b>DXA_WBC_SUBTOT_MASS_COM</b>         | Mass in grams in Summary  | Num |
| <b>DXA_WBC_SUBTOT_PFAT_COM</b>         | Percentage of fat tissue to total tissue mass in Summary              | Num |
| <b>DXA_WBC_WBTOT_FAT_COM</b>           | Grams of Fat tissue in all included regions                           | Num |
| <b>DXA_WBC_WBTOT_LEAN_COM</b>          | Grams of Lean tissue in all included regions                          | Num |
| <b>DXA_WBC_WBTOT_MASS_COM</b>          | Mass in grams in all included regions                                 | Num |
| <b>DXA_WBC_WBTOT_PFAT_COM</b>          | Percentage of fat tissue to total tissue mass in all included regions | Num |
| <b>DXA_OI_FAT_STD_COM</b>              | The value is always 68  | Num |
| <b>DXA_OI_LEAN_STD_COM</b>             | The value is always -10   | Num |
| <b>DXA_OI_BRAIN_FAT_COM</b>            | Assumed %%fat for brain tissue  | Num |
| <b>DXA_OI_WATER_LBM_COM</b>            | Assumed %% of the lean body mass that is water                        | Num |
| <b>DXA_OI_TOTAL_PERCENT_FAT_COM</b>    | %% of total body mass that is fat                                     | Num |
| <b>DXA_OI_BODY_MASS_INDEX_COM</b>      | Total body mass divided by height squared (kg/m <sup>2</sup> )        | Num |
| <b>DXA_OI_ANDROID_GYNOID_RATIO_COM</b> | %% fat in Android region / % fat in Gynoid region                     | Num |
| <b>DXA_OI_ANDROID_PERCENT_FAT_COM</b>  | %% fat in Android region  | Num |
| <b>DXA_OI_GYNOID_PERCENT_FAT_COM</b>   | %% fat in Gynoid region   | Num |
| <b>DXA_OI_FAT_MASS_RATIO_COM</b>       | %% fat in Trunk / %% fat in legs                                      | Num |
| <b>DXA_OI_TL_FAT_MASS_RATIO_COM</b>    | Trunk fat / Limb fat  | Num |

|   |   |     |
|---|---|-----|
| <b>DXA_OI_FAT_MASS_H2_COM</b>           | Total fat mass divided by height squared (kg/m <sup>2</sup> )                   | Num |
| <b>DXA_OI_TOTAL_FAT_MASS_COM</b>        | Total fat mass in whole body  | Num |
| <b>DXA_OI_LEAN_MASS_H2_COM</b>          | Total lean mass divided by height squared (kg/m <sup>2</sup> )                  | Num |
| <b>DXA_OI_APDG_LEAN_MASS_H2_COM</b>     | Lean mass in limbs divided by height squared (kg/m <sup>2</sup> )               | Num |
| <b>DXA_OI_TOTAL_LEAN_MASS_COM</b>       | Total lean mass in whole body   | Num |
| <b>DXA_OI_PURE_LEAN_H2_COM</b>          | Total lean mass without bone, divided by height squared (kg/m <sup>2</sup> )    | Num |
| <b>DXA_OI_APDG_PURE_LEAN_H2_COM</b>     | Lean mass without bone in limbs, divided by height squared (kg/m <sup>2</sup> ) | Num |
| <b>DXA_OI_TOTAL_PURE_LEAN_COM</b>       | Total lean mass without bone in whole body (in grams)                           | Num |
| <b>DXA_AGC_FAT_STD_COM</b>              | The value is always 68  | Num |
| <b>DXA_AGC_LEAN_STD_COM</b>             | The value is always -10   | Num |
| <b>DXA_AGC_BRAIN_FAT_COM</b>            | Assumed %%fat for brain tissue  | Num |
| <b>DXA_AGC_WATER_LBM_COM</b>            | Assumed %% of the lean body mass that is water.                                 | Num |
| <b>DXA_AGC_TISSUE_ANALYS_METHOD_COM</b> | Enumeration of methods, currently standard or NHANES                            | Num |
| <b>DXA_AGC_ROI_TYPE_COM</b>             | Numeric ID for Region Of Interest type (Android Gynoid)                         | Num |
| <b>DXA_AGC_ROI_WIDTH_COM</b>            | Region Of Interest width (Android Gynoid)                                       | Num |
| <b>DXA_AGC_ROI_HEIGHT_COM</b>           | Region Of Interest height (Android Gynoid)                                      | Num |
| <b>DXA_AGC_TOTAL_FAT_COM</b>            | Fat mass in grams (Android + Gynoid regions)                                    | Num |
| <b>DXA_AGC_TOTAL_LEAN_COM</b>           | Lean mass in grams (Android + Gynoid regions).                                  | Num |
| <b>DXA_AGC_TOTAL_MASS_COM</b>           | Fat + Lean mass in grams (Android + Gynoid regions)                             | Num |
| <b>DXA_AGC_TOTAL_PFAT_COM</b>           | Percent Fat (Android + Gynoid regions)  | Num |
| <b>DXA_AGC_ANDROID_FAT_COM</b>          | Fat Tissue in Android region (grams)  | Num |
| <b>DXA_AGC_ANDROID_LEAN_COM</b>         | Lean Tissue in Android region (grams)   | Num |
| <b>DXA_AGC_ANDROID_MASS_COM</b>         | All Tissue in Android region (grams)  | Num |
| <b>DXA_AGC_ANDROID_PFAT_COM</b>         | Percent fat in Android region   | Num |
| <b>DXA_AGC_GYNOID_FAT_COM</b>           | Fat Tissue in Gynoid region (grams)   | Num |

|  |  |     |
|--|--|-----|
| <b>DXA_AGC_GYNOID_LEAN_COM</b>         | Lean Tissue in Gynoid region (grams)                             | Num |
| <b>DXA_AGC_GYNOID_MASS_COM</b>         | All Tissue in Gynoid region (grams)                              | Num |
| <b>DXA_AGC_GYNOID_PFAT_COM</b>         | Percent fat in Gynoid region                                     | Num |
| <b>DXA_AGC_VFAT_BODY_FAT_COM</b>       | Fat Tissue in largest Visceral Fat region (grams)                | Num |
| <b>DXA_AGC_VFAT_BODY_LEAN_COM</b>      | Lean Tissue in largest Visceral Fat region (grams)               | Num |
| <b>DXA_AGC_VFAT_BODY_MASS_COM</b>      | All Tissue in largest Visceral Fat region (grams)                | Num |
| <b>DXA_AGC_VFAT_BODY_PFAT_COM</b>      | Percent fat in largest Visceral Fat region                       | Num |
| <b>DXA_AGC_VFAT_OUTERWALL_FAT_COM</b>  | Fat Tissue in middle Visceral Fat region (grams)                 | Num |
| <b>DXA_AGC_VFAT_OUTERWALL_LEAN_COM</b> | Lean Tissue in middle Visceral Fat region (grams)                | Num |
| <b>DXA_AGC_VFAT_OUTERWALL_MASS_COM</b> | All Tissue in middle Visceral Fat region (grams)                 | Num |
| <b>DXA_AGC_VFAT_OUTERWALL_PFAT_COM</b> | Percent fat in middle Visceral Fat region                        | Num |
| <b>DXA_AGC_VFAT_CAVITY_FAT_COM</b>     | Fat Tissue in inner-most Visceral Fat region (grams)             | Num |
| <b>DXA_AGC_VFAT_CAVITY_LEAN_COM</b>    | Lean Tissue in inner-most Visceral Fat region (grams)            | Num |
| <b>DXA_AGC_VFAT_CAVITY_MASS_COM</b>    | All Tissue in inner-most Visceral Fat region (grams)             | Num |
| <b>DXA_AGC_VFAT_CAVITY_PFAT_COM</b>    | Percent fat in inner-most Visceral Fat region                    | Num |
| <b>DXA_AGC_VFAT_AREA_COM</b>           | Cross-sectional area (cm squared) of fat inside abdominal cavity | Num |
| <b>DXA_AGC_VFAT_MASS_COM</b>           | Mass of fat (grams) inside abdominal cavity (in test region)     | Num |
| <b>DXA_AGC_VFAT_VOLUME_COM</b>         | Volume of fat (cc) inside abdominal cavity (in test region)      | Num |
| <b>DXA_AGC_TAT_AREA_COM</b>            |  | Num |
| <b>DXA_AGC_TFAT_AREA_COM</b>           | Cross-sectional area (cm squared) of all fat in test region      | Num |
| <b>DXA_AGC_TAT_MASS_COM</b>            |  | Num |
| <b>DXA_AGC_TFAT_MASS_COM</b>           | Mass of all fat (grams) in test region                           | Num |
| <b>DXA_AGC_TAT_VOLUME_COM</b>          |  | Num |

|   |   |     |
|---|---|-----|
| <b>DXA_AGC_TFAT_VOLUME_COM</b>          | Volume of all fat (cc) in test region   | Num |
| <b>DXA_AGC_SAT_AREA_COM</b>             | SCATcm2   | Num |
| <b>DXA_AGC_SFAT_AREA_COM</b>            | Cross-sectional area (cm squared) of fat outside abdominal cavit              | Num |
| <b>DXA_AGC_SAT_MASS_COM</b>             |   | Num |
| <b>DXA_AGC_SFAT_MASS_COM</b>            | Mass of fat (grams) outside abdominal cavity (in test region)                 | Num |
| <b>DXA_AGC_SAT_VOLUME_COM</b>           | SCATcm3   | Num |
| <b>DXA_AGC_SFAT_VOLUME_COM</b>          | Volume of fat (cc) outside abdominal cavity (in test region)                  | Num |
| <b>DXA_AGC_WAIST_CIRCUMFERENCE_COM</b>  | Circumference of test region (cm)   | Num |
| <b>DXA_AGC_SUBCU_FAT_CORRECTION_COM</b> |   | Num |
| <b>DXA_AGC_BODY_WIDTH_COM</b>           | Width of largest Visceral Fat region (patient width)                          | Num |
| <b>DXA_AGC_OUTER_WALL_WIDTH_COM</b>     | Width of middle Visceral Fat region (width of outside of abdominal cavity)    | Num |
| <b>DXA_AGC_CAVITY_WIDTH_COM</b>         | Width of inner-most Visceral Fat region (width of inside of abdominal cavity) | Num |
| <b>DXA_SYM_WB_RARM_BMC_COM</b>          | Bone mineral content for the Right Arm region - Symmetry calculation          | Num |
| <b>DXA_SYM_WB_RARM_AREA_COM</b>         | Bone area for the Right Arm region - Symmetry calculation                     | Num |
| <b>DXA_SYM_WB_RARM_BMD_COM</b>          | Bone mineral density for the Right Arm region - Symmetry calculation          | Num |
| <b>DXA_SYM_WB_LARM_BMC_COM</b>          | Bone mineral content for the Left Arm region - Symmetry calculation           | Num |
| <b>DXA_SYM_WB_LARM_AREA_COM</b>         | Bone area for the Left Arm region - Symmetry calculation                      | Num |
| <b>DXA_SYM_WB_LARM_BMD_COM</b>          | Bone mineral density for the Left Arm region - Symmetry calculation           | Num |
| <b>DXA_SYM_WB_RLEG_BMC_COM</b>          | Bone mineral content for the Right Leg region - Symmetry calculation          | Num |
| <b>DXA_SYM_WB_RLEG_AREA_COM</b>         | Bone area for the Right Leg region - Symmetry calculation                     | Num |

|                                   |  |     |
|-----------------------------------|--|-----|
| <b>DXA_SYM_WB_RLEG_BMD_COM</b>    | Bone mineral density for the Right Leg region - Symmetry calculation                     | Num |
| <b>DXA_SYM_WB_LLEG_BMC_COM</b>    | Bone mineral content for the Left Leg region - Symmetry calculation                      | Num |
| <b>DXA_SYM_WB_LLEG_AREA_COM</b>   | Bone area for the Left Leg region - Symmetry calculation                                 | Num |
| <b>DXA_SYM_WB_LLEG_BMD_COM</b>    | Bone mineral density for the Left Leg region - Symmetry calculation                      | Num |
| <b>DXA_SYM_WB_WBTOT_BMC_COM</b>   | Total BMC - Symmetry calculation   | Num |
| <b>DXA_SYM_WB_WBTOT_AREA_COM</b>  | Total body area - Symmetry calculation   | Num |
| <b>DXA_SYM_WB_WBTOT_BMD_COM</b>   | Total BMD - Symmetry calculation   | Num |
| <b>DXA_SYM_WB_SUBTOT_BMC_COM</b>  | Total BMC excluding the head region - Symmetry calculation                               | Num |
| <b>DXA_SYM_WB_SUBTOT_AREA_COM</b> | Total bone area excluding the head region - Symmetry calculation                         | Num |
| <b>DXA_SYM_WB_SUBTOT_BMD_COM</b>  | Total BMD excluding the head region - Symmetry calculation                               | Num |
| <b>DXA_SYM_WBC_RARM_MASS_COM</b>  | Mass in grams in Right arm region - Symmetry calculation                                 | Num |
| <b>DXA_SYM_WBC_RARM_FAT_COM</b>   | Grams of Fat tissue in Right arm region - Symmetry calculation                           | Num |
| <b>DXA_SYM_WBC_RARM_LEAN_COM</b>  | Grams of Lean tissue in Right arm region - Symmetry calculation                          | Num |
| <b>DXA_SYM_WBC_RARM_PFAT_COM</b>  | Percentage of fat tissue to total tissue mass in Right arm region - Symmetry calculation | Num |
| <b>DXA_SYM_WBC_LARM_MASS_COM</b>  | Mass in grams in Left arm region - Symmetry calculation                                  | Num |
| <b>DXA_SYM_WBC_LARM_FAT_COM</b>   | Grams of Fat tissue in Left arm region - Symmetry calculation                            | Num |
| <b>DXA_SYM_WBC_LARM_LEAN_COM</b>  | Grams of Lean tissue in Left arm region - Symmetry calculation                           | Num |
| <b>DXA_SYM_WBC_LARM_PFAT_COM</b>  | Percentage of fat tissue to total tissue mass in Left arm region - Symmetry calculation  | Num |
| <b>DXA_SYM_WBC_R_LEG_MASS_COM</b> | Mass in grams in Right leg region - Symmetry calculation                                 | Num |

|                                       |  |     |
|---------------------------------------|--|-----|
| <b>DXA_SYM_WBC_R_LEG_FAT_COM</b>      | Grams of Fat tissue in Right leg region - Symmetry calculation                               | Num |
| <b>DXA_SYM_WBC_R_LEG_LEAN_COM</b>     | Grams of Lean tissue in Right leg region - Symmetry calculation                              | Num |
| <b>DXA_SYM_WBC_R_LEG_PFAT_COM</b>     | Percentage of fat tissue to total tissue mass in Right leg region - Symmetry calculation     | Num |
| <b>DXA_SYM_WBC_L_LEG_MASS_COM</b>     | Mass in grams in Left leg region - Symmetry calculation                                      | Num |
| <b>DXA_SYM_WBC_L_LEG_FAT_COM</b>      | Grams of Fat tissue in Left leg region - Symmetry calculation                                | Num |
| <b>DXA_SYM_WBC_L_LEG_LEAN_COM</b>     | Grams of Lean tissue in Left leg region - Symmetry calculation                               | Num |
| <b>DXA_SYM_WBC_L_LEG_PFAT_COM</b>     | Percentage of fat tissue to total tissue mass in Left leg region - Symmetry calculation      | Num |
| <b>DXA_SYM_WBC_WBTOT_MASS_COM</b>     | Mass in grams in all included regions - Symmetry calculation                                 | Num |
| <b>DXA_SYM_WBC_WBTOT_FAT_COM</b>      | Grams of Fat tissue in all included regions - Symmetry calculation                           | Num |
| <b>DXA_SYM_WBC_WBTOT_LEAN_COM</b>     | Grams of Lean tissue in all included regions - Symmetry calculation                          | Num |
| <b>DXA_SYM_WBC_WBTOT_PFAT_COM</b>     | Percentage of fat tissue to total tissue mass in all included regions - Symmetry calculation | Num |
| <b>DXA_SYM_WBC_SUBTOT_MASS_COM</b>    | Mass in grams in Summary - Symmetry calculation  | Num |
| <b>DXA_SYM_WBC_SUBTOT_FAT_COM</b>     | Grams of Fat tissue in Summary - Symmetry calculation  | Num |
| <b>DXA_SYM_WBC_SUBTOT_LEAN_COM</b>    | Grams of Lean tissue in Summary - Symmetry calculation                                       | Num |
| <b>DXA_SYM_WBC_SUBTOT_PFAT_COM</b>    | Percentage of fat tissue to total tissue mass in Summary - Symmetry calculation              | Num |
| <b>DXA_SYM_OI_TOTAL_LEAN_MASS_COM</b> | Total lean mass in whole body - Symmetry calculation   | Num |
| <b>DXA_SYM_OI_TOTAL_PURE_LEAN_COM</b> | Total lean mass without bone in whole body (in grams) - Symmetry calculation                 | Num |

|   |  |     |
|---|--|-----|
| <b>DXA_SYM_OI_TOTAL_FAT_MASS_COM</b>    | Total fat mass in whole body - Symmetry calculation  | Num |
| <b>DXA_SYM_OI_TOTAL_PERCENT_FAT_COM</b> | % of total body mass that is fat - Symmetry calculation  | Num |
| <b>DXA_SYM_OI_FAT_MASS_RATIO_COM</b>    | % fat in Trunk / % fat in legs - Symmetry calculation  | Num |
| <b>DXA_SYM_OI_TL_FAT_MASS_RATIO_COM</b> | Trunk fat / Limb fat - Symmetry calculation  | Num |
| <b>DXA_SYM_OI_FAT_MASS_H2_COM</b>       | Total fat mass divided by height squared (kg/m <sup>2</sup> ) - Symmetry calculation                   | Num |
| <b>DXA_SYM_OI_LEAN_MASS_H2_COM</b>      | Total lean mass divided by height squared (kg/m <sup>2</sup> ) - Symmetry calculation                  | Num |
| <b>DXA_SYM_OI_APDG_LEAN_MASS_H2_COM</b> | Lean mass in limbs divided by height squared (kg/m <sup>2</sup> ) - Symmetry calculation               | Num |
| <b>DXA_SYM_OI_PURE_LEAN_H2_COM</b>      | Total lean mass without bone, divided by height squared (kg/m <sup>2</sup> ) - Symmetry calculation    | Num |
| <b>DXA_SYM_OI_APDG_PURE_LEAN_H2_COM</b> | Lean mass without bone in limbs, divided by height squared (kg/m <sup>2</sup> ) - Symmetry calculation | Num |
| <b>DXA_DRV_LARM_PURE_LEAN_COM</b>       | Pure lean mass (without bone) in left arm  | Num |
| <b>DXA_DRV_RARM_PURE_LEAN_COM</b>       | Pure lean mass (without bone) in right arm   | Num |
| <b>DXA_DRV_L_LEG_PURE_LEAN_COM</b>      | Pure lean mass (without bone) in left leg  | Num |
| <b>DXA_DRV_R_LEG_PURE_LEAN_COM</b>      | Pure lean mass (without bone) in right leg   | Num |
| <b>DXA_DRV_HEAD_PURE_LEAN_COM</b>       | Pure lean mass (without bone) in head  | Num |
| <b>DXA_DRV_TRUNK_PURE_LEAN_COM</b>      | Pure lean mass (without bone) in trunk   | Num |
| <b>DXA_DRV_SUBTOT_PURE_LEAN_COM</b>     | Total pure lean mass (without bone) excluding head region  | Num |
| <b>DXA_DRV_APDG_PURE_LEAN_COM</b>       | Pure lean mass (without bone) in limbs   | Num |
| <b>DXA_SYM_DRV_LARM_PURE_LEAN_COM</b>   | Pure lean mass (without bone) in left arm - Symmetry calculation                                       | Num |
| <b>DXA_SYM_DRV_RARM_PURE_LEAN_COM</b>   | Pure lean mass (without bone) in right arm - Symmetry calculation                                      | Num |



|   |   |     |
|---|---|-----|
| <b>DXA_SYM_DRV_L_LEG_PURE_LEAN_COM</b>  | Pure lean mass (without bone) in left leg - Symmetry calculation                              | Num |
| <b>DXA_SYM_DRV_R_LEG_PURE_LEAN_COM</b>  | Pure lean mass (without bone) in right leg - Symmetry calculation                             | Num |
| <b>DXA_SYM_DRV_SUBTOT_PURE_LEAN_COM</b> | Total pure lean mass (without bone) excluding head region - Symmetry calculation              | Num |
| <b>DXA_SYM_DRV_APDG_PURE_LEAN_COM</b>   | Pure lean mass (without bone) in limbs - Symmetry calculation                                 | Num |
| <b>DXA_WBTOT_BMD_COM</b>                | Total BMD of either QB_WBTOT_BMD or SYM_WB_WBTOT_BMD depending on symmetry conditions applied | Num |
| <b>DXA_WBTOT_T_COM</b>                  | Whole body dexa T score   | Num |
| <b>DXA_WBTOT_Z_COM</b>                  | Whole body dexa Z score   | Num |
| <b>DXA_WBTOT_PR_COM</b>                 | Whole body peak reference percent   | Num |
| <b>DXA_WBTOT_AM_COM</b>                 | Whole body age matched percent  | Num |
| <b>BLD_CONSENT_COM</b>                  | Consent to have blood withdrawn   | Num |
| <b>BLD_DRAW_COM</b>                     | Blood sample withdrawn for processing   | Num |
| <b>BLD_WNOB_COM</b>                     | Reason blood sample was not provided  | Num |
| <b>BLD_HEMA_COM</b>                     | Sample processed for hematology results   | Num |
| <b>BLD_FD24_COM</b>                     | Food or drink (excl water) past 24hrs   | Num |
| <b>BLD_FD24_HR_COM</b>                  | Hours since last food or drink  | Num |
| <b>BLD_FD24_MIN_COM</b>                 | Minutes since last food or drink  | Num |
| <b>BLD_CAFF24_COM</b>                   | Consumed caffeine past 24hrs  | Num |
| <b>BLD_CAFF24_HR_COM</b>                | Hours since last caffeine   | Num |
| <b>BLD_CAFF24_MIN_COM</b>               | Minutes since last caffeine   | Num |
| <b>BLD_TOBA24_COM</b>                   | Consumed tobacco past 24hrs   | Num |
| <b>BLD_TOBA24_HR_COM</b>                | Hours since tobacco consumption   | Num |
| <b>BLD_TOBA24_MIN_COM</b>               | Minutes since tobacco consumption   | Num |
| <b>BLD_ALC24_COM</b>                    | Consumed Alcohol past 24hrs   | Num |
| <b>BLD_ALC24_HR_COM</b>                 | Hours since alcohol consumption   | Num |

|                          |   |     |
|--------------------------|---|-----|
| <b>BLD_ALC24_MIN_COM</b> | Minutes since alcohol consumption                 | Num |
| <b>BLD_DSITE_HEM_COM</b> | Hematoma at draw site                             | Num |
| <b>BLD_DSITE_SHV_COM</b> | Sclerotic, hard veins at draw site                | Num |
| <b>BLD_DSITE_FIF_COM</b> | Fibrosed, inflamed, or fragile veins at draw site | Num |
| <b>BLD_DSITE_SWO_COM</b> | Red, swollen veins at draw site                   | Num |
| <b>BLD_DSITE_PET_COM</b> | Petechiae at draw site                            | Num |
| <b>BLD_DSITE_TAT_COM</b> | Tattoo(s) at draw site                            | Num |
| <b>BLD_DSITE_SCR_COM</b> | Extensive scarring at draw site                   | Num |
| <b>BLD_DSITE_VGR_COM</b> | Arm(s) with vascular graft at draw site           | Num |
| <b>BLD_DSITE_PAR_COM</b> | Paralyzed arm(s) at draw site                     | Num |
| <b>BLD_DSITE_CAT_COM</b> | Arm with(s) PICC line at draw site                | Num |
| <b>BLD_ACHOSEN2_COM</b>  | Arm chosen for blood collection                   | Num |
| <b>BLD_FATT_COM</b>      | First attempt at blood draw                       | Num |
| <b>BLD_NEEDLE_COM</b>    | Needle used for blood draw                        | Num |
| <b>BLD_SIT_REC_COM</b>   | Position during blood draw                        | Num |
| <b>BLD_CUR_MEN_COM</b>   | Menstruating during blood draw                    | Num |
| <b>BLD_RUNDATE_COM</b>   | The date and time the test was done               | Num |
| <b>BLD_WBC_COM</b>       | White blood cells                                 | Num |
| <b>BLD_LY_PER_COM</b>    | Lymphocytes (relative number)                     | Num |
| <b>BLD_MO_PER_COM</b>    | Monocytes (relative number)                       | Num |
| <b>BLD_GR_PER_COM</b>    | Granulocytes (relative number)                    | Num |
| <b>BLD_LY_NB_COM</b>     | Lymphocytes (absolute number)                     | Num |
| <b>BLD_MO_NB_COM</b>     | Monocytes (absolute number)                       | Num |
| <b>BLD_GR_NB_COM</b>     | Granulocytes (absolute number)                    | Num |
| <b>BLD_RBC_COM</b>       | Red blood cells                                   | Num |
| <b>BLD_Hgb_COM</b>       | Hemoglobin  | Num |
| <b>BLD_Hct_COM</b>       | Hematocrit  | Num |
| <b>BLD_MCV_COM</b>       | Mean corpuscular volume                           | Num |
| <b>BLD_MCH_COM</b>       | Mean corpuscular hemoglobin                       | Num |
| <b>BLD_MCHC_COM</b>      | Mean corpuscular hemoglobin concentration         | Num |
| <b>BLD_RDW_COM</b>       | Red blood cell distribution width                 | Num |

|                            |  |      |
|----------------------------|--|------|
| <b>BLD_Plt_COM</b>         | Platelets                                      | Num  |
| <b>BLD_MPV_COM</b>         | Mean platelet volume                           | Num  |
| <b>BLD_HBA1c_COM</b>       | Hemoglobin A1c                                 | Num  |
| <b>BLD_HBA1c_CMT_COM</b>   | Hemoglobin A1c - comment                       | Char |
| <b>BLD_VITD_COM</b>        | 25-hydroxyvitamin D                            | Num  |
| <b>BLD_VITD_CMT_COM</b>    | 25-hydroxyvitamin D - comment                  | Num  |
| <b>BLD_ALB_COM</b>         | Albumin  | Num  |
| <b>BLD_ALB_CMT_COM</b>     | Albumin - comment                              | Num  |
| <b>BLD_ALT_COM</b>         | Alanine Aminotransferase                       | Num  |
| <b>BLD_ALT_CMT_COM</b>     | Alanine Aminotransferase - comment             | Num  |
| <b>BLD_CREAT_COM</b>       | Creatinine                                     | Num  |
| <b>BLD_CREAT_CMT_COM</b>   | Creatinine - comment                           | Num  |
| <b>BLD_FERR_COM</b>        | Ferritin                                       | Num  |
| <b>BLD_FERR_CMT_COM</b>    | Ferritin - comment                             | Num  |
| <b>BLD_FT4_COM</b>         | Free Thyroxine                                 | Num  |
| <b>BLD_FT4_CMT_COM</b>     | Free Thyroxine - comment                       | Num  |
| <b>BLD_HSCRP_COM</b>       | High Sensitivity C-Reactive Protein            | Num  |
| <b>BLD_HSCRP_CMT_COM</b>   | High Sensitivity C-Reactive Protein - comment  | Num  |
| <b>BLD_CHOL_COM</b>        | Cholesterol                                    | Num  |
| <b>BLD_CHOL_CMT_COM</b>    | Cholesterol - comment                          | Num  |
| <b>BLD_HDL_COM</b>         | High-Density Lipoprotein                       | Num  |
| <b>BLD_HDL_CMT_COM</b>     | High-Density Lipoprotein, comment              | Num  |
| <b>BLD_LDL_COM</b>         | Low-Density Lipoprotein, calculated            | Num  |
| <b>BLD_LDL_CMT_COM</b>     | Low-Density Lipoprotein, calculated - comment  | Char |
| <b>BLD_nonHDL_COM</b>      | non HDL  | Num  |
| <b>BLD_nonHDL_CMT_COM</b>  | non HDL - comment                              | Num  |
| <b>BLD_TRIG_COM</b>        | Triglycerides                                  | Num  |
| <b>BLD_TRIG_CMT_COM</b>    | Triglycerides - comment                        | Num  |
| <b>BLD_TSH_COM</b>         | Thyroid-Stimulating Hormone                    | Num  |
| <b>BLD_TSH_CMT_COM</b>     | Thyroid-Stimulating Hormone, comment           | Num  |
| <b>BLD_BCtestdate_COM</b>  | Biochemistry analysis date                     | Num  |
| <b>BLD_TNFtestdate_COM</b> | TNF test analysis date                         | Num  |
| <b>BLD_TNF_COM</b>         | Tumor Necrosis Factor - Alpha (TNF- $\alpha$ ) | Num  |
| <b>BLD_IL6testdate_COM</b> | IL-6 test analysis date                        | Num  |
| <b>BLD_IL6_COM</b>         | Interleukin-6 (IL-6)                           | Num  |
| <b>ADM_GWAS3_COM</b>       | Genomics linking key                           | Num  |

|                                      |   |      |
|--------------------------------------|---|------|
| <b>ADM_METABOLON_COM</b>             | Metabolomics linking key  | Num  |
| <b>ADM_EPIGEN2_COM</b>               | Epigenetics linking key (row number in epigenetics data file)     | Num  |
| <b>DNAmAge_COM</b>                   | Absolute DNA methylation/epigenetic age estimate                  | Num  |
| <b>AgeAccelerationDifference_COM</b> | Epigenetic age acceleration difference                            | Num  |
| <b>AgeAccelerationResidual_COM</b>   | Epigenetic age acceleration residual                              | Num  |
| <b>IEAA_COM</b>                      | Intrinsic Epigenetic Age Acceleration                             | Num  |
| <b>EEAA_COM</b>                      | Extrinsic Epigenetic Age Acceleration                             | Num  |
| <b>Hannum_Age_COM</b>                | Epigenetic Age calculated based on 71 CpG sites (by Hannum et al) | Num  |
| <b>SDC_POPCNTR_COM</b>               | Population centre-Classification size                             | Num  |
| <b>SDC_POPDENSITY_COM</b>            | Population density per square Km at the dissemination area level  | Char |
| <b>MEDI_START_1_COM</b>              | Medication start date provided - medi 1                           | Num  |
| <b>MEDI_START_10_COM</b>             | Medication start date provided - medi 10                          | Num  |
| <b>MEDI_START_11_COM</b>             | Medication start date provided - medi 11                          | Num  |
| <b>MEDI_START_12_COM</b>             | Medication start date provided - medi 12                          | Num  |
| <b>MEDI_START_13_COM</b>             | Medication start date provided - medi 13                          | Num  |
| <b>MEDI_START_14_COM</b>             | Medication start date provided - medi 14                          | Num  |
| <b>MEDI_START_15_COM</b>             | Medication start date provided - medi 15                          | Num  |
| <b>MEDI_START_16_COM</b>             | Medication start date provided - medi 16                          | Num  |
| <b>MEDI_START_17_COM</b>             | Medication start date provided - medi 17                          | Num  |
| <b>MEDI_START_18_COM</b>             | Medication start date provided - medi 18                          | Num  |
| <b>MEDI_START_19_COM</b>             | Medication start date provided - medi 19                          | Num  |
| <b>MEDI_START_2_COM</b>              | Medication start date provided - medi 2                           | Num  |

|                          |  |     |
|--------------------------|--|-----|
| <b>MEDI_START_20_COM</b> | Medication start date provided - medi 20 | Num |
| <b>MEDI_START_21_COM</b> | Medication start date provided - medi 21 | Num |
| <b>MEDI_START_22_COM</b> | Medication start date provided - medi 22 | Num |
| <b>MEDI_START_23_COM</b> | Medication start date provided - medi 23 | Num |
| <b>MEDI_START_24_COM</b> | Medication start date provided - medi 24 | Num |
| <b>MEDI_START_25_COM</b> | Medication start date provided - medi 25 | Num |
| <b>MEDI_START_26_COM</b> | Medication start date provided - medi 26 | Num |
| <b>MEDI_START_27_COM</b> | Medication start date provided - medi 27 | Num |
| <b>MEDI_START_28_COM</b> | Medication start date provided - medi 28 | Num |
| <b>MEDI_START_29_COM</b> | Medication start date provided - medi 29 | Num |
| <b>MEDI_START_3_COM</b>  | Medication start date provided - medi 3  | Num |
| <b>MEDI_START_30_COM</b> | Medication start date provided - medi 30 | Num |
| <b>MEDI_START_31_COM</b> | Medication start date provided - medi 31 | Num |
| <b>MEDI_START_32_COM</b> | Medication start date provided - medi 32 | Num |
| <b>MEDI_START_33_COM</b> | Medication start date provided - medi 33 | Num |
| <b>MEDI_START_34_COM</b> | Medication start date provided - medi 34 | Num |
| <b>MEDI_START_35_COM</b> | Medication start date provided - medi 35 | Num |
| <b>MEDI_START_36_COM</b> | Medication start date provided - medi 36 | Num |
| <b>MEDI_START_37_COM</b> | Medication start date provided - medi 37 | Num |
| <b>MEDI_START_38_COM</b> | Medication start date provided - medi 38 | Num |
| <b>MEDI_START_39_COM</b> | Medication start date provided - medi 39 | Num |
| <b>MEDI_START_4_COM</b>  | Medication start date provided - medi 4  | Num |
| <b>MEDI_START_40_COM</b> | Medication start date provided - medi 40 | Num |
| <b>MEDI_START_5_COM</b>  | Medication start date provided - medi 5  | Num |

|                         |   |     |
|-------------------------|---|-----|
| <b>MEDI_START_6_COM</b> | Medication start date provided - medi 6 | Num |
| <b>MEDI_START_7_COM</b> | Medication start date provided - medi 7 | Num |
| <b>MEDI_START_8_COM</b> | Medication start date provided - medi 8 | Num |
| <b>MEDI_START_9_COM</b> | Medication start date provided - medi 9 | Num |

**comp\_cohort\_fu1\_23**

| <b>Variable Name</b>           | <b>Label</b>   | <b>Type</b> |
|--------------------------------|--|-------------|
| <b>scram_id</b>                | scrambled ID   | Num         |
| <b>AGE_NMBR_COF1</b>           | Participant age at beginning of FU1  | Num         |
| <b>ADM_SPECIAL_INHOME_COF1</b> | Flag for In-Home interview completed via telephone                         | Num         |
| <b>startdate_COF1</b>          | In-Home Questionnaire start date & time                                    | Num         |
| <b>startlanguage_COF1</b>      | Comprehensive In-Home Questionnaire administration language                | Char        |
| <b>SDC_RELGCP_COF1</b>         | Change in religious state  | Num         |
| <b>SDC_RELGFQ_COF1</b>         | Frequency of religious activity  | Num         |
| <b>SDC_MRTL_COF1</b>           | Marital/partner status   | Num         |
| <b>SDC_MRTL_CONFIRM_COF1</b>   | Same marital status  | Num         |
| <b>SDC_ORTN_COF1</b>           | Sexual orientation   | Num         |
| <b>SDC_CURRSEX_COF1</b>        | Current gender identity  | Num         |
| <b>SDC_BTHSEX_COF1</b>         | Sex at birth   | Num         |
| <b>OWN_DWLG_COF1</b>           | Dwelling type  | Num         |
| <b>OWN_OWN_COF1</b>            | Dwelling ownership/ rent status  | Num         |
| <b>OWN_MRTG_COF1</b>           | Dwelling mortgage status   | Num         |
| <b>ED_OTED_COF1</b>            | Education other degree   | Num         |
| <b>SMK_CURRCG_COF1</b>         | Current frequency cigarettes smoked  | Num         |
| <b>SMK_NBCG_COF1</b>           | Current number of cigarettes smoked per day                                | Num         |
| <b>SMK_NBCG_NB_COF1</b>        | Current number of cigarettes smoked per day, 26 or more                    | Num         |
| <b>SMK_LST30_COF1</b>          | Days smoked cigarettes in last 30 days, occasional smoker                  | Num         |
| <b>SMK_NB30_COF1</b>           | Number of cigarettes smoked in last 30 days, occasional smoker             | Num         |
| <b>SMK_NB30_NB_COF1</b>        | Number of cigarettes smoked in last 30 days, occasional smoker, 26 or more | Num         |

|                                |   |     |
|--------------------------------|---|-----|
| <b>SMK_OTOCC_COF1</b>          | Current user of other tobacco or nicotine products                    | Num |
| <b>SMK_OTCURREG_COF1</b>       | Current user of cigars  | Num |
| <b>SMK_OTCURRESM_COF1</b>      | Current user of small cigars  | Num |
| <b>SMK_OTCURREPI_COF1</b>      | Current user of tobacco pipes   | Num |
| <b>SMK_OTCURRECH_COF1</b>      | Current user of chewing tobacco or snuff                              | Num |
| <b>SMK_OTCURREPT_COF1</b>      | Current user of nicotine patches                                      | Num |
| <b>SMK_OTCURREGU_COF1</b>      | Current user of nicotine gum  | Num |
| <b>SMK_OTCURREBE_COF1</b>      | Current user of betel nut   | Num |
| <b>SMK_OTCURREPN_COF1</b>      | Current user of paan  | Num |
| <b>SMK_OTCURRESH_COF1</b>      | Current user of sheesha   | Num |
| <b>SMK_OTCURREOT_COF1</b>      | Current user of other tobacco or nicotine products other              | Num |
| <b>SMK_OTCURREDK_NA_COF1</b>   | Current user of other tobacco or nicotine products, Don't know        | Num |
| <b>SMK_OTCURREREFUSED_COF1</b> | Current user of other tobacco or nicotine products, Refused to answer | Num |
| <b>SMK_HOME_COF1</b>           | Frequency of usual passive smoking exposure at home                   | Num |
| <b>SMK_ACTV_COF1</b>           | Frequency of usual passive smoking exposure during leisure activities | Num |
| <b>SMK_ECIGAR_COF1</b>         | Ever used e-cigarette   | Num |
| <b>SMK_LSTECIGAR_COF1</b>      | Last e-cigarette contained nicotine                                   | Num |
| <b>ALC_EVER_COF1</b>           | Ever alcohol consumption  | Num |
| <b>ALC_FREQ_COF1</b>           | Frequency alcohol consumption past 12 months                          | Num |
| <b>ALC_RDWD_NB_COF1</b>        | Red wine consumed on weekdays (number of drinks)                      | Num |
| <b>ALC_WHWD_NB_COF1</b>        | White wine consumed on weekdays (number of drinks)                    | Num |
| <b>ALC_BRWD_NB_COF1</b>        | Beer consumed on weekdays (number of drinks)                          | Num |
| <b>ALC_LQRWD_NB_COF1</b>       | Liquors consumed on weekdays (number of drinks)                       | Num |
| <b>ALC_OTWD_NB_COF1</b>        | Another kind of alcohol consumed on weekdays (number of drinks)       | Num |
| <b>ALC_RDWE_NB_COF1</b>        | Red wine consumed on weekends (number of drinks)                      | Num |
| <b>ALC_WHWE_NB_COF1</b>        | White wine consumed on weekends (number of drinks)                    | Num |
| <b>ALC_BRWE_NB_COF1</b>        | Beer consumed on weekends (number of drinks)                          | Num |
| <b>ALC_LQRWE_NB_COF1</b>       | Liquors consumed on weekends (number of drinks)                       | Num |



|                             |  |     |
|-----------------------------|--|-----|
| <b>ALC_OTWE_NB_COF1</b>     | Another kind of alcohol consumed on weekends (number of drinks)              | Num |
| <b>ALC_MLFQ_COF1</b>        | Binge drinking male  | Num |
| <b>ALC_FMFQ_COF1</b>        | Binge drinking female  | Num |
| <b>ALC_HVST_COF1</b>        | Alcohol consumption compared to heaviest drinking period                     | Num |
| <b>GEN_HLTH_COF1</b>        | Self-rated general health  | Num |
| <b>GEN_MNTL_COF1</b>        | Self-rated mental health   | Num |
| <b>GEN_OWNA_G_COF1</b>      | Self-rated healthy aging   | Num |
| <b>GEN_BRD_COF1</b>         | Play games cards etc.  | Num |
| <b>GEN_MUSC_COF1</b>        | Play musical instrument or sing  | Num |
| <b>SCD_MEMO_COF1</b>        | Memory worsening   | Num |
| <b>SCD_WORY_COF1</b>        | Memory worsening causes worry  | Num |
| <b>PA2_SIT_COF1</b>         | PASE scale: Frequency of participation in sitting activities - past 7 days   | Num |
| <b>PA2_SIT_BIN_COF1</b>     | PASE scale: Participated in sitting activities - Bingo, cards or other games | Num |
| <b>PA2_SIT_COM_COF1</b>     | PASE scale: Participated in sitting activities - Computer activities         | Num |
| <b>PA2_SIT_CRO_COF1</b>     | PASE scale: Participated in sitting activities - Crosswords, puzzles, etc.   | Num |
| <b>PA2_SIT_HAN_COF1</b>     | PASE scale: Participated in sitting activities - Handicrafts                 | Num |
| <b>PA2_SIT_LIS_COF1</b>     | PASE scale: Participated in sitting activities - Listening to radio/music    | Num |
| <b>PA2_SIT_MUS_COF1</b>     | PASE scale: Participated in sitting activities - Playing musical instruments | Num |
| <b>PA2_SIT_REA_COF1</b>     | PASE scale: Participated in sitting activities - Reading                     | Num |
| <b>PA2_SIT_VIS_COF1</b>     | PASE scale: Participated in sitting activities - Visiting with others        | Num |
| <b>PA2_SIT_TV_COF1</b>      | PASE scale: Participated in sitting activities - Watching TV                 | Num |
| <b>PA2_SIT_OT_COF1</b>      | PASE scale: Participated in sitting activities - Other                       | Num |
| <b>PA2_SIT_DK_NA_COF1</b>   | PASE scale: Participated in sitting activities - Don't know/no answer        | Num |
| <b>PA2_SIT_REFUSED_COF1</b> | PASE scale: Participated in sitting activities - Refused                     | Num |
| <b>PA2_SITHR_SIT_COF1</b>   | PASE scale: Average hours per day engaged in sitting activities              | Num |
| <b>PA2_WALK_COF1</b>        | PASE scale: Frequency of taking a walk outside - past 7 days                 | Num |

|                           |   |     |
|---------------------------|---|-----|
| <b>PA2_WALKHR_COF1</b>    | PASE scale: Average hours per day spent walking   | Num |
| <b>PA2_LSPRT_COF1</b>     | PASE scale: Frequency of participation in light sports - past 7 days                      | Num |
| <b>PA2_LSPRT_ARC_COF1</b> | PASE scale: Participated in light sport or activity - Archery                             | Num |
| <b>PA2_LSPRT_BAD_COF1</b> | PASE scale: Participated in light sport or activity - Badminton                           | Num |
| <b>PA2_LSPRT_BIL_COF1</b> | PASE scale: Participated in light sport or activity - Billiards                           | Num |
| <b>PA2_LSPRT_BOA_COF1</b> | PASE scale: Participated in light sport or activity - Boating (canoeing, rowing, sailing) | Num |
| <b>PA2_LSPRT_BOC_COF1</b> | PASE scale: Participated in light sport or activity - Bocce                               | Num |
| <b>PA2_LSPRT_BOW_COF1</b> | PASE scale: Participated in light sport or activity - Bowling                             | Num |
| <b>PA2_LSPRT_CAT_COF1</b> | PASE scale: Participated in light sport or activity - Catch                               | Num |
| <b>PA2_LSPRT_CRO_COF1</b> | PASE scale: Participated in light sport or activity - Croquet                             | Num |
| <b>PA2_LSPRT_DAR_COF1</b> | PASE scale: Participated in light sport or activity - Darts                               | Num |
| <b>PA2_LSPRT_FIS_COF1</b> | PASE scale: Participated in light sport or activity - Fishing                             | Num |
| <b>PA2_LSPRT_FRI_COF1</b> | PASE scale: Participated in light sport or activity - Frisbee                             | Num |
| <b>PA2_LSPRT_GOL_COF1</b> | PASE scale: Participated in light sport or activity - Golf with a power cart              | Num |
| <b>PA2_LSPRT_HOR_COF1</b> | PASE scale: Participated in light sport or activity - Horseshoes                          | Num |
| <b>PA2_LSPRT_MUS_COF1</b> | PASE scale: Participated in light sport or activity - Musical program                     | Num |
| <b>PA2_LSPRT_RIF_COF1</b> | PASE scale: Participated in light sport or activity - Rifle shooting                      | Num |
| <b>PA2_LSPRT_SHU_COF1</b> | PASE scale: Participated in light sport or activity - Shuffleboard                        | Num |
| <b>PA2_LSPRT_SWI_COF1</b> | PASE scale: Participated in light sport or activity - Swimming: no laps                   | Num |
| <b>PA2_LSPRT_TAB_COF1</b> | PASE scale: Participated in light sport or activity - Table tennis                        | Num |
| <b>PA2_LSPRT_YOG_COF1</b> | PASE scale: Participated in light sport or activity - Yoga or stretching                  | Num |
| <b>PA2_LSPRT_OT_COF1</b>  | PASE scale: Participated in other light sport or activity                                 | Num |

|                               |  |     |
|-------------------------------|--|-----|
| <b>PA2_LSPRT_DK_NA_COF1</b>   | PASE scale: Participated in light sport or activity - Don't know/no answer                 | Num |
| <b>PA2_LSPRT_REFUSED_COF1</b> | PASE scale: Participated in light sport or activity - Refused                              | Num |
| <b>PA2_LSRTHR_COF1</b>        | PASE scale: Average hours per day engaged in light sports                                  | Num |
| <b>PA2_MSPRT_COF1</b>         | PASE scale: Frequency of participation in moderate sports - past 7 days                    | Num |
| <b>PA2_MSPRT_BAR_COF1</b>     | PASE scale: Participated in moderate sport or activity - Barn chores                       | Num |
| <b>PA2_MSPRT_DAN_COF1</b>     | PASE scale: Participated in moderate sport or activity - Dancing (ballroom, ballet, disco) | Num |
| <b>PA2_MSPRT_FEN_COF1</b>     | PASE scale: Participated in moderate sport or activity - Fencing                           | Num |
| <b>PA2_MSPRT_FOO_COF1</b>     | PASE scale: Participated in moderate sport or activity - Football                          | Num |
| <b>PA2_MSPRT_GOL_COF1</b>     | PASE scale: Participated in moderate sport or activity - Golf (without a cart)             | Num |
| <b>PA2_MSPRT_HOR_COF1</b>     | PASE scale: Participated in moderate sport or activity - Horseback riding                  | Num |
| <b>PA2_MSPRT_HUN_COF1</b>     | PASE scale: Participated in moderate sport or activity - Hunting                           | Num |
| <b>PA2_MSPRT_PIL_COF1</b>     | PASE scale: Participated in moderate sport or activity - Pilates or tai chi                | Num |
| <b>PA2_MSPRT_SCU_COF1</b>     | PASE scale: Participated in moderate sport or activity - Scuba diving or snorkeling        | Num |
| <b>PA2_MSPRT_SKA_COF1</b>     | PASE scale: Participated in moderate sport or activity - Skating (ice, roller)             | Num |
| <b>PA2_MSPRT_SLE_COF1</b>     | PASE scale: Participated in moderate sport or activity - Sledding/snowmobiling             | Num |
| <b>PA2_MSPRT_SOF_COF1</b>     | PASE scale: Participated in moderate sport or activity - Softball/baseball/cricket         | Num |
| <b>PA2_MSPRT_SUR_COF1</b>     | PASE scale: Participated in moderate sport or activity - Surfing/snowboarding              | Num |

|                               |   |     |
|-------------------------------|---|-----|
| <b>PA2_MSPRT_TEN_COF1</b>     | PASE scale: Participated in moderate sport or activity - Tennis (doubles)                 | Num |
| <b>PA2_MSPRT_TRA_COF1</b>     | PASE scale: Participated in moderate sport or activity - Trampoline                       | Num |
| <b>PA2_MSPRT_VOL_COF1</b>     | PASE scale: Participated in moderate sport or activity - Volleyball                       | Num |
| <b>PA2_MSPRT_OT_COF1</b>      | PASE scale: Participated in other moderate sport or activity                              | Num |
| <b>PA2_MSPRT_DK_NA_COF1</b>   | PASE scale: Participated in moderate sport or activity - Don't know/no answer             | Num |
| <b>PA2_MSPRT_REFUSED_COF1</b> | PASE scale: Participated in moderate sport or activity - Refused                          | Num |
| <b>PA2_MSPRTHR_COF1</b>       | PASE scale: Average hours per day engaged in moderate sports                              | Num |
| <b>PA2_SSPRT_COF1</b>         | PASE scale: Frequency of participation in strenuous sports - past 7 days                  | Num |
| <b>PA2_SSPRT_AER_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Aerobic dance or water aerobics | Num |
| <b>PA2_SSPRT_BAC_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Backpacking                     | Num |
| <b>PA2_SSPRT_BAS_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Basketball                      | Num |
| <b>PA2_SSPRT_BIC_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Bicycling/exercise bike         | Num |
| <b>PA2_SSPRT_BOA_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Board sailing                   | Num |
| <b>PA2_SSPRT_HAN_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Handball/paddleball             | Num |
| <b>PA2_SSPRT_HIK_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Hiking                          | Num |
| <b>PA2_SSPRT_HOC_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Hockey (ice or field)           | Num |
| <b>PA2_SSPRT_JOG_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Jogging                         | Num |
| <b>PA2_SSPRT_LAC_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Lacrosse                        | Num |

|                               |   |     |
|-------------------------------|---|-----|
| <b>PA2_SSPRT_MOU_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Mountain climbing, running              | Num |
| <b>PA2_SSPRT_RAC_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Racquetball                             | Num |
| <b>PA2_SSPRT_ROP_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Rope skipping                           | Num |
| <b>PA2_SSPRT_ROW_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Rowing/canoeing for competition         | Num |
| <b>PA2_SSPRT_RWM_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Rowing machine                          | Num |
| <b>PA2_SSPRT_SKI_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Skiing (cross country, downhill, water) | Num |
| <b>PA2_SSPRT_SNO_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Snowshoeing                             | Num |
| <b>PA2_SSPRT_SOC_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Soccer                                  | Num |
| <b>PA2_SSPRT_SQU_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Squash                                  | Num |
| <b>PA2_SSPRT_STA_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Stair climbing                          | Num |
| <b>PA2_SSPRT_SWI_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Swimming (with laps)                    | Num |
| <b>PA2_SSPRT_TEN_COF1</b>     | PASE scale: Participated in strenuous sport or activity - Tennis (single)                         | Num |
| <b>PA2_SSPRT_OT_COF1</b>      | PASE scale: Participated in other strenuous sport or activity                                     | Num |
| <b>PA2_SSPRT_DK_NA_COF1</b>   | PASE scale: Participated in strenuous sport or activity - Don't know/no answer                    | Num |
| <b>PA2_SSPRT_REFUSED_COF1</b> | PASE scale: Participated in strenuous sport or activity - Refused                                 | Num |
| <b>PA2_SSPRTHR_COF1</b>       | PASE scale: Average hours per day engaged in strenuous sports                                     | Num |
| <b>PA2_EXER_COF1</b>          | PASE scale: Frequency exercising to increase muscle strength and endurance - past 7 days          | Num |
| <b>PA2_EXER_CAL_COF1</b>      | PASE scale: Exercised to increase muscle strength - Calisthenics                                  | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>PA2_EXER_PUS_COF1</b>     | PASE scale: Exercised to increase muscle strength - Push-ups                               | Num |
| <b>PA2_EXER_SIT_COF1</b>     | PASE scale: Exercised to increase muscle strength - Sit-ups                                | Num |
| <b>PA2_EXER_WEI_COF1</b>     | PASE scale: Exercised to increase muscle strength - Weight lifting and hand weights        | Num |
| <b>PA2_EXER_OT_COF1</b>      | PASE scale: Exercised to increase muscle strength - Other                                  | Num |
| <b>PA2_EXER_DK_NA_COF1</b>   | PASE scale: Exercised to increase muscle strength - Don't know/no answer                   | Num |
| <b>PA2_EXER_REFUSED_COF1</b> | PASE scale: Exercised to increase muscle strength - Refused                                | Num |
| <b>PA2_EXERHR_COF1</b>       | PASE scale: Average hours per day exercised to increase muscle strength and endurance      | Num |
| <b>PA2_LTHSWK_COF1</b>       | PASE scale: Engaged in light housework - past 7 days                                       | Num |
| <b>PA2_HVYHSWK_COF1</b>      | PASE scale: Engaged in heavy housework or chores - past 7 days                             | Num |
| <b>PA2_HMREPAIR_COF1</b>     | PASE scale: Engaged in home repairs - past 7 days  | Num |
| <b>PA2_HVYODA_COF1</b>       | PASE scale: Engaged in lawn work or yard care - past 7 days                                | Num |
| <b>PA2_LTODA_COF1</b>        | PASE scale: Engaged in outdoor gardening, sweeping the balcony or the stairs - past 7 days | Num |
| <b>PA2_CRPRSN_COF1</b>       | PASE scale: Engaged in caring for another person - past 7 days                             | Num |
| <b>PA2_WRK_COF1</b>          | PASE scale: Work for pay or volunteer - past 7 days  | Num |
| <b>PA2_WRKHRS_NB_COF1</b>    | PASE scale: Hours worked for pay or as volunteer - past 7 days Number                      | Num |
| <b>PA2_WRKPA_COF1</b>        | PASE scale: Amount of physical activity required on job or volunteering                    | Num |
| <b>PA2_REPRTN_COF1</b>       | Representation of activity routine over past 12 months                                     | Num |
| <b>PA2_PALVL_COF1</b>        | Level of physical activity - past 7 days   | Num |
| <b>PA2_PARTPA_COF1</b>       | Desire to participate in more physical activities - past 12 months                         | Num |
| <b>PA2_PRVPA_COS_COF1</b>    | Factor preventing participation in more physical activities - Cost                         | Num |
| <b>PA2_PRVPA_TRM_COF1</b>    | Factor preventing participation in more physical activities - Transportation problems      | Num |

|                               |  |     |
|-------------------------------|--|-----|
| <b>PA2_PRVPA_ACT_COF1</b>     | Factor preventing participation in more physical activities - Activities not available in the area | Num |
| <b>PA2_PRVPA_LOC_COF1</b>     | Factor preventing participation in more physical activities - Location not physically accessible   | Num |
| <b>PA2_PRVPA_FAR_COF1</b>     | Factor preventing participation in more physical activities - Location is too far                  | Num |
| <b>PA2_PRVPA_HEA_COF1</b>     | Factor preventing participation in more physical activities - Health condition limitation          | Num |
| <b>PA2_PRVPA_ILL_COF1</b>     | Factor preventing participation in more physical activities - Illness/injury                       | Num |
| <b>PA2_PRVPA_FEA_COF1</b>     | Factor preventing participation in more physical activities - Fear of injury                       | Num |
| <b>PA2_PRVPA_TIM_COF1</b>     | Factor preventing participation in more physical activities - Lack of time                         | Num |
| <b>PA2_PRVPA_ENG_COF1</b>     | Factor preventing participation in more physical activities - Lack of energy                       | Num |
| <b>PA2_PRVPA_MOT_COF1</b>     | Factor preventing participation in more physical activities - Lack of motivation                   | Num |
| <b>PA2_PRVPA_SKI_COF1</b>     | Factor preventing participation in more physical activities - Lack of skills or knowledge          | Num |
| <b>PA2_PRVPA_OT_COF1</b>      | Factor preventing participation in more physical activities - Other                                | Num |
| <b>PA2_PRVPA_DK_NA_COF1</b>   | Factor preventing participation in more physical activities - Don't know/No answer                 | Num |
| <b>PA2_PRVPA_REFUSED_COF1</b> | Factor preventing participation in more physical activities - Refused                              | Num |
| <b>NUT_FBR_COF1</b>           | Consumption of high fibre breakfast cereals  | Num |
| <b>NUT_BRD_COF1</b>           | Consumption of whole wheat breads, bran breads, multigrain breads, rye breads                      | Num |
| <b>NUT_MEAT_COF1</b>          | Consumption of beef, pork  | Num |
| <b>NUT_MTOT_COF1</b>          | Consumption of other meats (veal, lamb, game)  | Num |
| <b>NUT_CHCK_COF1</b>          | Consumption of chicken, turkey   | Num |
| <b>NUT_FISH_COF1</b>          | Consumption of fish  | Num |



|                       |   |     |
|-----------------------|---|-----|
| <b>NUT_SASG_COF1</b>  | Consumption of sausages, hot dogs, ham, smoked meat, bacon          | Num |
| <b>NUT_PATE_COF1</b>  | Consumption of patés, cretons, terrines                             | Num |
| <b>NUT_SAUC_COF1</b>  | Consumption of sauces and gravies                                   | Num |
| <b>NUT_O3EG_COF1</b>  | Consumption of omega-3 eggs   | Num |
| <b>NUT_EGGS_COF1</b>  | Consumption of all egg dishes except omega 3 eggs                   | Num |
| <b>NUT_LEGM_COF1</b>  | Consumption of legumes: beans, peas, lentils                        | Num |
| <b>NUT_NUTS_COF1</b>  | Consumption of nuts, seeds and peanut butter                        | Num |
| <b>NUT_FRUT_COF1</b>  | Consumption of fruit  | Num |
| <b>NUT_GREEN_COF1</b> | Consumption of green salad  | Num |
| <b>NUT_PTTO_COF1</b>  | Consumption of potatoes   | Num |
| <b>NUT_FRIE_COF1</b>  | Consumption of french fries or pan-fried potatoes, poutine          | Num |
| <b>NUT_CRRT_COF1</b>  | Consumption of carrots  | Num |
| <b>NUT_VGOT_COF1</b>  | Consumption of other vegetables (except carrots, potatoes or salad) | Num |
| <b>NUT_LWCS_COF1</b>  | Consumption of all low-fat cheeses                                  | Num |
| <b>NUT_CHSE_COF1</b>  | Consumption of all regular cheeses                                  | Num |
| <b>NUT_LWYG_COF1</b>  | Consumption of yogurt (low-fat)                                     | Num |
| <b>NUT_YOGR_COF1</b>  | Consumption of yogurt (regular)                                     | Num |
| <b>NUT_CALC_COF1</b>  | Consumption of calcium-fortified foods                              | Num |
| <b>NUT_DAIR_COF1</b>  | Consumption of milk-based desserts                                  | Num |
| <b>NUT_SALT_COF1</b>  | Consumption of salty snacks   | Num |
| <b>NUT_DSRT_COF1</b>  | Consumption of pastries   | Num |
| <b>NUT_CHOC_COF1</b>  | Consumption of chocolate bars                                       | Num |
| <b>NUT_BTTR_COF1</b>  | Consumption of butter or regular margarine                          | Num |
| <b>NUT_DRSG_COF1</b>  | Consumption of regular vinaigrettes, dressings, and dips            | Num |
| <b>NUT_CAJC_COF1</b>  | Consumption of Calcium-fortified juices                             | Num |
| <b>NUT_PURE_COF1</b>  | Consumption of 100% pure fruit juices                               | Num |
| <b>NUT_CAML_COF1</b>  | Consumption of calcium-fortified milk (35% more calcium)            | Num |
| <b>NUT_WHML_COF1</b>  | Consumption of whole milk 3.25% m.f                                 | Num |
| <b>NUT_LFML_COF1</b>  | Consumption of 2%, 1%, skim milk                                    | Num |
| <b>NUT_CADR_COF1</b>  | Consumption of other calcium-fortified beverages                    | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>NUT_ENEG_COF1</b>         | Consumption of Energy Drinks, such as Red Bull   | Num |
| <b>NUT_PKFD_COF1</b>         | Consumption of packaged foods or meals, such as soups, frozen meals or others                | Num |
| <b>NUT_LSALT_COF1</b>        | Choose low salt or salt-free nuts/seeds/peanut butter  | Num |
| <b>NUT_TAST_COF1</b>         | Problems tasting foods   | Num |
| <b>NUT_SMEL_COF1</b>         | Problems with sense of smell   | Num |
| <b>NUT_SPDIET_COF1</b>       | Currently on specific diet   | Num |
| <b>NUT_DTYP_VEG_COF1</b>     | Current diet: vegetarian   | Num |
| <b>NUT_DTYP_VGA_COF1</b>     | Current diet: vegan  | Num |
| <b>NUT_DTYP_MAC_COF1</b>     | Current diet: macrobiotic  | Num |
| <b>NUT_DTYP_GLU_COF1</b>     | Current diet: gluten free  | Num |
| <b>NUT_DTYP_MED_COF1</b>     | Current diet: Mediterranean  | Num |
| <b>NUT_DTYP_RAW_COF1</b>     | Current diet: raw foods  | Num |
| <b>NUT_DTYP_DSH_COF1</b>     | Current diet: DASH   | Num |
| <b>NUT_DTYP_PAL_COF1</b>     | Current diet: Paleo  | Num |
| <b>NUT_DTYP_WTL_COF1</b>     | Current diet: weight loss  | Num |
| <b>NUT_DTYP_OT_COF1</b>      | Current diet: other  | Num |
| <b>NUT_DTYP_DK_NA_COF1</b>   | Current diet: don't know/no answer   | Num |
| <b>NUT_DTYP_REFUSED_COF1</b> | Current diet: refused  | Num |
| <b>NUT_DTIM_COF1</b>         | Time on current diet   | Num |
| <b>NUT_DTIM_NB_COF1</b>      | Time on current diet (in years)  | Num |
| <b>NUT_FBR_NB_COF1</b>       | Consumption (times per day) of high fibre breakfast cereals                                  | Num |
| <b>NUT_BRD_NB_COF1</b>       | Consumption (times per day) of whole wheat breads, bran breads, multigrain breads, ryebreads | Num |
| <b>NUT_MEAT_NB_COF1</b>      | Consumption (times per day) of beef, pork  | Num |
| <b>NUT_MTOT_NB_COF1</b>      | Consumption (times per day) of other meats (veal, lamb, game)                                | Num |
| <b>NUT_CHCK_NB_COF1</b>      | Consumption (times per day) of chicken, turkey   | Num |
| <b>NUT_FISH_NB_COF1</b>      | Consumption (times per day) of fish  | Num |
| <b>NUT_SASG_NB_COF1</b>      | Consumption (times per day) of sausages, hot dogs, ham, smoked meat, bacon                   | Num |
| <b>NUT_PATE_NB_COF1</b>      | Consumption (times per day) of patés, cretons, terrines                                      | Num |
| <b>NUT_SAUC_NB_COF1</b>      | Consumption (times per day) of sauces and gravies  | Num |
| <b>NUT_O3EG_NB_COF1</b>      | Consumption (times per day) of omega-3 eggs  | Num |

|                          |   |     |
|--------------------------|---|-----|
| <b>NUT_EGGS_NB_COF1</b>  | Consumption (times per day) of all egg dishes except omega 3 eggs                   | Num |
| <b>NUT_LEGM_NB_COF1</b>  | Consumption (times per day) of legumes: beans, peas, lentils                        | Num |
| <b>NUT_NUTS_NB_COF1</b>  | Consumption (times per day) of nuts, seeds and peanut butter                        | Num |
| <b>NUT_FRUT_NB_COF1</b>  | Consumption (times per day) of fruit  | Num |
| <b>NUT_GREEN_NB_COF1</b> | Consumption (times per day) of green salad  | Num |
| <b>NUT_PTTO_NB_COF1</b>  | Consumption (times per day) of potatoes   | Num |
| <b>NUT_FRIE_NB_COF1</b>  | Consumption (times per day) of french fries or pan-fried potatoes, poutine          | Num |
| <b>NUT_CRRT_NB_COF1</b>  | Consumption (times per day) of carrots  | Num |
| <b>NUT_VGOT_NB_COF1</b>  | Consumption (times per day) of other vegetables (except carrots, potatoes or salad) | Num |
| <b>NUT_LWCS_NB_COF1</b>  | Consumption (times per day) of all low-fat cheeses                                  | Num |
| <b>NUT_CHSE_NB_COF1</b>  | Consumption (times per day) of all regular cheeses                                  | Num |
| <b>NUT_LWYG_NB_COF1</b>  | Consumption (times per day) of yogurt (low-fat)                                     | Num |
| <b>NUT_YOGR_NB_COF1</b>  | Consumption (times per day) of yogurt (regular)                                     | Num |
| <b>NUT_CALC_NB_COF1</b>  | Consumption (times per day) of calcium-fortified foods                              | Num |
| <b>NUT_DAIR_NB_COF1</b>  | Consumption (times per day) of milk-based desserts                                  | Num |
| <b>NUT_SALT_NB_COF1</b>  | Consumption (times per day) of salty snacks   | Num |
| <b>NUT_DSRT_NB_COF1</b>  | Consumption (times per day) of pastries   | Num |
| <b>NUT_CHOC_NB_COF1</b>  | Consumption (times per day) of chocolate bars                                       | Num |
| <b>NUT_BTTR_NB_COF1</b>  | Consumption (times per day) of butter or regular margarine                          | Num |
| <b>NUT_DRSG_NB_COF1</b>  | Consumption (times per day) of regular vinaigrettes, dressings, and dips            | Num |
| <b>NUT_CAJC_NB_COF1</b>  | Consumption (times per day) of Calcium-fortified juices                             | Num |
| <b>NUT_PURE_NB_COF1</b>  | Consumption (times per day) of 100% pure fruit juices                               | Num |

|                              |   |     |
|------------------------------|---|-----|
| <b>NUT_CAML_NB_COF1</b>      | Consumption (times per day) of calcium-fortified milk (35% more calcium)                      | Num |
| <b>NUT_WHML_NB_COF1</b>      | Consumption (times per day) of whole milk 3.25% m.f   | Num |
| <b>NUT_LFML_NB_COF1</b>      | Consumption (times per day) of 2%, 1%, skim milk  | Num |
| <b>NUT_CADR_NB_COF1</b>      | Consumption (times per day) of other calcium-fortified beverages                              | Num |
| <b>NUT_ENEG_NB_COF1</b>      | Consumption (times per day) of Energy Drinks, such as Red Bull                                | Num |
| <b>NUT_PKFD_NB_COF1</b>      | Consumption (times per day) of packaged foods or meals, such as soups, frozen meals or others | Num |
| <b>WHO_CONCP_COF1</b>        | Ever used hormonal contraceptives   | Num |
| <b>WHO_CON_STRT_COF1</b>     | Age when started using hormonal contraceptives  | Num |
| <b>WHO_CONTT_YR_COF1</b>     | Total time that has used hormonal contraceptives, years                                       | Num |
| <b>WHO_PREG_NB_COF1</b>      | Number of pregnancies   | Num |
| <b>WHO_PREG_FRST_COF1</b>    | Age of first pregnancy  | Num |
| <b>WHO_PREG_LIVE_NB_COF1</b> | Number of live births   | Num |
| <b>WHO_PREG_LAST_COF1</b>    | Age of last pregnancy   | Num |
| <b>WHO_MENOP_COF1</b>        | Occurrence of menopause   | Num |
| <b>WHO_MPAG_AG_COF1</b>      | Age of menopause onset  | Num |
| <b>WHO_HRT_COF1</b>          | Ever used hormone replacement therapy   | Num |
| <b>WHO_TYPE_COF1</b>         | Hormone replacement therapy type  | Num |
| <b>WHO_HRTAG_AG_COF1</b>     | Age of hormone replacement therapy onset  | Num |
| <b>WHO_HRTCURR_COF1</b>      | Currently taking hormone replacement therapy  | Num |
| <b>WHO_HRTSTIL_COF1</b>      | Still taking hormone replacement therapy  | Num |
| <b>WHO_HRTYR_YR_COF1</b>     | Time that used hormone replacement therapy: years   | Num |
| <b>ADL_ABLDR_COF1</b>        | OARS scale: Able to dress   | Num |
| <b>ADL_HPDR_COF1</b>         | OARS scale: Able to dress with help   | Num |
| <b>ADL_UNDR_COF1</b>         | OARS scale: Unable to dress   | Num |
| <b>ADL_ABLFD_COF1</b>        | OARS scale: Able to feed  | Num |
| <b>ADL_HPFDF_COF1</b>        | OARS scale: Able to feed with help  | Num |
| <b>ADL_UNFD_COF1</b>         | OARS scale: Unable to feed  | Num |
| <b>ADL_ABLAP_COF1</b>        | OARS scale: Able to take care of appearance   | Num |
| <b>ADL_HPAP_COF1</b>         | OARS scale: Able to take care of appearance with help   | Num |

|                        |  |     |
|------------------------|--|-----|
| <b>ADL_UNAP_COF1</b>   | OARS scale: Unable to take care of appearance  | Num |
| <b>ADL_ABLWK_COF1</b>  | OARS scale: Able to walk                       | Num |
| <b>ADL_HPWK_COF1</b>   | OARS scale: Able to walk with help             | Num |
| <b>ADL_UNWK_COF1</b>   | OARS scale: Unable to walk                     | Num |
| <b>ADL_ABLBD_COF1</b>  | OARS scale: Able to get out of bed             | Num |
| <b>ADL_HPBD_COF1</b>   | OARS scale: Able to get out of bed with help   | Num |
| <b>ADL_UNBD_COF1</b>   | OARS scale: Unable to get out of bed           | Num |
| <b>ADL_ABLBT_COF1</b>  | OARS scale: Able to take bath                  | Num |
| <b>ADL_HPBT_COF1</b>   | OARS scale: Able to take bath with help        | Num |
| <b>ADL_UNBT_COF1</b>   | OARS scale: Unable to take bath                | Num |
| <b>ADL_BATH_COF1</b>   | OARS scale: Trouble to get in time to bathroom | Num |
| <b>ADL_INCNT_COF1</b>  | OARS scale: Frequency of incontinence          | Num |
| <b>IAL_ABLTEL_COF1</b> | OARS scale: Able to use telephone              | Num |
| <b>IAL_HPTTEL_COF1</b> | OARS scale: Able to use telephone with help    | Num |
| <b>IAL_UNTEL_COF1</b>  | OARS scale: Unable to use telephone            | Num |
| <b>IAL_ABLTRV_COF1</b> | OARS scale: Able to travel                     | Num |
| <b>IAL_HPTRV_COF1</b>  | OARS scale: Able to travel with help           | Num |
| <b>IAL_UNTRV_COF1</b>  | OARS scale: Unable to travel                   | Num |
| <b>IAL_ABLGRO_COF1</b> | OARS scale: Able to go shopping                | Num |
| <b>IAL_HPGRO_COF1</b>  | OARS scale: Able to go shopping with help      | Num |
| <b>IAL_UNGRO_COF1</b>  | OARS scale: Unable to go shopping              | Num |
| <b>IAL_ABLML_COF1</b>  | OARS scale: Able to prepare meals              | Num |
| <b>IAL_HPML_COF1</b>   | OARS scale: Able to prepare meals with help    | Num |
| <b>IAL_UNML_COF1</b>   | OARS scale: Unable to prepare meals            | Num |
| <b>IAL_ABLWRK_COF1</b> | OARS scale: Able to do housework               | Num |
| <b>IAL_HPWRK_COF1</b>  | OARS scale: Able to do housework with help     | Num |
| <b>IAL_UNWRK_COF1</b>  | OARS scale: Unable to do housework             | Num |
| <b>IAL_ABLMED_COF1</b> | OARS scale: Able to take medicine              | Num |
| <b>IAL_HPMED_COF1</b>  | OARS scale: Able to take medicine with help    | Num |
| <b>IAL_UNMED_COF1</b>  | OARS scale: Unable to take medicine            | Num |
| <b>IAL_ABLMO_COF1</b>  | OARS scale: Able to handle money               | Num |

|                         |   |     |
|-------------------------|---|-----|
| <b>IAL_HPMO_COF1</b>    | OARS scale: Able to handle money with help                                      | Num |
| <b>IAL_UNMO_COF1</b>    | OARS scale: Unable to handle money  | Num |
| <b>LSI_ROOM_COF1</b>    | Been to other rooms of home (excluding bedroom)                                 | Num |
| <b>LSI_OUT_COF1</b>     | Been to outside area of home  | Num |
| <b>LSI_NGHB_COF1</b>    | Been to places in the neighbourhood   | Num |
| <b>LSI_TOWN_COF1</b>    | Been to places outside neighbourhood but within town                            | Num |
| <b>LSI_FAR_COF1</b>     | Been to places outside town   | Num |
| <b>LSI_RMFQ_COF1</b>    | Frequency been to other rooms of home (excluding bedroom)                       | Num |
| <b>LSI_OUTFQ_COF1</b>   | Frequency been to outside area of home  | Num |
| <b>LSI_NGHBFQ_COF1</b>  | Frequency been to places in the neighbourhood                                   | Num |
| <b>LSI_TWNFQ_COF1</b>   | Frequency been to places outside neighbourhood but within town                  | Num |
| <b>LSI_FARFQ_COF1</b>   | Frequency been to places outside town   | Num |
| <b>LSI_RMAID_COF1</b>   | Used aids or needed help to get to other rooms of home (excluding bedroom)      | Num |
| <b>LSI_OUTAID_COF1</b>  | Used aids or needed help to get to outside area of home                         | Num |
| <b>LSI_NGHBAID_COF1</b> | Used aids or needed help to get to places in the neighbourhood                  | Num |
| <b>LSI_TWNAID_COF1</b>  | Used aids or needed help to get to places outside neighbourhood but within town | Num |
| <b>LSI_FARAID_COF1</b>  | Used aids or needed help to get to places outside town                          | Num |
| <b>SLS_LIFE_COF1</b>    | SWLS scale: Life close to ideal   | Num |
| <b>SLS_LIFENEG_COF1</b> | SWLS scale: Disagree life close to ideal  | Num |
| <b>SLS_LIFEPOS_COF1</b> | SWLS scale: Agree life close to ideal   | Num |
| <b>SLS_COND_COF1</b>    | SWLS scale: Life conditions excellent   | Num |
| <b>SLS_CONDNEG_COF1</b> | SWLS scale: Disagree life conditions excellent                                  | Num |
| <b>SLS_CONDPOS_COF1</b> | SWLS scale: Agree life conditions excellent                                     | Num |
| <b>SLS_SATS_COF1</b>    | SWLS scale: Satisfied with life   | Num |
| <b>SLS_SATSNEG_COF1</b> | SWLS scale: Disagree satisfied with life  | Num |
| <b>SLS_SATSPOS_COF1</b> | SWLS scale: Agree satisfied with life   | Num |

|                             |  |     |
|-----------------------------|--|-----|
| <b>SLS_IMP_COF1</b>         | SWLS scale: Have important things in life                          | Num |
| <b>SLS_IMPNEG_COF1</b>      | SWLS scale: Disagree have important things in life                 | Num |
| <b>SLS_IMPOS_COF1</b>       | SWLS scale: Agree have important things in life                    | Num |
| <b>SLS_OVER_COF1</b>        | SWLS scale: Would change almost nothing about life                 | Num |
| <b>SLS_OVERNEG_COF1</b>     | SWLS scale: Disagree would change almost nothing about life        | Num |
| <b>SLS_OVERPOS_COF1</b>     | SWLS scale: Agree would change almost nothing about life           | Num |
| <b>LONE_OFN_COF1</b>        | Feel that lack companionship                                       | Num |
| <b>LONE_LEFT_COF1</b>       | Feel left out  | Num |
| <b>LONE_ISOL_COF1</b>       | Feel isolated from others  | Num |
| <b>CR1_PRO_PR_COF1</b>      | Received professional personal care                                | Num |
| <b>CR1_PRO_MD_COF1</b>      | Received professional medical care                                 | Num |
| <b>CR1_PRO_MG_COF1</b>      | Received professional managing care                                | Num |
| <b>CR1_PRO_MH_COF1</b>      | Received professional assistance with meal preparation or delivery | Num |
| <b>CR1_PRO_WK_COF1</b>      | Received professional assistance with activities                   | Num |
| <b>CR1_PRO_TR_COF1</b>      | Received professional assistance with transportation               | Num |
| <b>CR1_PRO_PT_COF1</b>      | Received professional physical therapy                             | Num |
| <b>CR1_PRO_TA_COF1</b>      | Received professional training and adaptation assistance           | Num |
| <b>CR1_PRO_NONE_COF1</b>    | Did not require professional assistance                            | Num |
| <b>CR1_PRO_OT_COF1</b>      | Received other professional assistance                             | Num |
| <b>CR1_PRO_DK_NA_COF1</b>   | Received professional assistance, Don't know                       | Num |
| <b>CR1_PRO_REFUSED_COF1</b> | Received professional assistance, Refused to answer                | Num |
| <b>CR1_IMPT_COF1</b>        | Type of professional assistance most received                      | Num |
| <b>CR1_MOST2_COF1</b>       | Type of professional assistance most received                      | Num |
| <b>CR1_PAY_COF1</b>         | Financial accountability for professional assistance received      | Num |



|                             |  |     |
|-----------------------------|--|-----|
| <b>CR1_PAY_COST_COF1</b>    | Average out of pocket cost per month of professional assistance (past 12 months)       | Num |
| <b>CR1_FRQ_NB_COF1</b>      | Number of weeks received professional assistance (past 12 months)                      | Num |
| <b>CR1_HOUR_NB_COF1</b>     | Average number of hours per week received professional assistance                      | Num |
| <b>CR2_FAM_PR_COF1</b>      | Received non-professional personal care  | Num |
| <b>CR2_FAM_MD_COF1</b>      | Received non-professional medical care   | Num |
| <b>CR2_FAM_MG_COF1</b>      | Received non-professional managing care  | Num |
| <b>CR2_FAM_WK_COF1</b>      | Received non-professional assistance with activities                                   | Num |
| <b>CR2_FAM_TR_COF1</b>      | Received non-professional assistance with transportation                               | Num |
| <b>CR2_FAM_MH_COF1</b>      | Received non-professional assistance with meal preparation                             | Num |
| <b>CR2_FAM_PT_COF1</b>      | Received non-professional physical therapy   | Num |
| <b>CR2_FAM_TA_COF1</b>      | Received non-professional training and adaptation assistance                           | Num |
| <b>CR2_FAM_NONE_COF1</b>    | Did not require non-professional assistance  | Num |
| <b>CR2_FAM_OT_COF1</b>      | Received other non-professional assistance   | Num |
| <b>CR2_FAM_DK_NA_COF1</b>   | Received non-professional assistance, Don't know                                       | Num |
| <b>CR2_FAM_REFUSED_COF1</b> | Received non-professional assistance, Refused to answer                                | Num |
| <b>CR2_NMBR_COF1</b>        | Number of people who provided non-professional assistance (past 12 months)             | Num |
| <b>CR2_WKALL_COF1</b>       | Number weeks received non-professional assistance (past 12 months)                     | Num |
| <b>CR2_HOUR_NB_COF1</b>     | Average number of hours per week received non-professional assistance (past 12 months) | Num |
| <b>CR2_MOST2_COF1</b>       | Activity type which received most non-professional assistance                          | Num |
| <b>CR2_PERS_COF1</b>        | Dwelling location of person who provided most time for non-professional assistance     | Num |
| <b>CR2_GNDR_COF1</b>        | Gender of person who provided most non-professional assistance                         | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>CR2_AGE_NB_COF1</b>       | Age of person who provided most non-professional assistance                                | Num |
| <b>CR2_RELN_COF1</b>         | Relationship to person who provided most non-professional assistance                       | Num |
| <b>CR2_DUR_COF1</b>          | Duration of assistance from person who provided most non-professional assistance           | Num |
| <b>CR2_WKMST_NB_COF1</b>     | Number of weeks from person who provided most non-professional assistance (past 12 months) | Num |
| <b>CR2_HRWK_NB_COF1</b>      | Average number of hours per week from person who provided most non-professional assistance | Num |
| <b>CR2_DEVC_CN_COF1</b>      | Used a cane or walking stick   | Num |
| <b>CR2_DEVC_WC_COF1</b>      | Used a wheelchair  | Num |
| <b>CR2_DEVC_SC_COF1</b>      | Used a motorized scooter   | Num |
| <b>CR2_DEVC_WK_COF1</b>      | Used a walker  | Num |
| <b>CR2_DEVC_LG_COF1</b>      | Used leg braces, supportive devices  | Num |
| <b>CR2_DEVC_HD_COF1</b>      | Used a hand or arm brace   | Num |
| <b>CR2_DEVC_BR_COF1</b>      | Used grab bars   | Num |
| <b>CR2_DEVC_BT_COF1</b>      | Used bathroom aids   | Num |
| <b>CR2_DEVC_LT_COF1</b>      | Used bath, bed lifts or other devices  | Num |
| <b>CR2_DEVC_GR_COF1</b>      | Used grasping tools or reach extenders   | Num |
| <b>CR2_DEVC_UT_COF1</b>      | Used special eating utensils   | Num |
| <b>CR2_DEVC_AL_COF1</b>      | Used personal alarm  | Num |
| <b>CR2_DEVC_NONE_COF1</b>    | Did not use any assistive devices  | Num |
| <b>CR2_DEVC_OT_COF1</b>      | Used other assistive devices   | Num |
| <b>CR2_DEVC_DK_NA_COF1</b>   | Used assistive devices, Don't know   | Num |
| <b>CR2_DEVC_REFUSED_COF1</b> | Used assistive devices, Refused to answer  | Num |
| <b>CAG_HLT_PR_COF1</b>       | Provided personal care   | Num |
| <b>CAG_HLT_MD_COF1</b>       | Provided medical care  | Num |
| <b>CAG_HLT_MG_COF1</b>       | Provided managing care   | Num |
| <b>CAG_HLT_MH_COF1</b>       | Provided assistance with meals or housework  | Num |
| <b>CAG_HLT_WK_COF1</b>       | Provided assistance with house maintenance or outdoor work                                 | Num |
| <b>CAG_HLT_TR_COF1</b>       | Provided assistance with transportation  | Num |
| <b>CAG_HLT_CS_COF1</b>       | Provided social/ emotional assistance  | Num |
| <b>CAG_HLT_MB_COF1</b>       | Provided mobility assistance   | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>CAG_HLT_MF_COF1</b>       | Provided monetary assistance or financial management   | Num |
| <b>CAG_HLT_NONE_COF1</b>     | Did not provide assistance   | Num |
| <b>CAG_HLT_OT_COF1</b>       | Provided other types of assistance   | Num |
| <b>CAG_HLT_DK_NA_COF1</b>    | Provided assistance, Don't know  | Num |
| <b>CAG_HLT_REFUSED_COF1</b>  | Provided assistance, Refused to answer   | Num |
| <b>CAG_PPL_NB_COF1</b>       | Number of people who participant provided any assistance (past 12 months)                        | Num |
| <b>CAG_MOST_COF1</b>         | Dwelling location of person who participant provided most care giving assistance                 | Num |
| <b>CAG_GNDR_COF1</b>         | Gender of person who participant provided most care giving assistance                            | Num |
| <b>CAG_RELN2_COF1</b>        | Relationship to person who participant provided most care giving assistance                      | Num |
| <b>CAG_WEEK_NB_COF1</b>      | Number of weeks participant provided to person with most caregiving assistance                   | Num |
| <b>CAG_HRWK_NB_COF1</b>      | Average number of hours per week participant provided to person with most care giving assistance | Num |
| <b>INJ_OCC_COF1</b>          | Serious injuries (past 12 months)  | Num |
| <b>INJ_NMBR_NB_COF1</b>      | Number of times injured (past 12 months)   | Num |
| <b>INJ_CAUS_FL_COF1</b>      | Injury caused by a fall  | Num |
| <b>INJ_CAUS_VH_COF1</b>      | Injury caused by motor vehicle collision   | Num |
| <b>INJ_CAUS_WK_COF1</b>      | Injury caused by incident in workplace   | Num |
| <b>INJ_CAUS_NONE_COF1</b>    | Injury cause Other   | Num |
| <b>INJ_CAUS_DK_NA_COF1</b>   | Injury cause, Don't know   | Num |
| <b>INJ_CAUS_REFUSED_COF1</b> | Injury cause, Refused to answer  | Num |
| <b>INJ_HOW_COF1</b>          | How most serious injury happened   | Num |
| <b>INJ_WHR_COF1</b>          | Location of occurrence of most serious injury  | Num |
| <b>INJ_ACT_COF1</b>          | Activity in progress when injured  | Num |
| <b>INJ_TYPE_COF1</b>         | Type of injury   | Num |
| <b>INJ_BRKN_COF1</b>         | Injury involving fracture  | Num |
| <b>INJ_SITE_ML_COF1</b>      | Multiple site fracture   | Num |
| <b>INJ_SITE_EYE_COF1</b>     | Eye socket fracture  | Num |
| <b>INJ_SITE_HD_COF1</b>      | Head fracture  | Num |
| <b>INJ_SITE_NE_COF1</b>      | Neck fracture  | Num |

|                       |  |     |
|-----------------------|--|-----|
| INJ_SITE_SH_COF1      | Shoulder or upper arm fracture                                 | Num |
| INJ_SITE_EL_COF1      | Elbow or lower arm fracture                                    | Num |
| INJ_SITE_WR_COF1      | Wrist or hand fracture   | Num |
| INJ_SITE_HIP_COF1     | Hip fracture   | Num |
| INJ_SITE_TH_COF1      | Thigh fracture   | Num |
| INJ_SITE_KN_COF1      | Knee or lower leg fracture                                     | Num |
| INJ_SITE_AN_COF1      | Ankle or foot fracture   | Num |
| INJ_SITE_UP_COF1      | Upper back or upper spine fracture                             | Num |
| INJ_SITE_LO_COF1      | Lower back or lower spine fracture                             | Num |
| INJ_SITE_CH_COF1      | Chest fracture   | Num |
| INJ_SITE_AB_COF1      | Abdomen fracture   | Num |
| INJ_SITE_OT_COF1      | Other fracture   | Num |
| INJ_SITE_DK_NA_COF1   | Part of body fractured, Don't know                             | Num |
| INJ_SITE_REFUSED_COF1 | Part of body fractured, Refused to answer                      | Num |
| FAL_NMBR_NB_COF1      | Number of falls (past 12 months)                               | Num |
| FAL_MOST_COF1         | Most serious injury caused by fall (past 12 months)            | Num |
| FAL_ATT_N_COF1        | Received medical attention following injury due to fall        | Num |
| FAL_HOSP_COF1         | Hospitalized for injury due to fall                            | Num |
| FAL_FU_COF1           | Currently getting follow-up care for injury due to fall        | Num |
| FAL_WHERE_COF1        | Location of occurrence of fall                                 | Num |
| FAL_HOW_COF1          | How fall happened (inside home or outside home)                | Num |
| FAL_HOW2_COF1         | How fall happened (outdoors)                                   | Num |
| RET_RTRD_COF1         | Subjective retirement status                                   | Num |
| RET_RTRN_COF1         | Retired then returned to work                                  | Num |
| RET_SPSE_COF1         | Retirement status of spouse/partner                            | Num |
| RET_AGE_NB_COF1       | Retirement age   | Num |
| RET_WHY_CM_COF1       | Qualifying for pension contributed to retirement               | Num |
| RET_WHY_RE_COF1       | Financial possibility contributed to retirement                | Num |
| RET_WHY_HL_COF1       | Health/ disability/ stress contributed to retirement           | Num |
| RET_WHY_IN_COF1       | Employer incentives contributed to retirement                  | Num |
| RET_WHY_OR_COF1       | Organizational restructuring contributed to retirement         | Num |
| RET_WHY_PR_COF1       | Providing care contributed to retirement                       | Num |
| RET_WHY_MD_COF1       | Mandatory employer retirement policy contributed to retirement | Num |

|                      |  |     |
|----------------------|--|-----|
| RET_WHY_HO_COF1      | Desire to pursue hobbies or activities of interest contributed to retirement | Num |
| RET_WHY_ST_COF1      | Desire to stop working contributed to retirement                             | Num |
| RET_WHY_AG_COF1      | An agreement with spouse/ partner contributed to retirement                  | Num |
| RET_WHY_NA_COF1      | Reason for retirement, Participant never worked/ Not Applicable              | Num |
| RET_WHY_OT_COF1      | Other reason contributed to retirement                                       | Num |
| RET_WHY_DK_NA_COF1   | Reason contributed to retirement, Don't know                                 | Num |
| RET_WHY_REFUSED_COF1 | Reason contributed to retirement, Refused to answer                          | Num |
| LFP_YRS_COF1         | Duration of last paid job  | Num |
| LFP_HRWK_COF1        | Hours per week worked before retirement                                      | Num |
| LFP_SCHD_COF1        | Best describes work schedule before retirement                               | Num |
| LBF_CURR_COF1        | Currently working  | Num |
| LBF_MANY_COF1        | Currently working more than one job/ business                                | Num |
| LBF_STTS_COF1        | Current working status   | Num |
| LBF_SCHD_COF1        | Best describes current work schedule   | Num |
| LBF_DURN_COF1        | Duration worked at current job   | Num |
| LBF_RSN_COF1         | Reason for not working   | Num |
| RPL_AGE_NB_COF1      | Expected retirement age  | Num |
| RPL_WHYNT_COF1       | Reason for not planning to retire  | Num |
| INC_SRCE_WG_COF1     | Household wages and salaries   | Num |
| INC_SRCE_SE_COF1     | Household income from self-employment  | Num |
| INC_SRCE_IN_COF1     | Household dividends and interest   | Num |
| INC_SRCE_EI_COF1     | Household employment insurance   | Num |
| INC_SRCE_CM_COF1     | Household worker's compensation  | Num |
| INC_SRCE_BN_COF1     | Household benefits from Canada or Quebec pension plan                        | Num |
| INC_SRCE_PN_COF1     | Household job related pensions   | Num |
| INC_SRCE_GV_COF1     | Household RRSP/ RRIF   | Num |
| INC_SRCE_OLD_COF1    | Household old age security   | Num |
| INC_SRCE_GIS_COF1    | Household guaranteed income supplement                                       | Num |
| INC_SRCE_WF_COF1     | Household welfare  | Num |
| INC_SRCE_CH_COF1     | Household child tax benefit  | Num |
| INC_SRCE_SP_COF1     | Household child support  | Num |

|                        |  |      |
|------------------------|--|------|
| INC_SRCE_AL_COF1       | Household alimony                                    | Num  |
| INC_SRCE_CP_COF1       | Household capital gains                              | Num  |
| INC_SRCE_NONE_COF1     | No household sources of income                       | Num  |
| INC_SRCE_OT_COF1       | Other household sources of income                    | Num  |
| INC_SRCE_DK_NA_COF1    | Household sources of income, Don't know              | Num  |
| INC_SRCE_REFUSED_COF1  | Household sources of income, Refused to answer       | Num  |
| INC_FRST_COF1          | Highest source of household income                   | Char |
| INC_SCND_COF1          | Second highest source of household income            | Char |
| INC_THRD_COF1          | Third highest source of household income             | Char |
| INC_TOT_COF1           | Total household income                               | Num  |
| INC_PSRCE_WG_COF1      | Personal wages and salaries                          | Num  |
| INC_PSRCE_SE_COF1      | Personal income from self-employment                 | Num  |
| INC_PSRCE_IN_COF1      | Personal dividends and interest                      | Num  |
| INC_PSRCE_EI_COF1      | Personal employment insurance                        | Num  |
| INC_PSRCE_CM_COF1      | Personal worker's compensation                       | Num  |
| INC_PSRCE_BN_COF1      | Personal benefits from Canada or Quebec pension plan | Num  |
| INC_PSRCE_PN_COF1      | Personal job related pensions                        | Num  |
| INC_PSRCE_GV_COF1      | Personal RRSP/ RRIF                                  | Num  |
| INC_PSRCE_OLD_COF1     | Personal old age security                            | Num  |
| INC_PSRCE_GIS_COF1     | Personal guaranteed income supplement                | Num  |
| INC_PSRCE_WF_COF1      | Personal welfare                                     | Num  |
| INC_PSRCE_CH_COF1      | Personal child tax benefit                           | Num  |
| INC_PSRCE_SP_COF1      | Personal child support                               | Num  |
| INC_PSRCE_AL_COF1      | Personal alimony                                     | Num  |
| INC_PSRCE_CP_COF1      | Personal capital gains                               | Num  |
| INC_PSRCE_NONE_COF1    | No Personal sources of income                        | Num  |
| INC_PSRCE_OT_COF1      | Other Personal sources of income                     | Num  |
| INC_PSRCE_DK_NA_COF1   | Personal sources of income, Don't know               | Num  |
| INC_PSRCE_REFUSED_COF1 | Personal sources of income, Refused to answer        | Num  |
| INC_PFRST_COF1         | Highest source of personal income                    | Char |
| INC_PSCND_COF1         | Second highest source of personal income             | Char |
| INC_PTHRD_COF1         | Third highest source of personal income              | Char |
| INC_PTOT_COF1          | Total personal income                                | Num  |
| LFP_LAST_NB_COF1       | Last year held paid job                              | Num  |

|                               |   |     |
|-------------------------------|---|-----|
| <b>CR2_PERSFAR_DUR_COF1</b>   | Driving time to person providing assistance (in hours)  | Num |
| <b>LBF_UNEMDUR_YR_COF1</b>    | Duration of unemployment (in years)   | Num |
| <b>HCU_FAMPHY_COF1</b>        | Has had contact with: Family Doctor   | Num |
| <b>HCU_SPEC_COF1</b>          | Has had contact with: Medical specialist (such as a Cardiologist, Gynaecologist, Psychiatrist or Ophthalmologist) | Num |
| <b>HCU_PSYCH_COF1</b>         | Has had contact with: Psychologist  | Num |
| <b>HCU_OPTO_COF1</b>          | Has had contact with: Optometrist   | Num |
| <b>HCU_PHYSIO_COF1</b>        | Has had contact with: Physiotherapist, Occupational Therapist, or Chiropractor                                    | Num |
| <b>HCU_SOCLWRK_COF1</b>       | Has had contact with: Social Worker   | Num |
| <b>HCU_EMEREG_COF1</b>        | Has been in an Emergency Department (past 12 months)  | Num |
| <b>HCU_HLOVRNT_COF1</b>       | Was patient in hospital overnight (past 12 months)  | Num |
| <b>HCU_NRSHM_COF1</b>         | Was patient in a nursing home or convalescent home (past 12 months)   | Num |
| <b>HCU_HAVEFAM_COF1</b>       | Has family doctor   | Num |
| <b>HCU_NOFAM_TAKE_COF1</b>    | Reason for not having a family doctor: Family doctors in the area are not taking new patients                     | Num |
| <b>HCU_NOFAM_AVAIL_COF1</b>   | Reason for not having a family doctor: No family doctors available in the area                                    | Num |
| <b>HCU_NOFAM_CONT_COF1</b>    | Reason for not having a family doctor: Have not tried to contact one  | Num |
| <b>HCU_NOFAM_LEFT_COF1</b>    | Reason for not having a family doctor: Had a medical doctor who left or retired                                   | Num |
| <b>HCU_NOFAM_OT_COF1</b>      | Reason for not having a family doctor: Other  | Num |
| <b>HCU_NOFAM_DK_NA_COF1</b>   | Reason for not having a family doctor: Don't Know / No Answer   | Num |
| <b>HCU_NOFAM_REFUSED_COF1</b> | Reason for not having a family doctor: Refused to answer  | Num |
| <b>HCU_PLACE_COF1</b>         | If there is a place where participant usually goes to for health services   | Num |
| <b>HCU_FAMV_NEED_COF1</b>     | Reason for not seeing a family doctor (past 12 months): Not needed  | Num |



|                              |   |     |
|------------------------------|---|-----|
| <b>HCU_FAMV_APPT_COF1</b>    | Reason for not seeing a family doctor (past 12 months): Difficulty getting an appointment                 | Num |
| <b>HCU_FAMV_TRAN_COF1</b>    | Reason for not seeing a family doctor (past 12 months): Transportation problems                           | Num |
| <b>HCU_FAMV_LANG_COF1</b>    | Reason for not seeing a family doctor (past 12 months): Language problem                                  | Num |
| <b>HCU_FAMV_CANC_COF1</b>    | Reason for not seeing a family doctor (past 12 months): Appointment cancelled or deferred by doctor       | Num |
| <b>HCU_FAMV_LEAV_COF1</b>    | Reason for not seeing a family doctor (past 12 months): Unable to leave the house due to health condition | Num |
| <b>HCU_FAMV_PERS_COF1</b>    | Reason for not seeing a family doctor (past 12 months): Personal and family responsibilities              | Num |
| <b>HCU_FAMV_OT_COF1</b>      | Reason for not seeing a family doctor (past 12 months): Other   | Num |
| <b>HCU_FAMV_DK_NA_COF1</b>   | Reason for not seeing a family doctor (past 12 months): Don't Know / No Answer                            | Num |
| <b>HCU_FAMV_REFUSED_COF1</b> | Reason for not seeing a family doctor (past 12 months): Refused to answer                                 | Num |
| <b>HCU_SPEV_NEED_COF1</b>    | Reason for not seeing a medical specialist (past 12 months): Not needed                                   | Num |
| <b>HCU_SPEV_REFE_COF1</b>    | Reason for not seeing a medical specialist (past 12 months): Difficulty getting a referral                | Num |
| <b>HCU_SPEV_APPT_COF1</b>    | Reason for not seeing a medical specialist (past 12 months): Difficulty getting an appointment            | Num |
| <b>HCU_SPEV_SPEC_COF1</b>    | Reason for not seeing a medical specialist (past 12 months): No specialists in the area                   | Num |
| <b>HCU_SPEV_TRAN_COF1</b>    | Reason for not seeing a medical specialist (past 12 months): Transportation problems                      | Num |
| <b>HCU_SPEV_LANG_COF1</b>    | Reason for not seeing a medical specialist (past 12 months): Language problem                             | Num |

|                              |  |     |
|------------------------------|--|-----|
| <b>HCU_SPEV_PERS_COF1</b>    | Reason for not seeing a medical specialist (past 12 months): Personal and family responsibilities                    | Num |
| <b>HCU_SPEV_CANC_COF1</b>    | Reason for not seeing a medical specialist (past 12 months): Appointment cancelled or deferred by specialist /doctor | Num |
| <b>HCU_SPEV_WAIT_COF1</b>    | Reason for not seeing a medical specialist (past 12 months): Still waiting for visit                                 | Num |
| <b>HCU_SPEV_LEAV_COF1</b>    | Reason for not seeing a medical specialist (past 12 months): Unable to leave the house due to health condition       | Num |
| <b>HCU_SPEV_OT_COF1</b>      | Reason for not seeing a medical specialist (past 12 months): Other   | Num |
| <b>HCU_SPEV_DK_NA_COF1</b>   | Reason for not seeing a medical specialist (past 12 months): Don't Know / No Answer                                  | Num |
| <b>HCU_SPEV_REFUSED_COF1</b> | Reason for not seeing a medical specialist (past 12 months): Refused to answer                                       | Num |
| <b>MET_NEED_COF1</b>         | Health care needed but not received (past 12 months)   | Num |
| <b>MET_RSN_AREA_COF1</b>     | Reason for not getting care: Not available - in the area   | Num |
| <b>MET_RSN_TIME_COF1</b>     | Reason for not getting care: Not available - at time required (e.g. doctor on holidays, inconvenient hours)          | Num |
| <b>MET_RSN_WAIT_COF1</b>     | Reason for not getting care: Waiting time too long   | Num |
| <b>MET_RSN_INAD_COF1</b>     | Reason for not getting care: Felt would be inadequate  | Num |
| <b>MET_RSN_COST_COF1</b>     | Reason for not getting care: Cost  | Num |
| <b>MET_RSN_BUSY_COF1</b>     | Reason for not getting care: Too busy  | Num |
| <b>MET_RSN_AROD_COF1</b>     | Reason for not getting care: Didn't get around to it/didn't bother   | Num |
| <b>MET_RSN_SEEK_COF1</b>     | Reason for not getting care: Decided not to seek care  | Num |
| <b>MET_RSN_NECE_COF1</b>     | Reason for not getting care: Doctor - didn't think it was necessary  | Num |
| <b>MET_RSN_OT_COF1</b>       | Reason for not getting care: Other   | Num |
| <b>MET_RSN_DK_NA_COF1</b>    | Reason for not getting care: Don't Know / No Answer  | Num |
| <b>MET_RSN_REFUSED_COF1</b>  | Reason for not getting care: Refused to answer   | Num |

|                           |   |     |
|---------------------------|---|-----|
| <b>K10_TIRED_COF1</b>     | K10 scale: Frequency tired out - past 30 days                         | Num |
| <b>K10_NRV5_COF1</b>      | K10 scale: Frequency nervous - past 30 days                           | Num |
| <b>K10_NRV5CLMD_COF1</b>  | K10 scale: Frequency could not calm down - past 30 days               | Num |
| <b>K10_HPL5_COF1</b>      | K10 scale: Frequency hopeless - past 30 days                          | Num |
| <b>K10_RSTLS_COF1</b>     | K10 scale: Frequency restless or fidgety - past 30 days               | Num |
| <b>K10_RSTLSSTL_COF1</b>  | K10 scale: Frequency can not sit still - past 30 days                 | Num |
| <b>K10_DEP_COF1</b>       | K10 scale: Frequency of depression - past 30 days                     | Num |
| <b>K10_EFFRT_COF1</b>     | K10 scale: Frequency everything an effort - past 30 days              | Num |
| <b>K10_NOCHRUP_COF1</b>   | K10 scale: Frequency nothing can cheer up - past 30 days              | Num |
| <b>K10_WRTHL55_COF1</b>   | K10 scale: Frequency feeling worthless - past 30 days                 | Num |
| <b>K10_FLING_COF1</b>     | K10 scale: Feelings occurred - past 30 days                           | Num |
| <b>K10_FLINGLESS_COF1</b> | K10 scale: Feelings less intense                                      | Num |
| <b>K10_FLINGMORE_COF1</b> | K10 scale: Feelings more intense                                      | Num |
| <b>K10_UNWK_NB_COF1</b>   | K10 scale: Number of days unable work because of feelings             | Num |
| <b>K10_HFWK_NB_COF1</b>   | K10 scale: Number of days do half the work because of feelings        | Num |
| <b>K10_DOC_NB_COF1</b>    | K10 scale: Number of days see a doctor because of feelings            | Num |
| <b>K10_OTPFLING_COF1</b>  | K10 scale: Other Health Care professional                             | Num |
| <b>K10_PHYSHLTH_COF1</b>  | K10 scale: Physical health problems caused by feelings - past 30 days | Num |
| <b>PER_EXTR_COF1</b>      | TUPI scale: Sees oneself as extraverted and enthusiastic              | Num |
| <b>PER_EXTRDIS_COF1</b>   | TUPI scale: Degree of disagreement being extraverted and enthusiastic | Num |
| <b>PER_EXTRAGR_COF1</b>   | TUPI scale: Degree of agreement being extraverted and enthusiastic    | Num |
| <b>PER_CRT_COF1</b>       | TUPI scale: Sees oneself as critical and quarrelsome                  | Num |
| <b>PER_CRDIS_COF1</b>     | TUPI scale: Degree of disagreement being critical and quarrelsome     | Num |
| <b>PER_CRTAGR_COF1</b>    | TUPI scale: Degree of agreement being critical and quarrelsome        | Num |
| <b>PER_DP_COF1</b>        | TUPI scale: Sees oneself as dependable and self-disciplined           | Num |

|                         |  |     |
|-------------------------|--|-----|
| <b>PER_DPDIS_COF1</b>   | TUPI scale: Degree of disagreement being dependable and self-disciplined     | Num |
| <b>PER_DPAGR_COF1</b>   | TUPI scale: Degree of agreement being dependable and self-disciplined        | Num |
| <b>PER_ANX_COF1</b>     | TUPI scale: Sees oneself as anxious and easily upset                         | Num |
| <b>PER_ANXDIS_COF1</b>  | TUPI scale: Degree of disagreement being anxious and easily upset            | Num |
| <b>PER_ANXAGR_COF1</b>  | TUPI scale: Degree of agreement being anxious and easily upset               | Num |
| <b>PER_NEXP_COF1</b>    | TUPI scale: Sees oneself as open to new experiences and complex              | Num |
| <b>PER_NEXPDIS_COF1</b> | TUPI scale: Degree of disagreement being open to new experiences and complex | Num |
| <b>PER_NEXPAGR_COF1</b> | TUPI scale: Degree of agreement being open to new experiences and complex    | Num |
| <b>PER_RSV_COF1</b>     | TUPI scale: Sees oneself as reserved and quiet                               | Num |
| <b>PER_RSVDIS_COF1</b>  | TUPI scale: Degree of disagreement being reserved and quiet                  | Num |
| <b>PER_RSVAGR_COF1</b>  | TUPI scale: Degree of agreement being reserved and quiet                     | Num |
| <b>PER_SYMP_COF1</b>    | TUPI scale: Sees oneself as sympathetic and warm                             | Num |
| <b>PER_SYMPDIS_COF1</b> | TUPI scale: Degree of disagreement being sympathetic and warm                | Num |
| <b>PER_SYMPAGR_COF1</b> | TUPI scale: Degree of agreement being sympathetic and warm                   | Num |
| <b>PER_DORG_COF1</b>    | TUPI scale: Sees oneself as disorganized and careless                        | Num |
| <b>PER_DORGDIS_COF1</b> | TUPI scale: Degree of disagreement being disorganized and careless           | Num |
| <b>PER_DORGAGR_COF1</b> | TUPI scale: Degree of agreement being disorganized and careless              | Num |
| <b>PER_CALM_COF1</b>    | TUPI scale: Sees oneself as calm and emotionally stable                      | Num |
| <b>PER_CALMDIS_COF1</b> | TUPI scale: Degree of disagreement being calm and emotionally stable         | Num |
| <b>PER_CALMAGR_COF1</b> | TUPI scale: Degree of agreement being calm and emotionally stable            | Num |
| <b>PER_CNV_COF1</b>     | TUPI scale: Sees oneself as conventional and uncreative                      | Num |
| <b>PER_CNVDIS_COF1</b>  | TUPI scale: Degree of disagreement being conventional and uncreative         | Num |

|                        |  |     |
|------------------------|--|-----|
| PER_CNVAGR_COF1        | TUPI scale: Degree of agreement being conventional and uncreative  | Num |
| TRA_DSTATUS_COF1       | Driving status   | Num |
| TRA_DFREQ_COF1         | Frequency of driving   | Num |
| TRA_CMNTR1_COF1        | Most common form of transportation   | Num |
| TRA_CMNTR2_COF1        | Most common form of transportation   | Num |
| TRA_TYPTR_PAS_COF1     | Form of transportation used (past month): Passenger in a motor vehicle (including driver)                        | Num |
| TRA_TYPTR_TAX_COF1     | Form of transportation used (past month): Taxi   | Num |
| TRA_TYPTR_PUB_COF1     | Form of transportation used (past month): Public transit such as bus, rapid transit, subway/metro or train       | Num |
| TRA_TYPTR_ACC_COF1     | Form of transportation used (past month): Accessible transit   | Num |
| TRA_TYPTR_CYC_COF1     | Form of transportation used (past month): Cycling  | Num |
| TRA_TYPTR_WAL_COF1     | Form of transportation used (past month): Walking  | Num |
| TRA_TYPTR_WHE_COF1     | Form of transportation used (past month): Wheelchair or motorized cart/scooter                                   | Num |
| TRA_TYPTR_NONE_COF1    | Form of transportation used (past month): None   | Num |
| TRA_TYPTR_DK_NA_COF1   | Form of transportation used (past month): Don't Know / No Answer   | Num |
| TRA_TYPTR_REFUSED_COF1 | Form of transportation used (past month): Refused to answer  | Num |
| TRA_PUBTR_NN_COF1      | Reason for not using public transit: Service not needed  | Num |
| TRA_PUBTR_PNU_COF1     | Reason for not using public transit: Prefer not to use   | Num |
| TRA_PUBTR_UNA_COF1     | Reason for not using public transit: Service unavailable in your area  | Num |
| TRA_PUBTR_HEA_COF1     | Reason for not using public transit: Limitation due to a health condition or mobility issue                      | Num |
| TRA_PUBTR_INC_COF1     | Reason for not using public transit: Inconvenient service (travel time too long, inconvenient) schedule or route | Num |
| TRA_PUBTR_COS_COF1     | Reason for not using public transit: Too costly  | Num |

|                        |  |     |
|------------------------|--|-----|
| TRA_PUBTR_NAV_COF1     | Reason for not using public transit:<br>Service unavailable in area you traveled to  | Num |
| TRA_PUBTR_AWR_COF1     | Reason for not using public transit:<br>Unaware of local transit services  | Num |
| TRA_PUBTR_SCH_COF1     | Reason for not using public transit:<br>Schedule unsuitable for need   | Num |
| TRA_PUBTR_NSF_COF1     | Reason for not using public transit:<br>Unsafe   | Num |
| TRA_PUBTR_ACC_COF1     | Reason for not using public transit:<br>Cannot easily get to public transit stop or station  | Num |
| TRA_PUBTR_COM_COF1     | Reason for not using public transit:<br>Lack of comfort  | Num |
| TRA_PUBTR_OT_COF1      | Reason for not using public transit:<br>Other  | Num |
| TRA_PUBTR_DK_NA_COF1   | Reason for not using public transit:<br>Don't Know / No Answer   | Num |
| TRA_PUBTR_REFUSED_COF1 | Reason for not using public transit:<br>Refused to answer  | Num |
| TRA_ACCTR_NN_COF1      | Reason for not using accessible transit:<br>Service not needed   | Num |
| TRA_ACCTR_PNU_COF1     | Reason for not using accessible transit:<br>Prefer not to use  | Num |
| TRA_ACCTR_UNA_COF1     | Reason for not using accessible transit:<br>Service unavailable in your area   | Num |
| TRA_ACCTR_HEA_COF1     | Reason for not using accessible transit:<br>Limitation due to a health condition or mobility issue                                 | Num |
| TRA_ACCTR_INC_COF1     | Reason for not using accessible transit:<br>Inconvenient service (travel time too long, inconvenient) schedule or route            | Num |
| TRA_ACCTR_COS_COF1     | Reason for not using accessible transit:<br>Too costly   | Num |
| TRA_ACCTR_OVB_COF1     | Reason for not using accessible transit:<br>Service unavailable due to overbooking   | Num |
| TRA_ACCTR_CNB_COF1     | Reason for not using accessible transit:<br>Could not book (could not get through on the telephone, not enough time to book, etc.) | Num |
| TRA_ACCTR_OT_COF1      | Reason for not using accessible transit:<br>Other  | Num |
| TRA_ACCTR_DK_NA_COF1   | Reason for not using accessible transit:<br>Don't Know / No Answer   | Num |

|                        |  |     |
|------------------------|--|-----|
| TRA_ACCTR_REFUSED_COF1 | Reason for not using accessible transit: Refused to answer                               | Num |
| TRA_PUBTRFRQ_COF1      | Frequency of public transit usage (past month)   | Num |
| TRA_TRIP_WK_COF1       | Kind of trip made in a week: Commute to/from work  | Num |
| TRA_TRIP_BK_COF1       | Kind of trip made in a week: Banking and other business appointments                     | Num |
| TRA_TRIP_MD_COF1       | Kind of trip made in a week: Medical appointments  | Num |
| TRA_TRIP_GR_COF1       | Kind of trip made in a week: Grocery shopping  | Num |
| TRA_TRIP_RI_COF1       | Kind of trip made in a week: Recreational/leisure shopping, restaurants                  | Num |
| TRA_TRIP_RO_COF1       | Kind of trip made in a week: Recreational/leisure trips to park, other outdoor spaces    | Num |
| TRA_TRIP_CH_COF1       | Kind of trip made in a week: Church/worship service                                      | Num |
| TRA_TRIP_FM_COF1       | Kind of trip made in a week: Visiting friends and family                                 | Num |
| TRA_TRIP_SO_COF1       | Kind of trip made in a week: Social activities (seniors recreational centres)            | Num |
| TRA_TRIP_OT_COF1       | Kind of trip made in a week: Other   | Num |
| TRA_TRIP_DK_NA_COF1    | Kind of trip made in a week: Don't Know / No Answer                                      | Num |
| TRA_TRIP_REFUSED_COF1  | Kind of trip made in a week: Refused to answer   | Num |
| TRA_CHGRS_COF1         | Subjective ability to avoid rolling stops  | Num |
| TRA_CHGHC_COF1         | Subjective ability to avoid hitting curbs or medians                                     | Num |
| TRA_CHGLPE_COF1        | Subjective ability to avoid lane position errors   | Num |
| TRA_CHGSLC_COF1        | Subjective ability to perform high speed lane changes while either overtaking or merging | Num |
| TRA_CHGJDG_COF1        | Subjective ability to judge the available gap or speed of the approaching vehicles       | Num |
| TRA_CHGCOC_COF1        | Subjective ability to control over-cautiousness: avoid driving too slowly                | Num |



|                        |  |     |
|------------------------|--|-----|
| TRA_CHGCGB_COF1        | Subjective ability to not confuse the gas and brake pedal: avoid unintended acceleration               | Num |
| TRA_CHGQDD_COF1        | Subjective ability to make quick driving decisions   | Num |
| TRA_CHGDS_COF1         | Subjective ability to drive safely (avoid accidents or near misses)                                    | Num |
| TRA_AVOID_RA_COF1      | Avoided driving situation: On ramps and off ramps  | Num |
| TRA_AVOID_CR_COF1      | Avoided driving situation: Traffic circles/roundabouts   | Num |
| TRA_AVOID_FW_COF1      | Avoided driving situation: Four way stops without traffic signals                                      | Num |
| TRA_AVOID_UN_COF1      | Avoided driving situation: Unfamiliar routes or detours  | Num |
| TRA_AVOID_HV_COF1      | Avoided driving situation: Heavy traffic or rush hour in town  | Num |
| TRA_AVOID_ML_COF1      | Avoided driving situation: Heavy traffic or rush hour on multi-lane or divided highways/expressways    | Num |
| TRA_AVOID_SL_COF1      | Avoided driving situation: Heavy traffic or rush hour on single-lane or undivided highways/expressways | Num |
| TRA_AVOID_TL_COF1      | Avoided driving situation: Making left hand turns with traffic lights                                  | Num |
| TRA_AVOID_NL_COF1      | Avoided driving situation: Making left hand turns with no traffic lights or stop signs                 | Num |
| TRA_AVOID_LG_COF1      | Avoided driving situation: Traveling next to large trucks  | Num |
| TRA_AVOID_BS_COF1      | Avoided driving situation: Crossing or entering busy streets without traffic signals                   | Num |
| TRA_AVOID_YD_COF1      | Avoided driving situation: Yielding to traffic (at yield signs)  | Num |
| TRA_AVOID_SN_COF1      | Avoided driving situation: Driving in heavy rain or snow   | Num |
| TRA_AVOID_DW_COF1      | Avoided driving situation: Driving at dawn/dusk  | Num |
| TRA_AVOID_NT_COF1      | Avoided driving situation: Driving at night  | Num |
| TRA_AVOID_NONE_COF1    | Avoided driving situation: None  | Num |
| TRA_AVOID_OT_COF1      | Avoided driving situation: Other   | Num |
| TRA_AVOID_DK_NA_COF1   | Avoided driving situation: Don't Know / No Answer  | Num |
| TRA_AVOID_REFUSED_COF1 | Avoided driving situation: Refused to answer   | Num |

|                          |  |     |
|--------------------------|--|-----|
| <b>TRA_DRVST_YR_COF1</b> | Number of years since participant has stopped driving  | Num |
| <b>TRA_CEASE_ND_COF1</b> | Factor or event that led to cessation of driving: I no longer needed to drive                                      | Num |
| <b>TRA_CEASE_EN_COF1</b> | Factor or event that led to cessation of driving: I no longer enjoyed driving                                      | Num |
| <b>TRA_CEASE_CO_COF1</b> | Factor or event that led to cessation of driving: The cost of gas and upkeep of my car was too expensive           | Num |
| <b>TRA_CEASE_SF_COF1</b> | Factor or event that led to cessation of driving: I felt I was no longer a safe driver                             | Num |
| <b>TRA_CEASE_NR_COF1</b> | Factor or event that led to cessation of driving: I was nervous or intimidated while driving                       | Num |
| <b>TRA_CEASE_DR_COF1</b> | Factor or event that led to cessation of driving: My doctor advised me to stop driving                             | Num |
| <b>TRA_CEASE_FF_COF1</b> | Factor or event that led to cessation of driving: Someone else advised me to stop driving (e.g., family or friend) | Num |
| <b>TRA_CEASE_PT_COF1</b> | Factor or event that led to cessation of driving: Improved availability of public transit                          | Num |
| <b>TRA_CEASE_DP_COF1</b> | Factor or event that led to cessation of driving: Driving-related events such as collision, demerit points         | Num |
| <b>TRA_CEASE_RE_COF1</b> | Factor or event that led to cessation of driving: Driver license renewal or road test requirement                  | Num |
| <b>TRA_CEASE_IN_COF1</b> | Factor or event that led to cessation of driving: Inability to complete license renewal requirements               | Num |
| <b>TRA_CEASE_PC_COF1</b> | Factor or event that led to cessation of driving: Physical condition/limitation                                    | Num |
| <b>TRA_CEASE_DV_COF1</b> | Factor or event that led to cessation of driving: Deteriorating vision   | Num |
| <b>TRA_CEASE_IC_COF1</b> | Factor or event that led to cessation of driving: Having lesser confidence in driving                              | Num |

|                               |  |     |
|-------------------------------|--|-----|
| <b>TRA_CEASE_NONE_COF1</b>    | Factor or event that led to cessation of driving: No reason  | Num |
| <b>TRA_CEASE_OT_COF1</b>      | Factor or event that led to cessation of driving: Other  | Num |
| <b>TRA_CEASE_DK_NA_COF1</b>   | Factor or event that led to cessation of driving: Don't Know / No Answer   | Num |
| <b>TRA_CEASE_REFUSED_COF1</b> | Factor or event that led to cessation of driving: Refused to answer  | Num |
| <b>TRA_MED_COF1</b>           | Has spoken to family doctor, optometrist or any other doctor, nurse or pharmacist about driving safety   | Num |
| <b>TRA_MEDTPC_CON_COF1</b>    | Topic related to driving discussed with medical professional: Possible safety issues related to a medical condition that you have                                      | Num |
| <b>TRA_MEDTPC_MED_COF1</b>    | Topic related to driving discussed with medical professional: Possible safety issues related to driving when taking prescription medication                            | Num |
| <b>TRA_MEDTPC_HRB_COF1</b>    | Topic related to driving discussed with medical professional: Possible safety issues related to driving when taking non-prescription or herbal medications/supplements | Num |
| <b>TRA_MEDTPC_ACC_COF1</b>    | Topic related to driving discussed with medical professional: A motor vehicle accident or a near miss that you were a part of  | Num |
| <b>TRA_MEDTPC_INF_COF1</b>    | Topic related to driving discussed with medical professional: Driving infraction (e.g., speeding ticket)   | Num |
| <b>TRA_MEDTPC_THR_COF1</b>    | Topic related to driving discussed with medical professional: Referral for a driving assessment with an occupational therapist   | Num |
| <b>TRA_MEDTPC_LCS_COF1</b>    | Topic related to driving discussed with medical professional: Referral for a driving assessment with licensing authority   | Num |
| <b>TRA_MEDTPC_TRN_COF1</b>    | Topic related to driving discussed with medical professional: Driver re-training   | Num |
| <b>TRA_MEDTPC_ADV_COF1</b>    | Topic related to driving discussed with medical professional: General  | Num |

|                         |  |     |
|-------------------------|--|-----|
|                         | information/advice from your doctor  |     |
| TRA_MEDTPC_OT_COF1      | Topic related to driving discussed with medical professional: Other                  | Num |
| TRA_MEDTPC_DK_NA_COF1   | Topic related to driving discussed with medical professional: Don't Know / No Answer | Num |
| TRA_MEDTPC_REFUSED_COF1 | Topic related to driving discussed with medical professional: Refused to answer      | Num |
| TRA_LVDHM_YR_COF1       | Number of years participant has lived in present home                                | Num |
| TRA_LVCMNTY_YR_COF1     | Number of years participant has lived in current community                           | Num |
| TRA_CMNTY_CLI_COF1      | Reason for moving to current location: Climate and natural environment               | Num |
| TRA_CMNTY_RET_COF1      | Reason for moving to current location: Retirement or retirement plans                | Num |
| TRA_CMNTY_FAM_COF1      | Reason for moving to current location: Family lives here                             | Num |
| TRA_CMNTY_FRI_COF1      | Reason for moving to current location: Friends live here                             | Num |
| TRA_CMNTY_HOU_COF1      | Reason for moving to current location: Better and/or more suitable housing           | Num |
| TRA_CMNTY_REC_COF1      | Reason for moving to current location: Recreation facilities and services            | Num |
| TRA_CMNTY_HEA_COF1      | Reason for moving to current location: Health care                                   | Num |
| TRA_CMNTY_COS_COF1      | Reason for moving to current location: Lower cost of living                          | Num |
| TRA_CMNTY_EMP_COF1      | Reason for moving to current location: Employment opportunities                      | Num |
| TRA_CMNTY_APT_COF1      | Reason for moving to current location: Availability of public transit                | Num |
| TRA_CMNTY_ACC_COF1      | Reason for moving to current location: Ease of access to public transit              | Num |
| TRA_CMNTY_OT_COF1       | Reason for moving to current location: Other   | Num |
| TRA_CMNTY_DK_NA_COF1    | Reason for moving to current location: Don't Know / No Answer                        | Num |
| TRA_CMNTY_REFUSED_COF1  | Reason for moving to current location: Refused to answer                             | Num |

|                               |   |     |
|-------------------------------|---|-----|
| <b>ENV_HMPRB_NOI_COF1</b>     | Current home has problems with noise (e.g., from neighbours, street noise)                    | Num |
| <b>ENV_HMPRB_LEA_COF1</b>     | Current home has problems with leaking (e.g., water getting in from roof, gutters or windows) | Num |
| <b>ENV_HMPRB_CON_COF1</b>     | Current home has problems with condensation (e.g., mold)                                      | Num |
| <b>ENV_HMPRB_EP_COF1</b>      | Current home has problems with electrical wiring or plumbing                                  | Num |
| <b>ENV_HMPRB_HEA_COF1</b>     | Current home has problems with heating (e.g., inadequate or too much heat)                    | Num |
| <b>ENV_HMPRB_MAI_COF1</b>     | Current home has problems with maintenance or repairs   | Num |
| <b>ENV_HMPRB_INF_COF1</b>     | Current home has problems with infestations (e.g., insects, mice or rats)                     | Num |
| <b>ENV_HMPRB_NONE_COF1</b>    | Current home has not experienced any of these problems  | Num |
| <b>ENV_HMPRB_OT_COF1</b>      | Current home has other problems   | Num |
| <b>ENV_HMPRB_DK_NA_COF1</b>   | Don't Know / No Answer about current home problems  | Num |
| <b>ENV_HMPRB_REFUSED_COF1</b> | Refused to answer about current home problems   | Num |
| <b>ENV_STFHM_COF1</b>         | Degree of satisfaction with current housing   | Num |
| <b>ENV_FLPRTAREA_COF1</b>     | Participant feels part of area  | Num |
| <b>ENV_VNDLSM_COF1</b>        | Participant feels vandalism and graffiti are a big part of local area                         | Num |
| <b>ENV_FLLNLY_COF1</b>        | Participant feels lonely in local area  | Num |
| <b>ENV_PPLTRST_COF1</b>       | Participant feels most people can be trusted in local area                                    | Num |
| <b>ENV_AFRDWLK_COF1</b>       | Participant feels people would be afraid to walk alone after dark in local area               | Num |
| <b>ENV_PPLFRNDLY_COF1</b>     | Participant feels most people are friendly in local area                                      | Num |
| <b>ENV_PPLTKADV_COF1</b>      | Participant feels people will take advantage of you in local area                             | Num |
| <b>ENV_CLEAN_COF1</b>         | Participant feels local area is kept very clean   | Num |
| <b>ENV_PPLHLP_COF1</b>        | Participant feels people from local area would help you in case of trouble                    | Num |
| <b>SEQ_LADSCALE_COF1</b>      | Subjective standing in community (on a scale from 1 to 10, 10 being the highest standing)     | Num |

|                               |   |     |
|-------------------------------|---|-----|
| <b>WEA_SVNGS_ACC_COF1</b>     | Savings and investments (participant and spouse/partner) has: Account at a bank, credit union or elsewhere                                | Num |
| <b>WEA_SVNGS_RRSP_COF1</b>    | Savings and investments (participant and spouse/partner) has: RRSPs   | Num |
| <b>WEA_SVNGS_INV_COF1</b>     | Savings and investments (participant and spouse/partner) has: Financial investments outside of RRSPs                                      | Num |
| <b>WEA_SVNGS_NONE_COF1</b>    | Savings and investments (participant and spouse/partner) has: None  | Num |
| <b>WEA_SVNGS_DK_NA_COF1</b>   | Savings and investments (participant and spouse/partner) has: Don't Know / No Answer  | Num |
| <b>WEA_SVNGS_REFUSED_COF1</b> | Savings and investments (participant and spouse/partner) has: Refused to answer   | Num |
| <b>WEA_SVNGSVL_COF1</b>       | Total value of savings and investments  | Num |
| <b>WEA_LFINS_COF1</b>         | Participant (or spouse/partner) has life insurance  | Num |
| <b>WEA_ASSETS_HSE_COF1</b>    | Assets (participant and spouse/partner) has: House, apartment or holiday home, including timeshares but not including principal residence | Num |
| <b>WEA_ASSETS_PRES_COF1</b>   | Assets (participant and spouse/partner) has: Principal residence  | Num |
| <b>WEA_ASSETS_FBS_COF1</b>    | Assets (participant and spouse/partner) has: Farm or business property (such as a shop, warehouse or garage)                              | Num |
| <b>WEA_ASSETS_OTL_COF1</b>    | Assets (participant and spouse/partner) has: Other land   | Num |
| <b>WEA_ASSETS_MOWD_COF1</b>   | Assets (participant and spouse/partner) has: Money owed to you by others  | Num |
| <b>WEA_ASSETS_TRST_COF1</b>   | Assets (participant and spouse/partner) has: A trust  | Num |
| <b>WEA_ASSETS_CINH_COF1</b>   | Assets (participant and spouse/partner) has: A covenant or inheritance  | Num |
| <b>WEA_ASSETS_NONE_COF1</b>   | Assets (participant and spouse/partner) has: None   | Num |

|                                |   |     |
|--------------------------------|---|-----|
| <b>WEA_ASSETS_OT_COF1</b>      | Assets (participant and spouse/partner) has: Other assets (including works of art or collectibles such as antiques or jewellery)    | Num |
| <b>WEA_ASSETS_DK_NA_COF1</b>   | Assets (participant and spouse/partner) has: Don't Know / No Answer   | Num |
| <b>WEA_ASSETS_REFUSED_COF1</b> | Assets (participant and spouse/partner) has: Refused to answer  | Num |
| <b>WEA_DEBT_CCRD_COF1</b>      | Debts (participant or spouse/partner) has: Credit or store cards  | Num |
| <b>WEA_DEBT_DBI_COF1</b>       | Debts (participant or spouse/partner) has: Debts to friends, relatives or other private individuals                                 | Num |
| <b>WEA_DEBT_LNS_COF1</b>       | Debts (participant or spouse/partner) has: Loans from banks or financial institutions, including overdrafts not including mortgages | Num |
| <b>WEA_DEBT_NONE_COF1</b>      | Debts (participant or spouse/partner) has: None   | Num |
| <b>WEA_DEBT_DK_NA_COF1</b>     | Debts (participant or spouse/partner) has: Don't Know / No Answer   | Num |
| <b>WEA_DEBT_REFUSED_COF1</b>   | Debts (participant or spouse/partner) has: Refused to answer  | Num |
| <b>WEA_FNSTATUS_COF1</b>       | Description of participant's (and spouse/partner's) financial situation   | Num |
| <b>WEA_INCNEEDS_COF1</b>       | How well income currently satisfies basic needs   | Num |
| <b>WEA_THNGS_FOD_COF1</b>      | Too little money stops participant from buying first choices of food items  | Num |
| <b>WEA_THNGS_FFO_COF1</b>      | Too little money stops participant from having family and friends around for a drink or meal  | Num |
| <b>WEA_THNGS_POF_COF1</b>      | Too little money stops participant from having an outfit to wear for social or family occasions                                     | Num |
| <b>WEA_THNGS_HMR_COF1</b>      | Too little money stops participant from keeping home in a good state of repair  | Num |



|                               |   |     |
|-------------------------------|---|-----|
| <b>WEA_THNGS_REL_COF1</b>     | Too little money stops participant from replacing or repairing broken electrical goods                                      | Num |
| <b>WEA_THNGS_TRSP_COF1</b>    | Too little money stops participant from paying for fares or other transport costs to get to and from places s/he want to go | Num |
| <b>WEA_THNGS_PRES_COF1</b>    | Too little money stops participant from buying presents for friends or family   | Num |
| <b>WEA_THNGS_HLDY_COF1</b>    | Too little money stops participant from taking the type of holidays s/he wants  | Num |
| <b>WEA_THNGS_TRSLF_COF1</b>   | Too little money stops participant from treating her/himself from time to time  | Num |
| <b>WEA_THNGS_NONE_COF1</b>    | Too little money stops participant from none of these things (or things are not applicable)                                 | Num |
| <b>WEA_THNGS_DK_NA_COF1</b>   | Participant doesn't know what too little money stops her/him from doing (or has no answer)                                  | Num |
| <b>WEA_THNGS_REFUSED_COF1</b> | Participant refuses to answer what too little money stops her/him from doing  | Num |
| <b>WEA_ORGMONEY_COF1</b>      | Method organizing family finance  | Num |
| <b>WEA_FNDEC_COF1</b>         | In household, who has final say in big financial decisions  | Num |
| <b>WEA_SUFFUND_COF1</b>       | Chances that participant's financial resources will not be sufficient to meet needs in future                               | Num |
| <b>WEA_INHERT_COF1</b>        | Chances that participant (and spouse/partner together) leave an inheritance exceeding \$100,000                             | Num |
| <b>INT_ACCESSHM_COF1</b>      | Access to Internet or email at home   | Num |
| <b>INT_FRQEMAIL_COF1</b>      | Frequency of email usage  | Num |
| <b>INT_FRQWBSTS_COF1</b>      | Frequency of Internet usage to access websites  | Num |
| <b>INT_FRQHLTH_COF1</b>       | Frequency of Internet usage to search for health-related information  | Num |
| <b>INT_SCLNTWRK_COF1</b>      | Participant uses social networking sites on the Internet  | Num |
| <b>INT_WYSSCL_MNF_COF1</b>    | Way to use social networking sites: Make new friends  | Num |
| <b>INT_WYSSCL_FRI_COF1</b>    | Way to use social networking sites: Stay in touch or make plans with friends  | Num |

|                                |  |     |
|--------------------------------|--|-----|
| <b>INT_WYSSCL_FAM_COF1</b>     | Way to use social networking sites: Stay in touch or make plans with family  | Num |
| <b>INT_WYSSCL_PRO_COF1</b>     | Way to use social networking sites: Promote yourself or your work  | Num |
| <b>INT_WYSSCL_OT_COF1</b>      | Way to use social networking sites: Other  | Num |
| <b>INT_WYSSCL_DK_NA_COF1</b>   | Way to use social networking sites: Don't Know / No Answer   | Num |
| <b>INT_WYSSCL_REFUSED_COF1</b> | Way to use social networking sites: Refused to answer  | Num |
| <b>INT_FRQMNF_COF1</b>         | Frequency of social networking sites usage to make new friends   | Num |
| <b>INT_FRQFRI_COF1</b>         | Frequency of social networking sites usage to stay in touch or make plans with friends   | Num |
| <b>INT_FRQFAM_COF1</b>         | Frequency of social networking sites usage to stay in touch or make plans with family  | Num |
| <b>INT_FRQPRO_COF1</b>         | Frequency of social networking sites usage to promote yourself or your work  | Num |
| <b>INT_FRQOT_COF1</b>          | Frequency of social networking sites usage to do other specified reason  | Num |
| <b>CEX_HURT_COF1</b>           | Number of times parents, step-parents or guardians swore at participant, said hurtful, insulting things that made her/him feel like s/he was not wanted or loved (before age 16) | Num |
| <b>CEX_SEEHIT_COF1</b>         | Number of times parents, step-parents or guardians hit each other or another adult in participant's home (before age 16)   | Num |
| <b>CEX_SPANK_COF1</b>          | Number of times parent or caregiver spanked participant with their hand on participant's bottom (bum) or hand (before age 16)  | Num |
| <b>CEX_SLAP_COF1</b>           | Number of times an adult slapped participant on the face, head or ears or spank participant with something hard to hurt her/him (before age 16)                                  | Num |
| <b>CEX_PUSH_COF1</b>           | Number of times an adult pushed, grabbed, shoved participant or throw something at participant to hurt her/him (before age 16)   | Num |

|                         |   |     |
|-------------------------|---|-----|
| <b>CEX_KICK_COF1</b>    | Number of times an adult kicked, bit, punched, choked, burned or physically attacked participant in some way (before age 16)  | Num |
| <b>CEX_CARE_COF1</b>    | Number of times parents, step-parents or guardians did not take care of participant's basic needs (before age 16)   | Num |
| <b>CEX_SEX_COF1</b>     | Number of times an adult forced or attempted to force participant into any unwanted sexual activity by threatening, holding down or hurting participant in some way (before age 16) | Num |
| <b>CEX_TOUCH_COF1</b>   | Number of times an adult touched participant against her/his will in any sexual way (before age 16)   | Num |
| <b>CEX_POLICE_COF1</b>  | Number of times participant saw or talked to the police or anyone from child protective services about any of the things mentioned (before age 16)                                  | Num |
| <b>CEX_WORD_COF1</b>    | Number of times participant saw or heard parents, step-parents or guardians say hurtful or mean things to each other or another adult in her/his home (before age 16)               | Num |
| <b>ACE_DTHPRT_COF1</b>  | Experienced death or serious illness of a parent or a primary caretaker   | Num |
| <b>ACE_DVRCPRT_COF1</b> | Experienced the divorce or separation of parents  | Num |
| <b>ACE_BRKDN_COF1</b>   | "Someone in family suffered from mental or psychiatric illness or had a 'breakdown'   | Num |
| <b>MEM_PAYBILL_COF1</b> | Frequency of forgetting to pay bill on time   | Num |
| <b>MEM_MPLAC_COF1</b>   | Frequency of misplacing something used daily, like keys or glasses  | Num |
| <b>MEM_RMNUM_COF1</b>   | Frequency of having trouble remembering a telephone number just looked up   | Num |
| <b>MEM_RCNME_COF1</b>   | Frequency of not recalling the name of someone just met   | Num |
| <b>MEM_LVTHG_COF1</b>   | Frequency of leaving something behind when meant to be brought with you   | Num |

|                        |  |     |
|------------------------|--|-----|
| <b>MEM_FGAPT_COF1</b>  | Frequency of forgetting an appointment   | Num |
| <b>MEM_FGTD0_COF1</b>  | Frequency of forgetting what you were just about to do   | Num |
| <b>MEM_FGERD_COF1</b>  | Frequency of forgetting to run an errand   | Num |
| <b>MEM_SPWRD_COF1</b>  | Frequency of having difficulty coming up with a specific word wanted   | Num |
| <b>MEM_MBDTL_COF1</b>  | Frequency of having trouble remembering details from a newspaper or magazine article read earlier that day                   | Num |
| <b>MEM_FGMED_COF1</b>  | Frequency of forgetting to take medication   | Num |
| <b>MEM_NAMEK_COF1</b>  | Frequency of not recalling the name of someone known for some time   | Num |
| <b>MEM_PSMEG_COF1</b>  | Frequency of forgetting to pass on a message   | Num |
| <b>MEM_FGSAY_COF1</b>  | Frequency of forgetting what you were going to say in conversation   | Num |
| <b>MEM_FGANV_COF1</b>  | Frequency of forgetting a birthday or anniversary that used to be known well   | Num |
| <b>MEM_TELNM_COF1</b>  | Frequency of forgetting a telephone number frequently used   | Num |
| <b>MEM_RETELL_COF1</b> | Frequency of retelling a story or joke to the same person because of forgetting that it had already been told to that person | Num |
| <b>MEM_PLAWY_COF1</b>  | Frequency of misplacing something that was put away a few days ago   | Num |
| <b>MEM_BUYTH_COF1</b>  | Frequency of forgetting to buy something that was intended to be bought  | Num |
| <b>MEM_DTCNV_COF1</b>  | Frequency of forgetting details about a recent conversation  | Num |
| <b>PHB_BLP_COF1</b>    | Blood pressure taken in the last 12 months   | Num |
| <b>PHB_COL_COF1</b>    | Had a colorectal screening in the last 12 months   | Num |
| <b>PHB_CHOL_COF1</b>   | Took blood test for cholesterol in the last 3 years  | Num |
| <b>PHB_GLU_COF1</b>    | Took blood sugar or glucose tolerance test in the last 3 years   | Num |
| <b>PHB_PAP_COF1</b>    | Took Pap smear test (w)  | Num |

|                             |  |      |
|-----------------------------|--|------|
| <b>PHB_MG_COF1</b>          | Has had a mammogram, that is a breast X-ray (w)                  | Num  |
| <b>PHB_DEXA_COF1</b>        | Has had a bone density scan for osteoporosis (w)                 | Num  |
| <b>PHB_FLUV_COF1</b>        | Received flu shot in the last 12 months                          | Num  |
| <b>PHB_PCV_COF1</b>         | Received pneumonia shot (pneumococcal vaccination) in life       | Num  |
| <b>SDC_FSA_COF1</b>         | Forward Sortation Area (FSA)                                     | Char |
| <b>WGHTS_PROV_COF1</b>      | Province of residence  | Num  |
| <b>SDC_CSDUID_COF1</b>      | Census Subdivision UID   | Num  |
| <b>SDC_URBAN_RURAL_COF1</b> | Urban/ rural classification                                      | Num  |
| <b>SDC_POPCENTR_COF1</b>    | Population centre type   | Num  |
| <b>COG_REC_COF1</b>         | Consent for audio recording                                      | Num  |
| <b>COG_RDY_COF1</b>         | Ready to listen to recording instructions                        | Num  |
| <b>COG_RDYRPT_COF1</b>      | Repeat instructions. Ready to listen to recording                | Num  |
| <b>COG_RDYIMP_COF1</b>      | Performance impaired - recording test                            | Num  |
| <b>COG_RDYFCTR_LG_COF1</b>  | Language difficulty - recording test                             | Num  |
| <b>COG_RDYFCTR_PH_COF1</b>  | Physical Impairment - recording test                             | Num  |
| <b>COG_RDYFCTR_DI_COF1</b>  | Distraction - recording test                                     | Num  |
| <b>COG_RDYFCTR_IM_COF1</b>  | Impaired concentration/ memory problems - recording test         | Num  |
| <b>COG_RDYFCTR_AID_COF1</b> | Use of an aid - recording test                                   | Num  |
| <b>COG_RDYFCTR_TE_COF1</b>  | Technical difficulties with laptop - recording test              | Num  |
| <b>COG_RDYFCTR_OT_COF1</b>  | Other factor impaired performance - recording test               | Num  |
| <b>COG_BGN_COF1</b>         | Clearly heard the recording instructions                         | Num  |
| <b>COG_HRD_COF1</b>         | Repeat instructions. Clearly heard the recording                 | Num  |
| <b>COG_HRDIMP_COF1</b>      | Performance impaired - clearly heard recording                   | Num  |
| <b>COG_HRDFCTR_LG_COF1</b>  | Language difficulty - clearly heard recording                    | Num  |
| <b>COG_HRDFCTR_PH_COF1</b>  | Physical Impairment - clearly heard recording                    | Num  |
| <b>COG_HRDFCTR_DI_COF1</b>  | Distraction - clearly heard recording                            | Num  |
| <b>COG_HRDFCTR_IM_COF1</b>  | Impaired concentration/memory problems - clearly heard recording | Num  |
| <b>COG_HRDFCTR_AID_COF1</b> | Use of an aid - clearly heard recording                          | Num  |
| <b>COG_HRDFCTR_TE_COF1</b>  | Technical difficulties - clearly heard recording                 | Num  |

|                       |   |     |
|-----------------------|---|-----|
| COG_HRDFCTR_OT_COF1   | Other factor impaired performance - clearly heard recording | Num |
| COG_WRD_COF1          | Word recall test instructions understood                    | Num |
| COG_WRDRPT_COF1       | Repeat instructions. Word recall test                       | Num |
| COG_WRDIMP_COF1       | Performance impaired - word recall test                     | Num |
| COG_WRDFCTR_LG_COF1   | Language difficulty - word recall test                      | Num |
| COG_WRDFCTR_PH_COF1   | Physical Impairment - word recall test                      | Num |
| COG_WRDFCTR_DI_COF1   | Distraction - word recall test                              | Num |
| COG_WRDFCTR_IM_COF1   | Impaired concentration/ memory problems - word recall test  | Num |
| COG_WRDFCTR_AID_COF1  | Use of an aid - word recall test                            | Num |
| COG_WRDFCTR_TE_COF1   | Technical difficulties - word recall test                   | Num |
| COG_WRDFCTR_OT_COF1   | Other factor impaired performance - word recall test        | Num |
| COG_ANML_COF1         | Animal names test instructions understood                   | Num |
| COG_ANMLRPT_COF1      | Repeat instructions. Animal names test                      | Num |
| COG_ANMLIMP_COF1      | Performance impaired - animal names test                    | Num |
| COG_ANMLFCTR_LG_COF1  | Language difficulty - animal names test                     | Num |
| COG_ANMLFCTR_PH_COF1  | Physical Impairment - animal names test                     | Num |
| COG_ANMLFCTR_DI_COF1  | Distraction - animal names test                             | Num |
| COG_ANMLFCTR_IM_COF1  | Impaired concentration/ memory problems - animal names test | Num |
| COG_ANMLFCTR_AID_COF1 | Use of an aid - animal names test                           | Num |
| COG_ANMLFCTR_TE_COF1  | Technical difficulties - animal names test                  | Num |
| COG_ANMLFCTR_OT_COF1  | Other factor impaired performance - animal names test       | Num |
| COG_CNT_COF1          | Counting test instructions understood                       | Num |
| COG_CNTRPT_COF1       | Repeat instructions. Counting test                          | Num |
| COG_CNTFCTR_LG_COF1   | Language difficulty - counting test                         | Num |
| COG_CNTFCTR_PH_COF1   | Physical Impairment - counting test                         | Num |
| COG_CNTFCTR_DI_COF1   | Distraction - counting test                                 | Num |
| COG_CNTFCTR_IM_COF1   | Impaired concentration/ memory problems - counting test     | Num |
| COG_CNTFCTR_AID_COF1  | Use of an aid - counting test                               | Num |
| COG_CNTFCTR_TE_COF1   | Technical difficulties - counting test                      | Num |

|                       |  |      |
|-----------------------|--|------|
| COG_CNTFCTR_OT_COF1   | Other factor impaired performance - counting test                              | Num  |
| COG_CNNTIME_REC_COF1  | Time in seconds to count from 1 to 20  | Char |
| COG_ALP_COF1          | Alphabet test instructions understood  | Num  |
| COG_ALPRPT_COF1       | Repeat instructions. Alphabet test   | Num  |
| COG_ALPIMP_COF1       | Performance impaired - alphabet test   | Num  |
| COG_ALPFCTR_LG_COF1   | Language difficulty - alphabet test  | Num  |
| COG_ALPFCTR_PH_COF1   | Physical Impairment - alphabet test  | Num  |
| COG_ALPFCTR_DI_COF1   | Distraction - alphabet test  | Num  |
| COG_ALPFCTR_IM_COF1   | Impaired concentration/ memory problems - alphabet test                        | Num  |
| COG_ALPFCTR_AID_COF1  | Use of an aid - alphabet test  | Num  |
| COG_ALPFCTR_TE_COF1   | Technical difficulties - alphabet test   | Num  |
| COG_ALPFCTR_OT_COF1   | Other factor impaired performance - alphabet test                              | Num  |
| COG_ALPTME_REC_COF1   | Time in seconds to recite the alphabet from A to Z                             | Char |
| COG_ALT_COF1          | Alternating number and alphabet test instructions understood                   | Num  |
| COG_ALTRPT_COF1       | Repeat instructions. Alternating number and alphabet test                      | Num  |
| COG_ALTIMP_COF1       | Performance impaired - alternating numbers and alphabet test                   | Num  |
| COG_ALTFCCTR_LG_COF1  | Language difficulty - alternating number and alphabet test                     | Num  |
| COG_ALTFCCTR_PH_COF1  | Physical Impairment - alternating number and alphabet test                     | Num  |
| COG_ALTFCCTR_DI_COF1  | Distraction - alternating number and alphabet test                             | Num  |
| COG_ALTFCCTR_IM_COF1  | Impaired concentration/ memory problems - alternating number and alphabet test | Num  |
| COG_ALTFCCTR_AID_COF1 | Use of an aid - alternating number and alphabet test                           | Num  |
| COG_ALTFCCTR_TE_COF1  | Technical difficulties - alternating number and alphabet test                  | Num  |
| COG_ALTFCCTR_OT_COF1  | Other factor impaired performance - alternating number and alphabet test       | Num  |
| COG_ALTME_REC_COF1    | Time in seconds to recite the alphabet from (1-A), (2-B), (3-C).. Etc.         | Char |



|   |   |      |
|---|---|------|
| <b>COG_REYI_SCORE_COF1</b>              | REYI - Number of words (or variants) correctly recalled in 90 seconds - Immediate Recall  | Num  |
| <b>COG_REYI_META_AUDIO_STATUS_COF1</b>  | REYI - Status of recording  | Num  |
| <b>COG_REYI_META_PSTATUS_COF1</b>       | REYI - Participant status   | Num  |
| <b>COG_AFT_SCORE_1_COF1</b>             | AFT - Score 1 - Number of different animals recited in 60 seconds   | Num  |
| <b>COG_AFT_SCORE_2_COF1</b>             | AFT - Score 2 - Number of different animals recited in 60 seconds   | Num  |
| <b>COG_AFT_META_AUDIO_STATUS_COF1</b>   | AFT - Status of recording   | Num  |
| <b>COG_AFT_META_PSTATUS_COF1</b>        | AFT - Participant status  | Num  |
| <b>COG_CNTMETA_COF1</b>                 | Participant able to count from 1 to 20, from 1, 2, 3, 4 and so on   | Num  |
| <b>COG_ALPMETA_COF1</b>                 | Participant able to recite the alphabet, from A, B, C, D and so on  | Num  |
| <b>COG_MAT_SCORE_COF1</b>               | MAT - Number of correct consecutive numeric and alphabetical alternations in 30 seconds   | Num  |
| <b>COG_MAT_META_AUDIO_STATUS_COF1</b>   | MAT - Status of recording   | Num  |
| <b>COG_MAT_META_PSTATUS_COF1</b>        | MAT - Participant status  | Num  |
| <b>COG_REYII_META_AUDIO_STATUS_COF1</b> | REYII - Status of recording   | Num  |
| <b>COG_REYII_META_PSTATUS_COF1</b>      | REYII - Participant status  | Num  |
| <b>COG_REYI_STARTLANG_COF1</b>          | REYI - Start language   | Char |
| <b>COG_REYII_STARTLANG_COF1</b>         | REYII - Start language  | Char |
| <b>COG_MAT_STARTLANG_COF1</b>           | MAT - Start language  | Char |
| <b>COG_AFT_STARTLANG_COF1</b>           | AFT - Start language  | Char |
| <b>COG_REYI_LANG_COF1</b>               | REYI - Response language  | Char |
| <b>COG_REYII_LANG_COF1</b>              | REYII - Response language   | Char |
| <b>COG_MAT_LANG_COF1</b>                | MAT - Response language   | Char |
| <b>COG_AFT_LANG_COF1</b>                | AFT - Response language   | Char |
| <b>COG_CNTIMP_COF1</b>                  | Performance impaired - counting test  | Num  |
| <b>COG_REYII_SCORE_COF1</b>             | REYII - Number of words (or variants) correctly recalled in 90 seconds - Delayed Recall   | Num  |
| <b>ADL_DCLST_COF1</b>                   | OARS scale: Basic and Instrumental Activities of Daily Living Classification (Excluding Meal Preparation) - Intermediary Variable | Num  |

|                        |  |     |
|------------------------|--|-----|
| <b>ADL_DMEA_COF1</b>   | OARS scale: Meal Preparation - Temporary                                     | Num |
| <b>ADL_DCLS_COF1</b>   | OARS scale: Basic and Instrumental Activities of Daily Living Classification | Num |
| <b>ADL_NBRMIS_COF1</b> | OARS Scale: Number of Missing Items (Excluding Meal Preparation)             | Num |
| <b>ADL_DSUM_COF1</b>   | Sum of Some Dependence and Complete Dependence (Excluding Meal Preparation)  | Num |
| <b>DEP_NBRMIS_COF1</b> | CES-D 10: count of missing items   | Num |
| <b>DEP_DPSFD_COF1</b>  | CES-D 10: Screen for depression result                                       | Num |
| <b>DEP_CESD10_COF1</b> | Center for Epidemiological Studies Short Depression Scale (CES-D 10) score   | Num |
| <b>SSA_DPTNG_COF1</b>  | Tangible Social Support - MOS Subscale                                       | Num |
| <b>SSA_DPSOC_COF1</b>  | Positive Social Interaction - MOS Subscale                                   | Num |
| <b>SSA_DPEMO_COF1</b>  | Emotional and Informational Support - MOS Subscale                           | Num |
| <b>SSA_DPAFF_COF1</b>  | Affection - MOS Subscale   | Num |
| <b>SSA_DPALL_COF1</b>  | Functional Social Support - MOS Scale  | Num |
| <b>SLS_DLIFE_COF1</b>  | SWLS: Life is close to my ideal - Grouped                                    | Num |
| <b>SLS_DOVER_COF1</b>  | SWLS: If I could live my life over, I would change almost nothing - Grouped  | Num |
| <b>SLS_DIMP_COF1</b>   | SWLS: I have gotten the important things I want in life - Grouped            | Num |
| <b>SLS_DSATS_COF1</b>  | SWLS: I am satisfied with my life - Grouped                                  | Num |
| <b>SLS_DCOND_COF1</b>  | SWLS: The conditions of my life are excellent - Grouped                      | Num |
| <b>SLS_DSCR_COF1</b>   | Satisfaction with Life Scale (SWLS) - Score                                  | Num |
| <b>SLS_DCLS_COF1</b>   | Satisfaction with Life Scale (SWLS) - Classification                         | Num |
| <b>SPA_FPAR_COF1</b>   | Flag for Participation in Community-Related Activities (past 12 months)      | Num |
| <b>SPA_DFRE_COF1</b>   | Frequency of Community-Related Activity Participation (past 12 months)       | Num |
| <b>GEN_DHDI_COF1</b>   | Perceived Health   | Num |
| <b>GEN_DMHI_COF1</b>   | Perceived Mental Health  | Num |

|                           |   |     |
|---------------------------|---|-----|
| <b>LSI_DSCR_COF1</b>      | Composite LSA Score.  | Num |
| <b>CCC_F1_COF1</b>        | Reported having a Chronic Condition (includes "other" chronic conditions) | Num |
| <b>CCC_F2_COF1</b>        | Reported having a Chronic Condition (excludes "other" chronic conditions) | Num |
| <b>ALC_ITM_COF1</b>       | Type of Drinker (Past 12 Months)  | Num |
| <b>CAG_FPAS_COF1</b>      | Flag for Providing Assistance (Past 12 Months)                            | Num |
| <b>CR1_FRHC_COF1</b>      | Flag for Receiving Formal Home Care Services (Last 12 Months)             | Num |
| <b>CR2_FRHC_COF1</b>      | Flag for Receiving Informal Home Care (Last 12 Months)                    | Num |
| <b>CR2_DTHC_COF1</b>      | Flag for Receiving Formal or Informal Home Care (Last 12 Months)          | Num |
| <b>MEM_DSCORE_COF1</b>    | The MMQ-Ability Score   | Num |
| <b>EPI_DSCREEN_COF1</b>   | Screen for Epilepsy Result with Classification of Activity                | Num |
| <b>WLQ_DPLSCR_COF1</b>    | WLQ Productivity Loss Score   | Num |
| <b>PER_DEXTR_COF1</b>     | TIP: Extraverted and Enthusiastic - Grouped                               | Num |
| <b>PER_DCRT_COF1</b>      | TIP: Critical and Quarrelsome - Grouped                                   | Num |
| <b>PER_DDP_COF1</b>       | TIP: Dependable and Self-Disciplined- Grouped                             | Num |
| <b>PER_DANX_COF1</b>      | TIP: Anxious and Easily Upset- Grouped                                    | Num |
| <b>PER_DNEXP_COF1</b>     | TIP: Open to New Experiences and Complex - Grouped                        | Num |
| <b>PER_DRSV_COF1</b>      | TIP: Reserved and Quiet - Grouped   | Num |
| <b>PER_DSYMP_COF1</b>     | TIP: Sympathetic and Warm - Grouped                                       | Num |
| <b>PER_DDORG_COF1</b>     | TIP: Disorganized and Careless - Grouped                                  | Num |
| <b>PER_DCALM_COF1</b>     | TIP: Calm and Emotionally Stable - Grouped                                | Num |
| <b>PER_DCNV_COF1</b>      | TIP: Conventional and Uncreative - Grouped                                | Num |
| <b>PER_DSCR_EXT_COF1</b>  | TIP: Extraversion Score   | Num |
| <b>PER_DSCR_AGR_COF1</b>  | TIP: Agreeableness Score  | Num |
| <b>PER_DSCR_CON_COF1</b>  | TIP: Conscientiousness Score  | Num |
| <b>PER_DSCR_EMOS_COF1</b> | TIP: Emotional Stability Score  | Num |
| <b>PER_DSCR_OPEX_COF1</b> | TIP: Openness to Experiences Score  | Num |
| <b>ICQ_DOMHAND_COF1</b>   | Dominant hand   | Num |

|                     |  |      |
|---------------------|--|------|
| ICQ_HNSWL_COF1      | Severe swelling, open sores, wounds, infection, or burns affecting hands | Num  |
| ICQ_HNDCST_COF1     | Cast on hand   | Num  |
| ICQ_HNDHMT_COF1     | Hematoma (bruise) on hand  | Num  |
| ICQ_ARMSWL_COF1     | Severe swelling affecting one or both of upper arms                      | Num  |
| ICQ_ARMCST_COF1     | Cast on one or both of upper arms  | Num  |
| ICQ_LEGSWL_COF1     | Severe swelling affecting one or both of legs                            | Num  |
| ICQ_LEGCSST_COF1    | Cast on one or both of legs  | Num  |
| ICQ_SRG3MO_COF1     | Operation (surgery) within last 3 months                                 | Num  |
| ICQ_SRGYARM_COF1    | Arm surgery - last 3 months  | Num  |
| ICQ_SRGYCHT_COF1    | Chest or breast surgery - last 3 months                                  | Num  |
| ICQ_SRGYHND_COF1    | Hand or wrist surgery - last 3 months                                    | Num  |
| ICQ_SRGYART_COF1    | Arteriovenous shunt/fistula surgery - last 3 months                      | Num  |
| ICQ_SRGYEYE_COF1    | Eye surgery - last 3 months  | Num  |
| ICQ_SRGYABD_COF1    | Abdominal surgery - last 3 months  | Num  |
| ICQ_SRGYHRT_COF1    | Heart surgery - last 3 months  | Num  |
| ICQ_SRGYOT_COF1     | Other type of surgery - last 3 months                                    | Num  |
| ICQ_SRGYOTSP_COF1   | Other type of surgery - last 3 months, Please Specify                    | Char |
| ICQ_PAINHND_COF1    | Pain or paralysis in hands or wrists                                     | Num  |
| ICQ_RISEASSI_COF1   | Able to rise from chair - no personal assistance                         | Num  |
| ICQ_RISECANE_COF1   | Use cane or walker to stand or rise from chair                           | Num  |
| ICQ_ABLESTND_COF1   | Able to stand - no personal assistance                                   | Num  |
| ICQ_ABLEWLK_COF1    | Able to walk - no personal assistance                                    | Num  |
| ICQ_PREGNT_COF1     | Pregnancy indicator  | Num  |
| ICQ_ILLLUNG_COF1    | Disease interfering with lung performance test                           | Num  |
| ICQ_ILLLUNG_SP_COF1 | Disease interfering with lung performance test, Specify                  | Char |
| ICQ_HRTCOND_COF1    | Unstable heart condition within last 3 months                            | Num  |
| ICQ_HRTCOND_SP_COF1 | Unstable heart condition within last 3 months - Specify                  | Char |
| ICQ_EMB6WK_COF1     | Pulmonary embolism within last 6 weeks                                   | Num  |
| ICQ_EMBMED_COF1     | Currently taking anticoagulants  | Num  |

|                    |  |     |
|--------------------|--|-----|
| ICQ_DERET3MO_COF1  | Detached retina within last 3 months                     | Num |
| ICQ_EYEINF_COF1    | Eye infections   | Num |
| ICQ_EARINF_COF1    | Ear infections   | Num |
| ICQ_CATRCT_COF1    | Ever had cataracts                                       | Num |
| ICQ_CATRCT2_COF1   | Currently suffering from cataracts                       | Num |
| ICQ_CATIME_NB_COF1 | Months on waiting list for cataract surgery              | Num |
| ICQ_GLAUC_COF1     | Ever had glaucoma  | Num |
| ICQ_HRAID_COF1     | Wears hearing aid  | Num |
| ICQ_HRWORKING_COF1 | Currently wearing hearing aid                            | Num |
| ICQ_GLASSES_COF1   | Wears glasses  | Num |
| ICQ_CTLENS_COF1    | Wears contact lenses                                     | Num |
| ICQ_PROSLIM_COF1   | Prosthetic limbs or joints                               | Num |
| ICQ_PROSARM_COF1   | Prosthetic arm   | Num |
| ICQ_PROSLEG_COF1   | Prosthetic leg   | Num |
| ICQ_PROSHND_COF1   | Prosthetic hand or fingers                               | Num |
| ICQ_PROSFT_COF1    | Prosthetic foot  | Num |
| ICQ_PROSHIP_COF1   | Prosthetic hip   | Num |
| ICQ_PROSKNEE_COF1  | Prosthetic knee  | Num |
| ICQ_FX_COF1        | Ever suffered break or fracture                          | Num |
| ICQ_FXARM_COF1     | Broken or fractured arm                                  | Num |
| ICQ_FXSHLD_COF1    | Broken or fractured shoulder                             | Num |
| ICQ_FXHND_COF1     | Broken or fractured hand or fingers                      | Num |
| ICQ_FXRIB_COF1     | Broken or fractured ribs                                 | Num |
| ICQ_FXLEG_COF1     | Broken or fractured leg                                  | Num |
| ICQ_FXANK_COF1     | Broken or fractured ankle                                | Num |
| ICQ_FXFT_COF1      | Broken or fractured foot or toes                         | Num |
| ICQ_FXHIP_COF1     | Broken or fractured hip                                  | Num |
| ICQ_FXKNEE_COF1    | Broken or fractured knee                                 | Num |
| ICQ_FXCHK_COF1     | Broken or fractured cheek                                | Num |
| ICQ_FXJAW_COF1     | Broken or fractured jaw                                  | Num |
| ICQ_FXNOSE_COF1    | Broken or fractured nose                                 | Num |
| ICQ_FXSKL_COF1     | Broken or fractured skull                                | Num |
| ICQ_FXNECK_COF1    | Broken or fractured neck                                 | Num |
| ICQ_FXBACK_COF1    | Broken or fractured back                                 | Num |
| ICQ_FXCOLLR_COF1   | Broken or fractured collar bone                          | Num |
| ICQ_FXPELV_COF1    | Broken or fractured pelvis                               | Num |
| ICQ_LAMIN_COF1     | Ever had a laminectomy                                   | Num |
| ICQ_POLIO_COF1     | Ever had Polio   | Num |
| ICQ_BLDSP3MO_COF1  | Blood in sputum or coughed up blood within last 3 months | Num |
| ICQ_ANEURY_COF1    | Thoracic, abdominal or cerebral aneurysm                 | Num |

|                          |   |      |
|--------------------------|---|------|
| ICQ_PACEMKR_COF1         | Pacemaker implanted   | Num  |
| ICQ_DEFIBR_COF1          | Defibrillator implanted   | Num  |
| ICQ_COCHLIMP_COF1        | Cochlear implant implanted  | Num  |
| ICQ_NGTUBE_COF1          | Nasogastric feeding tube  | Num  |
| ICQ_ABDTUBE_COF1         | Abdominal feeding tube  | Num  |
| ICQ_CHEMO4WK_COF1        | Chemotherapy treatment within last 4 weeks  | Num  |
| ICQ_HAEMO_COF1           | Haemophilia or another type of blood clotting disease                               | Num  |
| ICQ_BLDTR24H_COF1        | Blood transfusion or donation within last 24 hours                                  | Num  |
| ICQ_NUCLMED_COF1         | Involved in a Nuclear Medicine study last 7 days                                    | Num  |
| ICQ_NUCL48H_COF1         | Nuclear medicine test within past 48 hours  | Num  |
| ICQ_NUCLTEST_SP_COF1     | Nuclear medicine test - Specify   | Char |
| ICQ_NUCLIV24H_COF1       | IV CT or MRI contrast test in past 24 hours   | Num  |
| ICQ_BARSWAL_COF1         | Barium test last 7 days   | Num  |
| ICQ_TINNIT_COF1          | Suffer from Tinnitus  | Num  |
| ICQ_SMOKE_COF1           | Smoking status  | Num  |
| ICQ_SMOKE24H_COF1        | Smoked in the last 24 hours   | Num  |
| ICQ_SMOKETIME_HOURS_COF1 | Time since last cigarette, cigar or pipe  | Num  |
| ICQ_INHALERLONG_COF1     | Long acting inhalers last 12 hours  | Num  |
| ICQ_INHALERSHORT_COF1    | Short acting inhalers last 12 hours   | Num  |
| ICQ_STATUS_COF1          | Contraindications questionnaire status  | Num  |
| ICQ_CATRCTS_COF1         | Had surgery to remove the cataract  | Num  |
| ADM_DCS_AGE_COF1         | Age at DCS visit  | Num  |
| ADM_startDate_COF1       | DCS visit start date  | Num  |
| ADM_SPECIAL_STATUS_COF1  | Data Collection Site visit special status   | Num  |
| HRG_STATUS_COF1          | Hearing test status   | Num  |
| HRG_TEST_DATETIME_COF1   | Hearing test time   | Num  |
| HRG_RIGHT_1KT_ERR_COF1   | Audiometric hearing threshold at 1 kHz test frequency - right ear test trial, error | Char |
| HRG_RIGHT_500_ERR_COF1   | Audiometric hearing threshold at 500 Hz test frequency - right ear, error           | Char |
| HRG_RIGHT_1K_ERR_COF1    | Audiometric hearing threshold at 1 kHz test frequency - right ear, error            | Char |
| HRG_RIGHT_2K_ERR_COF1    | Audiometric hearing threshold at 2 kHz test frequency - right ear, error            | Char |

|                       |  |      |
|-----------------------|--|------|
| HRG_RIGHT_3K_ERR_COF1 | Audiometric hearing threshold at 3 kHz test frequency - right ear, error     | Char |
| HRG_RIGHT_4K_ERR_COF1 | Audiometric hearing threshold at 4 kHz test frequency - right ear, error     | Char |
| HRG_RIGHT_6K_ERR_COF1 | Audiometric hearing threshold at 6 kHz test frequency - right ear, error     | Char |
| HRG_RIGHT_8K_ERR_COF1 | Audiometric hearing threshold at 8 kHz test frequency - right ear, error     | Char |
| HRG_LEFT_500_ERR_COF1 | Audiometric hearing threshold at 500 Hz test frequency - left ear, error     | Char |
| HRG_LEFT_1K_ERR_COF1  | Audiometric hearing threshold at 1 kHz test frequency - left ear, error      | Char |
| HRG_LEFT_2K_ERR_COF1  | Audiometric hearing threshold at 2 kHz test frequency - left ear, error      | Char |
| HRG_LEFT_3K_ERR_COF1  | Audiometric hearing threshold at 3 kHz test frequency - left ear, error      | Char |
| HRG_LEFT_4K_ERR_COF1  | Audiometric hearing threshold at 4 kHz test frequency - left ear, error      | Char |
| HRG_LEFT_6K_ERR_COF1  | Audiometric hearing threshold at 6 kHz test frequency - left ear, error      | Char |
| HRG_LEFT_8K_ERR_COF1  | Audiometric hearing threshold at 8 kHz test frequency - left ear, error      | Char |
| HRG_RIGHT_1KT_COF1    | Audiometric hearing threshold at 1 kHz test frequency - right ear test trial | Num  |
| HRG_RIGHT_500_COF1    | Audiometric hearing threshold at 500 Hz test frequency - right ear           | Num  |
| HRG_RIGHT_2K_COF1     | Audiometric hearing threshold at 2 kHz test frequency - right ear            | Num  |
| HRG_RIGHT_3K_COF1     | Audiometric hearing threshold at 3 kHz test frequency - right ear            | Num  |
| HRG_RIGHT_4K_COF1     | Audiometric hearing threshold at 4 kHz test frequency - right ear            | Num  |
| HRG_RIGHT_6K_COF1     | Audiometric hearing threshold at 6 kHz test frequency - right ear            | Num  |
| HRG_RIGHT_8K_COF1     | Audiometric hearing threshold at 8 kHz test frequency - right ear            | Num  |
| HRG_LEFT_1KT_COF1     | Audiometric hearing threshold at 1 kHz test frequency - left ear test trial  | Num  |
| HRG_LEFT_500_COF1     | Audiometric hearing threshold at 500 Hz test frequency - left ear            | Num  |
| HRG_LEFT_1K_COF1      | Audiometric hearing threshold at 1 kHz test frequency - left ear             | Num  |
| HRG_LEFT_2K_COF1      | Audiometric hearing threshold at 2 kHz test frequency - left ear             | Num  |
| HRG_LEFT_3K_COF1      | Audiometric hearing threshold at 3 kHz test frequency - left ear             | Num  |



|                                |  |      |
|--------------------------------|--|------|
| <b>HRG_LEFT_4K_COF1</b>        | Audiometric hearing threshold at 4 kHz test frequency - left ear                   | Num  |
| <b>HRG_LEFT_6K_COF1</b>        | Audiometric hearing threshold at 6 kHz test frequency - left ear                   | Num  |
| <b>HRG_LEFT_8K_COF1</b>        | Audiometric hearing threshold at 8 kHz test frequency - left ear                   | Num  |
| <b>HRG_RELIABILITY_L_COF1</b>  | Test reliability for left ear  | Num  |
| <b>HRG_RELIABILITY_R_COF1</b>  | Test reliability for right ear   | Num  |
| <b>HRG_EARSTATUS_L_COF1</b>    | Left ear status  | Num  |
| <b>HRG_EARSTATUS_R_COF1</b>    | Right ear status   | Num  |
| <b>HRG_LEFT_1KT_ERR_COF1</b>   | Audiometric hearing threshold at 1 kHz test frequency - left ear test trial, error | Char |
| <b>HRG_RIGHT_1K_COF1</b>       | Audiometric hearing threshold at 1 kHz test frequency - right ear                  | Num  |
| <b>DS_timeStart_COF1</b>       | DiseaseSymptoms module start time  | Num  |
| <b>CCC_ALLRG_CHANGE_COF1</b>   | Allergy diagnosis changed since last interview                                     | Num  |
| <b>CCC_ALLRG_COF1</b>          | Allergies  | Num  |
| <b>CCC_ALLRG_SP_COF1</b>       | Allergy, specify   | Char |
| <b>CCC_ALLRGAGE_NB_COF1</b>    | Age diagnosed with allergies   | Num  |
| <b>CCC_ALLRGCHANGE_SP_COF1</b> | Allergy diagnosis changed, specify   | Char |
| <b>CCC_ALZH_CHANGE_COF1</b>    | Alzheimer's disease diagnosis changed since last interview                         | Num  |
| <b>CCC_ALZH_COF1</b>           | Diagnosed with Alzheimer's disease   | Num  |
| <b>CCC_ALZHAGE_NB_COF1</b>     | Age diagnosed with Alzheimer's disease   | Num  |
| <b>CCC_ALZHCHANGE_SP_COF1</b>  | Alzheimer's disease diagnosis changed - specify                                    | Char |
| <b>CCC_AMI_CHANGE_COF1</b>     | Heart attack or myocardial infarction diagnosis changed since last interview       | Num  |
| <b>CCC_AMI_COF1</b>            | Heart attack or myocardial infarction  | Num  |
| <b>IHD_AMIAGE_NB_COF1</b>      | Age diagnosed with a heart attack or myocardial infarction                         | Num  |
| <b>CCC_AMICHANGE_SP_COF1</b>   | Heart attack or myocardial infarction diagnosis changed - specify                  | Char |
| <b>CCC_ANGI_CHANGE_COF1</b>    | Angina diagnosis changed since last interview                                      | Num  |
| <b>CCC_ANGI_COF1</b>           | Angina (or chest pain due to heart disease)  | Num  |
| <b>IHD_ANGIAGE_NB_COF1</b>     | Age diagnosed with angina  | Num  |
| <b>CCC_ANGICHANGE_SP_COF1</b>  | Angina diagnosis changed - specify   | Char |
| <b>IHD_CAB_COF1</b>            | Coronary artery bypass surgery   | Num  |
| <b>IHD_ANGIO_COF1</b>          | Angiogram  | Num  |

|                         |  |      |
|-------------------------|--|------|
| IHD_BLOCK_COF1          | Blockage in arteries                                   | Num  |
| CCC_ANXI_CHANGE_COF1    | Anxiety problem diagnosis changed since last interview | Num  |
| CCC_ANXI_COF1           | Diagnosed with anxiety disorder                        | Num  |
| CCC_ANXIAGE_NB_COF1     | Age diagnosed with anxiety disorder                    | Num  |
| CCC_ANXICHANGE_SP_COF1  | Anxiety disorder diagnosis changed - specify           | Char |
| CCC_ASTHM_CHANGE_COF1   | Asthma diagnosis change since last interview           | Num  |
| CCC_ASTHM_COF1          | Asthma   | Num  |
| CCC_ASTHMAGE_NB_COF1    | Age diagnosed with asthma                              | Num  |
| CCC_ASTHMCHANGE_SP_COF1 | Asthma diagnosis changed - specify                     | Char |
| CCC_BCKP_CHANGE_COF1    | Back problem diagnosis changed since last interview    | Num  |
| CCC_BCKP_COF1           | Back problems excluding fibromyalgia and arthritis     | Num  |
| CCC_BCKPAGE_NB_COF1     | Age diagnosed with back problems                       | Num  |
| CCC_BCKPCHANGE_SP_COF1  | Back problem diagnosis changed - specify               | Char |
| CCC_BOWINC_COF1         | Bowel incontinence                                     | Num  |
| CCC_BOWINCAGE_NB_COF1   | Age experienced bowel incontinence                     | Num  |
| CCC_CANC_CHANGE_COF1    | Cancer diagnosis changed since last interview          | Num  |
| CCC_CANC_COF1           | Cancer   | Num  |
| CCC_CANCAGE_NB_COF1     | Age diagnosed cancer                                   | Num  |
| CCC_CANCCHANGE_SP_COF1  | Cancer diagnosis changed - specify                     | Char |
| CCC_CANTP_BL_COF1       | Bladder cancer   | Num  |
| CCC_CANTP_BR_COF1       | Breast cancer  | Num  |
| CCC_CANTP_COL_COF1      | Colorectal cancer                                      | Num  |
| CCC_CANTP_DK_NA_COF1    | Diagnosed with cancer, Don't know                      | Num  |
| CCC_CANTP_FGO_COF1      | Other female genital organs                            | Num  |
| CCC_CANTP_KD_COF1       | Kidney cancer  | Num  |
| CCC_CANTP_LK_COF1       | Leukemia (cancer)                                      | Num  |
| CCC_CANTP_LU_COF1       | Lung cancer  | Num  |
| CCC_CANTP_NHL_COF1      | Non-Hodgkin Lymphoma (cancer)                          | Num  |
| CCC_CANTP_OT_COF1       | Other cancer   | Num  |
| CCC_CANTP_OV_COF1       | Ovarian cancer   | Num  |
| CCC_CANTP_PA_COF1       | Pancreatic cancer                                      | Num  |
| CCC_CANTP_PR_COF1       | Prostate cancer  | Num  |
| CCC_CANTP_REFUSED_COF1  | Diagnosed with cancer, Refused to answer               | Num  |
| CCC_CANTP_SM_COF1       | Skin cancer: melanoma                                  | Num  |

|                               |  |      |
|-------------------------------|--|------|
| <b>CCC_CANTP_SNM_COF1</b>     | Skin cancer: non-melanoma  | Num  |
| <b>CCC_CANTP_TH_COF1</b>      | Thyroid cancer   | Num  |
| <b>CCC_COPD_CHANGE_COF1</b>   | Chronic lung problem diagnosis changed since last interview                              | Num  |
| <b>CCC_COPD_COF1</b>          | Diagnosed with a chronic lung problem  | Num  |
| <b>CCC_COPDCHANGE_SP_COF1</b> | Chronic lung problem diagnosis change specified  | Char |
| <b>CAO_COPDAGE_NB_COF1</b>    | Age diagnosed chronic obstructive pulmonary disease                                      | Num  |
| <b>CAO_WHEZ_COF1</b>          | Wheezing or whistling in chest - last 12 months  | Num  |
| <b>CAO_SOBFLAT_COF1</b>       | Short of breath walking on flat surface  | Num  |
| <b>CAO_EXERT_COF1</b>         | Wheeze with mild to moderate exertion  | Num  |
| <b>CAO_SOBUP_COF1</b>         | Short of breath climbing stairs or walking uphill  | Num  |
| <b>CAO_SOBPM_COF1</b>         | Shortness of breath following strenuous activity - last 12 months                        | Num  |
| <b>CAO_WKWHEZ_COF1</b>        | Woken up with an attack of wheezing - last 12 months                                     | Num  |
| <b>CAO_WKCOF_COF1</b>         | Woken up with an attack of coughing - last 12 months                                     | Num  |
| <b>CAO_WKSOB_COF1</b>         | Shortness of breath while at rest - last 12 months                                       | Num  |
| <b>CAO_COLD_COF1</b>          | Frequent colds persisting longer than other people                                       | Num  |
| <b>CAO_COFPY_COF1</b>         | Coughed most days - last 12 months   | Num  |
| <b>CAO_COFAM_COF1</b>         | Cough up phlegm in the morning   | Num  |
| <b>CAO_COFMAM_COF1</b>        | Cough phlegm most mornings   | Num  |
| <b>CAO_PHLEGMPY_COF1</b>      | Bring up phlegm most days during the year  | Num  |
| <b>CCC_CVA_CHANGE_COF1</b>    | CVA diagnosis changed since last interview   | Num  |
| <b>CCC_CVA_COF1</b>           | Stroke or CVA (cerebrovascular accident)   | Num  |
| <b>CCC_CVACHANGE_SP_COF1</b>  | CVA diagnosis changed - specify  | Char |
| <b>CCC_CVAFX_COF1</b>         | Suffer from the effects of a stroke, CVA, ministroke or TIA                              | Num  |
| <b>STR_CVAAGE_NB_COF1</b>     | Age diagnosed with a CVA   | Num  |
| <b>DIA_DIAB_COF1</b>          | Diabetes, borderline diabetes or blood sugar is high                                     | Num  |
| <b>DIA_DIAB_CHANGE_COF1</b>   | Diabetes, borderline diabetes or high blood sugar diagnosis changed since last interview | Num  |

|                                |   |      |
|--------------------------------|---|------|
| <b>DIA_TYPE_COF1</b>           | Type of diabetes  | Num  |
| <b>DIA_DIABRT_COF1</b>         | Diagnosed with Diabetic Retinopathy   | Num  |
| <b>DIA_DIABCHANGE_SP_COF1</b>  | Diabetes, borderline diabetes or high blood sugar diagnosis changed - specify | Char |
| <b>CCC_DIAB_DRAGE_NB_COF1</b>  | Age diagnosed with Diabetic Retinopathy                                       | Num  |
| <b>CCC_DRFLU_COF1</b>          | Flu (Influenza) - past year   | Num  |
| <b>CCC_DROT_COF1</b>           | Other infections - past year  | Num  |
| <b>CCC_DROT_SP_COF1</b>        | Other infections - specify 1  | Char |
| <b>CCC_DRPNEU_COF1</b>         | Pneumonia - past year   | Num  |
| <b>CCC_DRUTI_COF1</b>          | Urinary Tract Infection (UTI) - past year                                     | Num  |
| <b>CCC_GLAUC_COF1</b>          | Glaucoma  | Num  |
| <b>CCC_HBP_CHANGE_COF1</b>     | High blood pressure or hypertension diagnosis changed since last interview    | Num  |
| <b>CCC_HBP_COF1</b>            | High blood pressure or hypertension   | Num  |
| <b>HBP_AGE_NB_COF1</b>         | Age diagnosed high blood pressure or hypertension                             | Num  |
| <b>CCC_HBPCHANGE_SP_COF1</b>   | High blood pressure or hypertension diagnosis changed - specify               | Char |
| <b>HBP_PRG_COF1</b>            | High blood pressure while pregnant  | Num  |
| <b>HBP_OTPRG_COF1</b>          | High blood pressure other than when pregnant                                  | Num  |
| <b>HBP_EVRMED_COF1</b>         | Ever taken medication for high blood pressure                                 | Num  |
| <b>HBP_TRT_COF1</b>            | Currently treated for hypertension non-pharmaceutically                       | Num  |
| <b>HBP_EVTRT_COF1</b>          | Ever treated for hypertension non-pharmaceutically                            | Num  |
| <b>CCC_HCV_COF1</b>            | Diagnosed with Hepatitis C  | Num  |
| <b>CCC_HCV_CURR_COF1</b>       | Currently has Hepatitis C   | Num  |
| <b>CCC_HCV_TRT_COF1</b>        | Received treatment or hepatitis C   | Num  |
| <b>CCC_HCV_TXS_COF1</b>        | Hepatitis C treatment cleaned virus   | Num  |
| <b>CCC_HCVAGE_NB_COF1</b>      | Age diagnosed with Hepatitis C  | Num  |
| <b>CCC_HEART_CHANGE_COF1</b>   | Heart disease diagnosis changed since last interview                          | Num  |
| <b>CCC_HEART_COF1</b>          | Heart disease (including congestive heart failure, or CHF)                    | Num  |
| <b>CCC_HEARTAGE_NB_COF1</b>    | Age diagnosed with heart disease  | Num  |
| <b>CCC_HEARTCHANGE_SP_COF1</b> | Heart disease diagnosis changed since last interview - specify                | Char |
| <b>CCC_IBDIBS_CHANGE_COF1</b>  | Bowel disorder diagnosis changed since last interview                         | Num  |

|                                 |   |      |
|---------------------------------|---|------|
| <b>CCC_IBDIBS_COF1</b>          | Bowel disorder  | Num  |
| <b>CCC_IBDIBSAGE_NB_COF1</b>    | Age diagnosed with bowel disorder                           | Num  |
| <b>CCC_IBDIBSCHANGE_SP_COF1</b> | Bowel disorder diagnosis changed - specify                  | Char |
| <b>CCC_KIDN_CHANGE_COF1</b>     | Kidney disease diagnosis changed since last interview       | Num  |
| <b>CCC_KIDN_COF1</b>            | Kidney disease or kidney failure                            | Num  |
| <b>CCC_KIDNAGE_NB_COF1</b>      | Age diagnosed with kidney disease                           | Num  |
| <b>CCC_KIDNCHANGE_SP_COF1</b>   | Kidney disease diagnosis changed - specify                  | Char |
| <b>CCC_DITYP_COF1</b>           | Currently receiving dialysis treatment                      | Num  |
| <b>CCC_MACDEG_CHANGE_COF1</b>   | Macular degeneration diagnosis changed since last interview | Num  |
| <b>CCC_MACDEG_COF1</b>          | Diagnosed with macular degeneration                         | Num  |
| <b>CCC_MACDEGAGE_NB_COF1</b>    | Age diagnosed with macular degeneration                     | Num  |
| <b>CCC_MACDEGCHANGE_SP_COF1</b> | Macular degeneration diagnosis changed - specify            | Char |
| <b>CCC_MEMPB_CHANGE_COF1</b>    | Memory problem diagnosis changed since last interview       | Num  |
| <b>CCC_MEMPB_COF1</b>           | Memory problem  | Num  |
| <b>CCC_MEMPBAGE_NB_COF1</b>     | Age diagnosed with memory problem                           | Num  |
| <b>CCC_MEMPBCHANGE_SP_COF1</b>  | Memory problem diagnosis changed - specify                  | Char |
| <b>CCC_MGRN_CHANGE_COF1</b>     | Migraine headaches diagnosis change since last interview    | Num  |
| <b>CCC_MGRN_COF1</b>            | Migraine headaches  | Num  |
| <b>CCC_MGRNAGE_NB_COF1</b>      | Age diagnosed with migraine headaches                       | Num  |
| <b>CCC_MGRNCHANGE_SP_COF1</b>   | Migraine headaches diagnosis changed - specify              | Char |
| <b>CCC_MOOD_CHANGE_COF1</b>     | Mood disorder diagnosis changed since last interview        | Num  |
| <b>CCC_MOOD_COF1</b>            | Diagnosed with mood disorder                                | Num  |
| <b>CCC_MOODAGE_NB_COF1</b>      | Age diagnosed with mood disorder                            | Num  |
| <b>CCC_MOODCHANGE_SP_COF1</b>   | Mood disorder diagnosis changed - specify                   | Char |
| <b>CCC_MS_CHANGE_COF1</b>       | Multiple sclerosis diagnosis changed since last interview   | Num  |
| <b>CCC_MS_COF1</b>              | Multiple sclerosis  | Num  |
| <b>CCC_MSAGE_NB_COF1</b>        | Age diagnosed multiple sclerosis                            | Num  |
| <b>CCC_MSCHANGE_SP_COF1</b>     | Multiple sclerosis diagnosis changed - specify              | Char |

|                          |   |      |
|--------------------------|---|------|
| CCC_OAHAND_CHANGE_COF1   | Hand osteoarthritis diagnosis changed since last interview              | Num  |
| CCC_OAHAND_COF1          | Osteoarthritis in one or both hands                                     | Num  |
| OSA_AGE_NB_COF1          | Age diagnosed osteoarthritis in the hand                                | Num  |
| CCC_OAHANDCHANGE_SP_COF1 | Hand osteoarthritis diagnosis changed - specify                         | Char |
| OSA_LGJNT_COF1           | Enlargement small joints close to the fingernails                       | Num  |
| OSA_NBFNG_COF1           | Number of fingers with enlarged small joints                            | Num  |
| OSA_PAINJNT_COF1         | Pain most days in small joints close to fingernails - past 4 weeks      | Num  |
| OSA_LGTMB_COF1           | Enlargement in base of thumbs   | Num  |
| OSA_PAINTMB_COF1         | Pain most days in base of thumbs - past 4 weeks                         | Num  |
| CCC_OAHIP_CHANGE_COF1    | Hip osteoarthritis diagnosis changed since last interview               | Num  |
| CCC_OAHIP_COF1           | Osteoarthritis in one or both hips                                      | Num  |
| OSH_AGE_NB_COF1          | Age diagnosed osteoarthritis in the hip                                 | Num  |
| CCC_OAHIPCHANGE_SP_COF1  | Hip osteoarthritis diagnosis changed - specify                          | Char |
| CCC_OAKNEE_CHANGE_COF1   | Knee osteoarthritis diagnosis changed since last interview              | Num  |
| CCC_OAKNEE_COF1          | Osteoarthritis in the knee  | Num  |
| OSK_AGE_NB_COF1          | Age diagnosed osteoarthritis in the knee                                | Num  |
| CCC_OAKNEECHANGE_SP_COF1 | Knee osteoarthritis diagnosis changed - specify                         | Char |
| OSK_KNERPL_COF1          | Knee replacement operation  | Num  |
| OSK_PAIN_COF1            | Knee pain - past 4 weeks  | Num  |
| OSK_PAINSL_COF1          | Pain in knee climbing down stairs or walking down slopes - past 4 weeks | Num  |
| OSK_SWELL_COF1           | Swelling in knee - past 4 weeks   | Num  |
| CCC_ARTOT_CHANGE_COF1    | Other arthritis diagnosis changed since last interview                  | Num  |
| CCC_ARTOT_COF1           | Other type of arthritis   | Num  |
| OAR_AGE_NB_COF1          | Age diagnosed with any other type of arthritis                          | Num  |
| CCC_ARTOTCHANGE_SP_COF1  | Other arthritis diagnosis changed - specify                             | Char |
| OAR_MED_COF1             | Currently taking medications for arthritis                              | Num  |
| OAR_MEDOT_COF1           | Taken medications for this type of arthritis                            | Num  |
| OSH_HIPRPL_COF1          | Hip replacement operation   | Num  |

|                                |   |      |
|--------------------------------|---|------|
| <b>OSH_FRAC_COF1</b>           | Hip replacement operation result of break or fracture   | Num  |
| <b>OSH_PAIN_COF1</b>           | Pain in groin or upper inner thigh - past 4 weeks   | Num  |
| <b>OSH_PAINSL_COF1</b>         | Pain in groin or upper inner thigh climbing down stairs or walking down slopes - past 4 weeks | Num  |
| <b>OSH_LOM_COF1</b>            | Range of motion of hips limitation - past 4 weeks   | Num  |
| <b>CCC_OSTPO_CHANGE_COF1</b>   | Osteoporosis diagnosis changed since last interview   | Num  |
| <b>CCC_OSTPO_COF1</b>          | Diagnosed with osteoporosis   | Num  |
| <b>CCC_OSTPOCHANGE_SP_COF1</b> | Osteoporosis diagnosis changed - specify  | Char |
| <b>OST_AGE_NB_COF1</b>         | Age diagnosed with osteoporosis   | Num  |
| <b>OST_BONE_COF1</b>           | Broken bone from fall or injury   | Num  |
| <b>OST_FRAC_HIP_COF1</b>       | Type of fracture -Hip   | Num  |
| <b>OST_FRAC_ARM_COF1</b>       | Type of fracture - Humerus (upper arm)  | Num  |
| <b>OST_FRAC_SPIN_COF1</b>      | Type of fracture - Spine  | Num  |
| <b>OST_FRAC_WRST_COF1</b>      | Type of fracture - Wrist  | Num  |
| <b>OST_FRAC_RIB_COF1</b>       | Type of fracture - Rib  | Num  |
| <b>OST_FRAC_PELV_COF1</b>      | Type of fracture - Pelvis   | Num  |
| <b>OST_FRAC_OT_COF1</b>        | Type of fracture - Other  | Num  |
| <b>OST_FRAC_DK_NA_COF1</b>     | Type of fracture - Don't know   | Num  |
| <b>OST_FRAC_REFUSED_COF1</b>   | Type of fracture - Refused to answer  | Num  |
| <b>OST_MOM_COF1</b>            | Mother hip fracture after 50  | Num  |
| <b>OST_DAD_COF1</b>            | Father hip fracture after 50  | Num  |
| <b>OST_HGT_M_COF1</b>          | Height in Meters in 20's  | Num  |
| <b>OST_CST_COF1</b>            | Ever taken systemic corticosteroids   | Num  |
| <b>OST_CSTAGE_NB_COF1</b>      | Age last used corticosteroids   | Num  |
| <b>OST_CST_MTNB_COF1</b>       | Number of months used corticosteroids   | Num  |
| <b>OST_BP_COF1</b>             | Back pain at least one month  | Num  |
| <b>OST_BP_DUR_YR_COF1</b>      | Duration of back pain in years  | Num  |
| <b>OST_BCKPPM_COF1</b>         | Back pain past 12 months  | Num  |
| <b>OST_BCKPLOC_COF1</b>        | Location of back pain   | Num  |
| <b>CCC_OTCCC_COF1</b>          | Other long-term physical or mental condition  | Num  |
| <b>CCC_OTHYR_CHANGE_COF1</b>   | Over-active thyroid gland diagnosis changed since last interview                              | Num  |
| <b>CCC_OTHYR_COF1</b>          | Over-active thyroid gland   | Num  |
| <b>HYP_OTHYRAGE_NB_COF1</b>    | Age diagnosed with over-active thyroid gland  | Num  |



|                           |   |      |
|---------------------------|---|------|
| CCC_OTHYRCHANGE_SP_COF1   | Over-active thyroid gland diagnosis changed - specify             | Char |
| CCC_PVD_CHANGE_COF1       | Peripheral vascular disease diagnosis change since last interview | Num  |
| CCC_PVD_COF1              | Peripheral vascular disease or poor circulation in limbs          | Num  |
| CCC_PVDAGE_NB_COF1        | Age diagnosed with peripheral vascular disease                    | Num  |
| CCC_PVDCHANGE_SP_COF1     | Peripheral vascular disease diagnosis changed - specify           | Char |
| CCC_RA_CHANGE_COF1        | Rheumatoid Arthritis diagnosis changed since last interview       | Num  |
| CCC_RA_COF1               | Rheumatoid Arthritis  | Num  |
| CCC_RACHANGE_SP_COF1      | Rheumatoid Arthritis diagnosis changed - specify                  | Char |
| CCC_TIA_CHANGE_COF1       | Mini-stroke or TIA diagnosis changed since last interview         | Num  |
| CCC_TIA_COF1              | Experienced a ministroke or TIA                                   | Num  |
| STR_TIAAGE_NB_COF1        | Age diagnosed with ministroke                                     | Num  |
| CCC_TIACHANGE_SP_COF1     | Mini-stroke or TIA diagnosis changed - Specify                    | Char |
| CCC_ULCR_CHANGE_COF1      | Ulcer diagnosis changed since last interview                      | Num  |
| CCC_ULCR_COF1             | Intestinal or stomach ulcers                                      | Num  |
| CCC_ULCRAGE_NB_COF1       | Age diagnosed with ulcers   | Num  |
| CCC_ULCRCHANGE_SP_COF1    | Ulcer diagnosis changed - specify                                 | Char |
| CCC_URINC_COF1            | Urinary incontinence  | Num  |
| CCC_URINCAGE_NB_COF1      | Age diagnosed urinary incontinence                                | Num  |
| CCC_UTHYR_CHANGE_COF1     | Under-active thyroid gland diagnosis changed since last interview | Num  |
| CCC_UTHYR_COF1            | Diagnosed with under-active thyroid gland                         | Num  |
| HYP_UTHYRAGE_NB_COF1      | Age diagnosed with under-active thyroid gland                     | Num  |
| CCC_UTHYRCHANGE_SP_COF1   | Under-active thyroid gland diagnosis changed - specify            | Char |
| DPR_CLINDEP_COF1          | Clinical depression   | Num  |
| DPR_CLINDEP_CHANGE_COF1   | Clinical depression diagnosis changed since last interview        | Num  |
| DPR_CLINDEPCHANGE_SP_COF1 | Clinical depression diagnosis changed - specify                   | Char |
| DEP_BOTR_COF1             | CES-D 10 scale: Frequency easily bothered                         | Num  |

|                        |  |      |
|------------------------|--|------|
| DEP_MIND_COF1          | CES-D 10 scale: Frequency trouble concentrating                  | Num  |
| DEP_FLDP_COF1          | CES-D 10 scale: Frequency feel depressed                         | Num  |
| DEP_FFRT_COF1          | CES-D 10 scale: Frequency feel everything is an effort           | Num  |
| DEP_HPFL_COF1          | CES-D 10 scale: Frequency feel hopeful about the future          | Num  |
| DEP_FRFL_COF1          | CES-D 10 scale: Frequency feel fearful or tearful                | Num  |
| DEP_RSTLS_COF1         | CES-D 10 scale: Frequency sleep is restless                      | Num  |
| DEP_HAPP_COF1          | CES-D 10 scale: Frequency feel happy                             | Num  |
| DEP_LONLY_COF1         | CES-D 10 scale: Frequency feel lonely                            | Num  |
| DEP_GTGO_COF1          | CES-D 10 scale: Frequency feel could not 'get going'             | Num  |
| CCC_EPIL_CHANGE_COF1   | Epilepsy diagnosis changed since last interview                  | Num  |
| CCC_EPIL_COF1          | Diagnosed with epilepsy  | Num  |
| CCC_EPILAGE_NB_COF1    | Age diagnosed with epilepsy                                      | Num  |
| CCC_EPILCHANGE_SP_COF1 | Epilepsy diagnosis changed - specify                             | Char |
| EPI_EVER_COF1          | Had or have been told to have seizure disorder or epilepsy       | Num  |
| EPI_MED_COF1           | Medication for epilepsy  | Num  |
| EPI_CAUS_FEV_COF1      | Seizure because of high fever during childhood                   | Num  |
| EPI_CAUS_BDMV_COF1     | Unusual body movements or feelings when exposed to intense light | Num  |
| EPI_CAUS_DREM_COF1     | Daydreamed as a child  | Num  |
| EPI_CAUS_JERK_COF1     | Clumsiness after waking up                                       | Num  |
| EPI_CAUS_MENT_COF1     | Unexplained change in mental state or awareness                  | Num  |
| EPI_CAUS_SEIZ_COF1     | Has had seizure, convulsion, fit or spell                        | Num  |
| EPI_CAUS_SPEL_COF1     | Other type of unusual spells                                     | Num  |
| EPI_CAUS_TWIT_COF1     | Does uncontrolled movements                                      | Num  |
| EPI_EPILSZ_COF1        | Epileptic seizure in past 5 years                                | Num  |
| EPI_CURRMED_COF1       | Currently taking medications for seizures                        | Num  |
| CCC_PARK_COF1          | Diagnosed with Parkinson's Disease                               | Num  |
| CCC_PARK_CHANGE_COF1   | Parkinson's Disease diagnosis changed since last interview       | Num  |

|                        |   |      |
|------------------------|---|------|
| PKD_AGE_NB_COF1        | AGE diagnosed with Parkinson's Disease                    | Num  |
| CCC_PARKCHANGE_SP_COF1 | Parkinson's Disease diagnosis changed, specify            | Char |
| PKD_SHKE_COF1          | Arms or legs shake  | Num  |
| PKD_SHKSEV_COF1        | Shaking occurrence  | Num  |
| PKD_SMWRT_COF1         | Smaller handwriting                                       | Num  |
| PKD_BUTON_COF1         | Trouble buttoning buttons                                 | Num  |
| PKD_VOICE_COF1         | Voice softer  | Num  |
| PKD_FEET_COF1          | Feet freeze in doorways                                   | Num  |
| PKD_WALK_COF1          | Shuffle feet/ Tiny steps when walking                     | Num  |
| PKD_BAL_COF1           | Poor balance  | Num  |
| PKD_FACE_COF1          | Less expressive face                                      | Num  |
| PKD_RISE_COF1          | Difficulty rising from chair                              | Num  |
| TBI_TYP_VH_COF1        | Head Injury caused by vehicular crash                     | Num  |
| TBI_TYP_VHSP_COF1      | Type of vehicular crash causing head injury               | Char |
| TBI_TYP_FL_COF1        | Head Injury caused by fall                                | Num  |
| TBI_TYP_SPT_COF1       | Head Injury caused by sports-related activity             | Num  |
| TBI_TYP_SPTSP_COF1     | Type of sports related activity causing head injury       | Char |
| TBI_TYP_NONE_COF1      | Head Injury cause, None                                   | Num  |
| TBI_TYP_OT_COF1        | Head Injury cause, Other                                  | Num  |
| TBI_TYP_DK_NA_COF1     | Head Injury cause, Don't know                             | Num  |
| TBI_TYP_REFUSED_COF1   | Head Injury cause, Refused to answer                      | Num  |
| TBI_NMBR_NB_COF1       | Number of head injuries (life time)                       | Num  |
| TBI_RSLT_DZ_COF1       | Head injury result - dazed, confused, or "seeing stars"   | Num  |
| TBI_RSLT_DRM_COF1      | Head injury result - not remembering injury               | Num  |
| TBI_RSLT_KO1_COF1      | Head injury result - lost consciousness, less than 1 min  | Num  |
| TBI_RSLT_KO20_COF1     | Head injury result - lost consciousness, 1 to 20 min      | Num  |
| TBI_RSLT_KO20MORE_COF1 | Head injury result - lost consciousness, more than 20 min | Num  |
| TBI_RSLT_NONE_COF1     | Head injury did not result in any of above                | Num  |
| TBI_RSLT_DK_NA_COF1    | Head injury result - Don't know/No answer                 | Num  |
| TBI_RSLT_REFUSED_COF1  | Head injury result - Refused                              | Num  |

|                              |  |     |
|------------------------------|--|-----|
| <b>TBI_MCR_PHA_COF1</b>      | Physician assessment/visit for head injury             | Num |
| <b>TBI_MCR_ED_COF1</b>       | Emergency department visit for head injury             | Num |
| <b>TBI_MCR_HO_COF1</b>       | Hospitalization for head injury                        | Num |
| <b>TBI_MCR_NONE_COF1</b>     | Received no medical care for head injury               | Num |
| <b>TBI_MCR_DK_NA_COF1</b>    | Medical care for head injury - Don't know/No answer    | Num |
| <b>TBI_MCR_REFUSED_COF1</b>  | Medical care for head injury - Refused                 | Num |
| <b>TBI_PROB_HA_COF1</b>      | Headaches related to head injury                       | Num |
| <b>TBI_PROB_DIZ_COF1</b>     | Dizziness related to head injury                       | Num |
| <b>TBI_PROB_MEM_COF1</b>     | Memory problems related to head injury                 | Num |
| <b>TBI_PROB_BAL_COF1</b>     | Balance problems related to head injury                | Num |
| <b>TBI_PROB_EAR_COF1</b>     | Ringing in the ears related to head injury             | Num |
| <b>TBI_PROB_IRT_COF1</b>     | Irritability related to head injury                    | Num |
| <b>TBI_PROB_SLP_COF1</b>     | Sleep problems related to head injury                  | Num |
| <b>TBI_PROB_NONE_COF1</b>    | Not experiencing any problems related to head injury   | Num |
| <b>TBI_PROB_OT_COF1</b>      | Other problems related to head injury                  | Num |
| <b>TBI_PROB_DK_NA_COF1</b>   | Problems related to head injury - Don't know/No answer | Num |
| <b>TBI_PROB_REFUSED_COF1</b> | Problems related to head injury - Refused              | Num |
| <b>TBI_POSITIVE_COF1</b>     | Positive Screen for Traumatic Brain Injury (TBI)       | Num |
| <b>STR_WEAK_COF1</b>         | One-sided sudden painless weakness                     | Num |
| <b>STR_WEAK_DUR_COF1</b>     | Duration of one-sided sudden painless weakness         | Num |
| <b>STR_NUMB_COF1</b>         | One-sided sudden numbness                              | Num |
| <b>STR_NUMB_DUR_COF1</b>     | Duration of one-sided sudden numbness                  | Num |
| <b>STR_VIS_COF1</b>          | Sudden painless loss of vision                         | Num |
| <b>STR_VIS_DUR_COF1</b>      | Duration of sudden painless loss of vision             | Num |
| <b>STR_NOVIS_COF1</b>        | Sudden loss of vision in one eye                       | Num |
| <b>STR_NOVIS_DUR_COF1</b>    | Duration of sudden loss of vision in one eye           | Num |
| <b>STR_NOUND_COF1</b>        | Sudden loss of understanding ability                   | Num |

|                                |   |      |
|--------------------------------|---|------|
| <b>STR_NOUND_DUR_COF1</b>      | Duration of sudden loss of understanding ability                  | Num  |
| <b>STR_NOEXP_COF1</b>          | Sudden loss of expression ability                                 | Num  |
| <b>STR_NOEXP_DUR_COF1</b>      | Duration of sudden loss of expression ability                     | Num  |
| <b>ROS_PAIN_COF1</b>           | WHO Rose - Chest pain or discomfort                               | Num  |
| <b>ROS_HILL_COF1</b>           | WHO Rose - Pain or discomfort walk uphill or hurry                | Num  |
| <b>ROS_LEVEL_COF1</b>          | WHO Rose - Pain or discomfort walk at ordinary pace               | Num  |
| <b>ROS_BLOCK_NB_COF1</b>       | WHO Rose - Number of blocks of walking bring on chest pain        | Num  |
| <b>ROS_DOWLK_COF1</b>          | WHO Rose - Type of action if experiences chest pain while walking | Num  |
| <b>ROS_STILL_COF1</b>          | WHO Rose - Chest pain status if stands still                      | Num  |
| <b>ROS_SOON_COF1</b>           | WHO Rose - Time to chest pain improvement if stands still         | Num  |
| <b>ROS_LOC_01_COF1</b>         | WHO Rose - Location of pain or discomfort: Position-01            | Num  |
| <b>ROS_LOC_02_COF1</b>         | WHO Rose - Location of pain or discomfort: Position-02            | Num  |
| <b>ROS_LOC_03_COF1</b>         | WHO Rose - Location of pain or discomfort: Position-03            | Num  |
| <b>ROS_LOC_04_COF1</b>         | WHO Rose - Location of pain or discomfort: Position-04            | Num  |
| <b>ROS_LOC_05_COF1</b>         | WHO Rose - Location of pain or discomfort: Position-05            | Num  |
| <b>ROS_LOC_06_COF1</b>         | WHO Rose - Location of pain or discomfort: Position-06            | Num  |
| <b>ROS_LOC_07_COF1</b>         | WHO Rose - Location of pain or discomfort: Position-07            | Num  |
| <b>ROS_LOC_08_COF1</b>         | WHO Rose - Location of pain or discomfort: Position-08            | Num  |
| <b>ROS_LOC_DK_NA_COF1</b>      | WHO Rose - Location of pain or discomfort: Don't know             | Num  |
| <b>ROS_LOC_REFUSED_COF1</b>    | WHO Rose - Location of pain or discomfort: Refused                | Num  |
| <b>ROS_SEVPAIN_COF1</b>        | WHO Rose - Severe pain across chest at least 30 mins              | Num  |
| <b>IHD_BLOCK_CHANGE_COF1</b>   | Blocked arteries diagnosis changed since last interview           | Num  |
| <b>IHD_BLOCKCHANGE_SP_COF1</b> | Blocked arteries diagnosis changed - specify                      | Char |
| <b>DIA_EVPRG_COF1</b>          | Ever been pregnant  | Num  |

|                                  |  |      |
|----------------------------------|--|------|
| <b>DIS_STATUS_COF1</b>           | Disease Symptoms module status                                       | Num  |
| <b>DPR_MED_COF1</b>              | Currently taking any medication for depression                       | Num  |
| <b>HBP_MED_COF1</b>              | Currently taking medications for high blood pressure or hypertension | Num  |
| <b>IHD_MED_COF1</b>              | Currently taking medications for heart disease                       | Num  |
| <b>STR_MED_COF1</b>              | Currently taking medications for stroke                              | Num  |
| <b>PKD_MED_COF1</b>              | Currently taking medications for Parkinsonism or Parkinson's Disease | Num  |
| <b>OST_MED_COF1</b>              | Currently taking medications for osteoporosis                        | Num  |
| <b>CAO_MED_COF1</b>              | Currently taking or using any medications for respiratory problems   | Num  |
| <b>DIA_MED_COF1</b>              | Currently taking medication for diabetes                             | Num  |
| <b>DPR_AGE_NB_COF1</b>           | Age diagnosed with clinical depression                               | Num  |
| <b>CCC_DITIM_DATE_COF1</b>       | Date last dialysis treatment received                                | Char |
| <b>CCC_DITIM_HOUR_COF1</b>       | Hour last dialysis treatment received                                | Num  |
| <b>CCC_DITIM_MIN_COF1</b>        | Minute last dialysis treatment received                              | Num  |
| <b>BP_timeStart_COF1</b>         | Blood Pressure start time  | Num  |
| <b>BP_STATUS_COF1</b>            | Blood Pressure test status   | Num  |
| <b>BP_IV_ARM_COF1</b>            | Arm to be used for measurement                                       | Num  |
| <b>BP_IV_BANDSIZE_COF1</b>       | Armband size used  | Num  |
| <b>BP_DIASTOLIC_FIRST_COF1</b>   | First diastolic blood pressure reading                               | Num  |
| <b>BP_DIASTOLIC_2_COF1</b>       | Diastolic blood pressure reading 2                                   | Num  |
| <b>BP_DIASTOLIC_3_COF1</b>       | Diastolic blood pressure reading 3                                   | Num  |
| <b>BP_DIASTOLIC_4_COF1</b>       | Diastolic blood pressure reading 4                                   | Num  |
| <b>BP_DIASTOLIC_5_COF1</b>       | Diastolic blood pressure reading 5                                   | Num  |
| <b>BP_DIASTOLIC_6_COF1</b>       | Diastolic blood pressure reading 6                                   | Num  |
| <b>BP_DIASTOLIC_ALL_AVG_COF1</b> | Average Diastolic Blood Pressure (All measurements)                  | Num  |
| <b>BP_DIASTOLIC_AVG_COF1</b>     | Average diastolic blood pressure (excluding 1st reading)             | Num  |
| <b>BP_PULSE_FIRST_COF1</b>       | First pulse rate reading   | Num  |
| <b>BP_PULSE_2_COF1</b>           | Pulse rate reading 2   | Num  |
| <b>BP_PULSE_3_COF1</b>           | Pulse rate reading 3   | Num  |
| <b>BP_PULSE_4_COF1</b>           | Pulse rate reading 4   | Num  |
| <b>BP_PULSE_5_COF1</b>           | Pulse rate reading 5   | Num  |
| <b>BP_PULSE_6_COF1</b>           | Pulse rate reading 6   | Num  |

|                                   |   |      |
|-----------------------------------|---|------|
| <b>BP_PULSE_ALL_AVG_COF1</b>      | Average Pulse (All measurements)                        | Num  |
| <b>BP_PULSE_AVG_COF1</b>          | Average pulse rate (excluding 1st reading)              | Num  |
| <b>BP_SYSTOLIC_FIRST_COF1</b>     | First systolic blood pressure reading                   | Num  |
| <b>BP_SYSTOLIC_2_COF1</b>         | Systolic blood pressure reading 2                       | Num  |
| <b>BP_SYSTOLIC_3_COF1</b>         | Systolic blood pressure reading 3                       | Num  |
| <b>BP_SYSTOLIC_4_COF1</b>         | Systolic blood pressure reading 4                       | Num  |
| <b>BP_SYSTOLIC_5_COF1</b>         | Systolic blood pressure reading 5                       | Num  |
| <b>BP_SYSTOLIC_6_COF1</b>         | Systolic blood pressure reading 6                       | Num  |
| <b>BP_SYSTOLIC_ALL_AVG_COF1</b>   | Average Systolic Blood Pressure (All measurements)      | Num  |
| <b>BP_SYSTOLIC_AVG_COF1</b>       | Average systolic blood pressure (excluding 1st reading) | Num  |
| <b>CR_timeStart_COF1</b>          | chair rise start time                                   | Num  |
| <b>CR_STATUS_COF1</b>             | chair rise test status                                  | Num  |
| <b>CR_NB_COF1</b>                 | Number of repetitions (Chair rises)                     | Num  |
| <b>CR_TIME_COF1</b>               | Total time required to complete Chair Rise (in seconds) | Num  |
| <b>CR_AVG_TIME_COF1</b>           | Average time for 1 chair rise (in seconds)              | Num  |
| <b>ECG_timeStart_COF1</b>         | ECG start time  | Num  |
| <b>ECG_STATUS_COF1</b>            | ECG test status   | Num  |
| <b>ECG_DIAGNOSIS_DETAILS_COF1</b> | Diagnosis of measurement                                | Char |
| <b>ECG_FILTER_SETTINGS_COF1</b>   | Filter Settings of measurement                          | Char |
| <b>ECG_P_AXIS_COF1</b>            | P Axis  | Num  |
| <b>ECG_P_DURATION_COF1</b>        | P Duration  | Num  |
| <b>ECG_P_OFFSET_COF1</b>          | P Offset  | Num  |
| <b>ECG_P_ONSET_COF1</b>           | P Onset   | Num  |
| <b>ECG_PP_INTERVAL_COF1</b>       | PP Interval   | Num  |
| <b>ECG_PQ_INTERVAL_COF1</b>       | PQ Interval   | Num  |
| <b>ECG_Q_OFFSET_COF1</b>          | Q Offset  | Num  |
| <b>ECG_Q_ONSET_COF1</b>           | Q Onset   | Num  |
| <b>ECG_QRS_DURATION_COF1</b>      | QRS Duration  | Num  |
| <b>ECG_QRS_NUMBER_COF1</b>        | QRS Number  | Num  |
| <b>ECG_QT_INTERVAL_COF1</b>       | QT Interval   | Num  |
| <b>ECG_QTC_INTERVAL_COF1</b>      | QTC Interval  | Num  |
| <b>ECG_QUALITY_COF1</b>           | ECG test quality  | Num  |
| <b>ECG_R_AXIS_COF1</b>            | R Axis  | Num  |
| <b>ECG_RESULT_COF1</b>            | ECG diagnosis result summary                            | Num  |
| <b>ECG_RR_INTERVAL_COF1</b>       | RR Interval   | Num  |
| <b>ECG_T_AXIS_COF1</b>            | T Axis  | Num  |
| <b>ECG_T_OFFSET_COF1</b>          | T Offset  | Num  |
| <b>ECG_VENTRICULAR_RATE_COF1</b>  | Ventricular Rate  | Num  |
| <b>WLK_STATUS_COF1</b>            | 4mWalk test status                                      | Num  |
| <b>WLK_timeStart_COF1</b>         | 4m walk start time                                      | Num  |



|                            |  |     |
|----------------------------|--|-----|
| <b>WLK_RES_STOP_COF1</b>   | Participant stopped or paused before the end of the 4 meters | Num |
| <b>WLK_TIME_COF1</b>       | Total time required to complete 4mWalk (in seconds)          | Num |
| <b>WLK_SMPTS_CHT_COF1</b>  | Participant experienced chest pain during 4m walk            | Num |
| <b>WLK_SMPTS_DIZ_COF1</b>  | Participant experienced dizziness during 4m walk             | Num |
| <b>WLK_SMPTS_NONE_COF1</b> | Participant experienced no symptoms during 4m walk           | Num |
| <b>WLK_SMPTS_PAIN_COF1</b> | Participant experienced hip, leg or calf pain during 4m walk | Num |
| <b>FUL_timeStart_COF1</b>  | Functionality Status start time                              | Num |
| <b>FUL_STATUS_COF1</b>     | Functionality Status stage status                            | Num |
| <b>FUL_SHLD_COF1</b>       | Difficulty extending arms above shoulders                    | Num |
| <b>FUL_SHLDDG_COF1</b>     | Degree of difficulty extending arms above shoulders          | Num |
| <b>FUL_STOOP_COF1</b>      | Difficulty stooping, crouching or kneeling                   | Num |
| <b>FUL_STOOPDG_COF1</b>    | Degree of difficulty stooping, crouching or kneeling         | Num |
| <b>FUL_PUSH_COF1</b>       | Difficulty pulling/ pushing large objects                    | Num |
| <b>FUL_PUSHDG_COF1</b>     | Degree of difficulty pulling/ pushing large objects          | Num |
| <b>FUL_LFT10_COF1</b>      | Difficulty lifting 10 pounds                                 | Num |
| <b>FUL_LFT10DG_COF1</b>    | Degree of difficulty lifting 10 pounds                       | Num |
| <b>FUL_HDLG_COF1</b>       | Difficulty handling small objects                            | Num |
| <b>FUL_HDLGDG_COF1</b>     | Degree of difficulty handling small objects                  | Num |
| <b>FUL_ST15_COF1</b>       | Difficulty standing for a long period                        | Num |
| <b>FUL_ST15DG_COF1</b>     | Degree of difficulty standing for a long period              | Num |
| <b>FUL_SIT1H_COF1</b>      | Difficulty sitting for a long period                         | Num |
| <b>FUL_SIT1HDG_COF1</b>    | Degree of difficulty sitting for a long period               | Num |
| <b>FUL_STDUP_COF1</b>      | Difficulty standing up after sitting                         | Num |
| <b>FUL_STDUPDG_COF1</b>    | Degree of difficulty standing up after sitting               | Num |
| <b>FUL_FSTR_COF1</b>       | Difficulty walking up and down stairs                        | Num |
| <b>FUL_FSTRDG_COF1</b>     | Degree of difficulty walking up and down stairs              | Num |
| <b>FUL_WK23B_COF1</b>      | Difficulty walking 2 to 3 blocks                             | Num |
| <b>FUL_WK23BDG_COF1</b>    | Degree of difficulty walking 2 to 3 blocks                   | Num |

|                            |  |     |
|----------------------------|--|-----|
| <b>FUL_MKBED_COF1</b>      | Difficulty making bed  | Num |
| <b>FUL_MKBEDDG_COF1</b>    | Degree of difficulty making bed  | Num |
| <b>FUL_WSHBK_COF1</b>      | Difficulty washing back  | Num |
| <b>FUL_WSHBKDG_COF1</b>    | Degree of difficulty washing back  | Num |
| <b>FUL_KNCUT_COF1</b>      | Difficulty using a knife   | Num |
| <b>FUL_KNCUTDG_COF1</b>    | Degree of difficulty using a knife                                       | Num |
| <b>FUL_FORC_COF1</b>       | Difficulty taking force or impact in arms, hands or shoulders            | Num |
| <b>FUL_FORCDG_COF1</b>     | Degree of difficulty taking force or impact in arms, hands or shoulders  | Num |
| <b>HRG_PROB_EMBA_COF1</b>  | Hearing problem - Embarrassed to meet new people                         | Num |
| <b>HRG_PROB_FRST_COF1</b>  | Hearing problem - Frustrated when talking to family members              | Num |
| <b>HRG_PROB_DIFF_COF1</b>  | Hearing problem - Whispers   | Num |
| <b>HRG_PROB_HACP_COF1</b>  | Hearing problem - Feeling handicapped                                    | Num |
| <b>HRG_PROB_VIST_COF1</b>  | Hearing problem - Difficulty visiting friends, relatives or neighbors    | Num |
| <b>HRG_PROB_MEET_COF1</b>  | Hearing problem - Difficulty attending meetings / religious services     | Num |
| <b>HRG_PROB_ARGU_COF1</b>  | Hearing problem - Arguments with family members                          | Num |
| <b>HRG_PROB_LSTN_COF1</b>  | Hearing problem - Difficulty listening to TV / Radio                     | Num |
| <b>HRG_PROB_LIFE_COF1</b>  | Hearing problem - Affects social life                                    | Num |
| <b>HRG_PROB_FRND_COF1</b>  | Hearing problem - Difficulty at the restaurant with relatives or friends | Num |
| <b>NUR_GLSWT_COF1</b>      | SCREEN II-AB: Gained, lost or stayed the same weight                     | Num |
| <b>NUR_SWLLFD_COF1</b>     | SCREEN II-AB: Cough, choke pain when swallowing food                     | Num |
| <b>NUR_MLSMN_COF1</b>      | SCREEN II-AB: Meals with someone at least once a day                     | Num |
| <b>NUR_NOTENFD_COF1</b>    | Food security in past 12 months  | Num |
| <b>NUR_BTEA_NB_COF1</b>    | Black Tea per day  | Num |
| <b>NUR_DRKFLD_COF1</b>     | SCREEN II-AB: Cups of fluid per day                                      | Num |
| <b>NUR_MLPREP_OTH_COF1</b> | Meal preparation satisfaction  | Num |
| <b>NUR_DCOFF_NB_COF1</b>   | Decaffeinated Coffee per day   | Num |
| <b>NUR_SKPMLS_COF1</b>     | SCREEN II-AB: Skipped meals  | Num |
| <b>NUR_FRTVEG_COF1</b>     | SCREEN II-AB: Servings fruits and vegetables per day                     | Num |
| <b>NUR_APPTT_COF1</b>      | SCREEN II-AB: Describe appetite  | Num |
| <b>NUR_FASTFD_NB_COF1</b>  | Frequency of fast food in past month                                     | Num |

|                      |   |     |
|----------------------|---|-----|
| NUR_GTEA_NB_COF1     | Green Tea per day   | Num |
| NUR_CKMEALS_COF1     | SCREEN II-AB: Cook own meals                              | Num |
| NUR_MLPREP_COF1      | SCREEN II-AB: Experience of meal preparation by oneself   | Num |
| NUR_RCOFF_NB_COF1    | Regular Coffee per day                                    | Num |
| NUR_OTEANB_COF1      | Other Tea per day   | Num |
| HUP_PRACT_COF1       | Activities prevented by pain or discomfort                | Num |
| HUP_FREE_COF1        | Usually free of pain and discomfort                       | Num |
| HUP_INTNSTY_COF1     | Usual intensity of pain or discomfort                     | Num |
| VIS_USE_MG_COF1      | Uses Magnifiers   | Num |
| VIS_USE_BR_COF1      | Uses Braille reading materials                            | Num |
| VIS_USE_CN_COF1      | Uses White cane   | Num |
| VIS_SGHT_COF1        | Eyesight rating   | Num |
| VIS_AID_COF1         | Vision aids use   | Num |
| VIS_USE_CC_COF1      | Uses Closed circuit devices                               | Num |
| VIS_USE_OT_COF1      | Uses Another vision aid                                   | Num |
| VIS_USE_RC_COF1      | Uses Recording equipment or portable note-takers          | Num |
| VIS_USE_CP_COF1      | Uses Computer with Braille, large print, or speech access | Num |
| VIS_USE_LG_COF1      | Uses Larger print reading materials                       | Num |
| VIS_USE_TK_COF1      | Uses Talking books  | Num |
| VIS_USE_DG_COF1      | Uses Guide dog  | Num |
| HRG_USE_CP_COF1      | Uses Computer to communicate                              | Num |
| HRG_USE_VL_COF1      | Uses Volume control telephone                             | Num |
| HRG_USE_CC_COF1      | Uses Closed caption T.V. or decoder                       | Num |
| HRG_USE_AID_COF1     | Uses Hearing aid  | Num |
| HRG_USE_VS_COF1      | Uses Visual or vibrating alarm                            | Num |
| HRG_USE_AP_COF1      | Uses Amplifiers   | Num |
| HRG_USE_CO_COF1      | Has Cochlear or other surgical implant                    | Num |
| HRG_AID_COF1         | Uses any type of hearing aids                             | Num |
| HRG_USE_MSG_COF1     | Uses Message relay service                                | Num |
| HRG_NOIS_COF1        | Hearing difficulty with background noise                  | Num |
| HRG_USE_TTY_COF1     | Uses TTY or TTD   | Num |
| HRG_USE_PH_COF1      | Uses Other phone-related devices                          | Num |
| HRG_HRG_COF1         | Hearing rating  | Num |
| VIS_USE_REFUSED_COF1 | Vision aids use, Refused to answer                        | Num |
| VIS_USE_DK_NA_COF1   | Vision aids use, Don't know                               | Num |
| HRG_USE_OT_COF1      | Uses Another hearing aid                                  | Num |
| HRG_USE_REFUSED_COF1 | Type of hearing aids used, Refused to answer              | Num |

|                                    |   |     |
|------------------------------------|---|-----|
| <b>HRG_USE_DK_NA_COF1</b>          | Type of hearing aids used, Don't know                                   | Num |
| <b>NUR_WTGL_COF1</b>               | Weight loss / gain ( in lbs)  | Num |
| <b>GS_timeStart_COF1</b>           | GripStrength start time   | Num |
| <b>GS_STATUS_COF1</b>              | Grip strength test status   | Num |
| <b>GS_DOMINANT_HAND_COF1</b>       | Dominant hand used for testing  | Num |
| <b>GS_MAX_REPS_COF1</b>            | Number of repetitions   | Num |
| <b>GS_REST_TIME_COF1</b>           | RestTime  | Num |
| <b>GS_TRESHOLD_COF1</b>            | Threshold   | Num |
| <b>GS_TRIAL1_MAX_COF1</b>          | Grip strength measurement attained at 1st trial                         | Num |
| <b>GS_TRIAL2_MAX_COF1</b>          | Grip strength measurement attained at 2nd trial                         | Num |
| <b>GS_TRIAL3_MAX_COF1</b>          | Grip strength measurement attained at 3rd trial                         | Num |
| <b>GS_TRIAL_SIDE_COF1</b>          | Hand used to perform test   | Num |
| <b>GS_TRIAL_RUNG_POSITION_COF1</b> | Rung position   | Num |
| <b>GS_EXAM_MAX_COF1</b>            | Max grip strength attained on all trials                                | Num |
| <b>GS_EXAM_AVG_COF1</b>            | Average grip strength for all trials                                    | Num |
| <b>HGT_timeStart_COF1</b>          | Height measure start time   | Num |
| <b>HGT_STATUS_COF1</b>             | Height measure status   | Num |
| <b>HGT_HEIGHT1_CM_COF1</b>         | Measurement 1 - height in cm  | Num |
| <b>HGT_HEIGHT2_CM_COF1</b>         | Measurement 2 - height in cm  | Num |
| <b>HGT_HEIGHT_M_COF1</b>           | Average height in m   | Num |
| <b>HGT_HEIGHTSR_CM_COF1</b>        | Self reported height in cm (DCS by phone and DCS at home)               | Num |
| <b>WHC_timeStart_COF1</b>          | Hip-Waist circumference measure start time                              | Num |
| <b>WHC_STATUS_COF1</b>             | HipsWaist measure status  | Num |
| <b>WHC_CLTHLAYERS_COF1</b>         | Waist measurement taken directly on skin or over layer(s) of clothing   | Num |
| <b>WHC_WAIST_CM_COF1</b>           | Waist circumference in cm   | Num |
| <b>WHC_HIP_CM_COF1</b>             | Hips circumference in cm  | Num |
| <b>WHC_RATIO_COF1</b>              | Waist to hip ratio  | Num |
| <b>WGT_timeStart_COF1</b>          | Weight measure start time   | Num |
| <b>WGT_STATUS_COF1</b>             | Weight measure status   | Num |
| <b>WGT_WEIGHT1_KG_COF1</b>         | Measurement 1 - weight in kg  | Num |
| <b>WGT_WEIGHT2_KG_COF1</b>         | Measurement 2 - weight in kg  | Num |
| <b>WGT_WEIGHT_KG_COF1</b>          | Average weight in kg  | Num |
| <b>HWT_DBMI_COF1</b>               | Body Mass Index (BMI)   | Num |
| <b>HWT_DISW_COF1</b>               | BMI Classification for Adults Aged 18 and Over - International Standard | Num |

|                             |  |      |
|-----------------------------|--|------|
| <b>WGT_WEIGHTSR_KG_COF1</b> | Self reported weight in kg for DCS by phone                      | Num  |
| <b>NPB_timeStart_COF1</b>   | NeuropsychologicalBattery start time                             | Num  |
| <b>NPB_STATUS_COF1</b>      | NeuropsychologicalBattery status                                 | Num  |
| <b>SN_LIVH_NB_COF1</b>      | Number of people living in household (excluding the participant) | Num  |
| <b>SN_LIVH_M1_A_COF1</b>    | Age of participant - Member 1 in household                       | Num  |
| <b>SN_LIVH_M1_R_COF1</b>    | Participant - Member 1 in household                              | Char |
| <b>SN_LIVH_M1_S_COF1</b>    | Sex of participant - Member 1 in household                       | Char |
| <b>SN_LIVH_M2_R_COF1</b>    | Relationship to participant - Member 2                           | Num  |
| <b>SN_LIVH_M2_S_COF1</b>    | Sex of member in household - Member 2                            | Char |
| <b>SN_LIVH_M2_A_COF1</b>    | Age of member in household - Member 2                            | Num  |
| <b>SN_LIVH_M3_R_COF1</b>    | Relationship to participant - Member 3                           | Num  |
| <b>SN_LIVH_M3_S_COF1</b>    | Sex of member in household - Member 3                            | Char |
| <b>SN_LIVH_M3_A_COF1</b>    | Age of member in household - Member 3                            | Num  |
| <b>SN_LIVH_M4_R_COF1</b>    | Relationship to participant - Member 4                           | Num  |
| <b>SN_LIVH_M4_S_COF1</b>    | Sex of member in household - Member 4                            | Char |
| <b>SN_LIVH_M4_A_COF1</b>    | Age of member in household - Member 4                            | Num  |
| <b>SN_LIVH_M5_R_COF1</b>    | Relationship to participant - Member 5                           | Num  |
| <b>SN_LIVH_M5_S_COF1</b>    | Sex of member in household - Member 5                            | Char |
| <b>SN_LIVH_M5_A_COF1</b>    | Age of member in household - Member 5                            | Num  |
| <b>SN_LIVH_M6_R_COF1</b>    | Relationship to participant - Member 6                           | Num  |
| <b>SN_LIVH_M6_S_COF1</b>    | Sex of member in household - Member 6                            | Char |
| <b>SN_LIVH_M6_A_COF1</b>    | Age of member in household - Member 6                            | Num  |
| <b>SN_LIVH_M7_R_COF1</b>    | Relationship to participant - Member 7                           | Num  |
| <b>SN_LIVH_M7_S_COF1</b>    | Sex of member in household - Member 7                            | Char |

|                       |   |      |
|-----------------------|---|------|
| SN_LIVH_M7_A_COF1     | Age of member in household - Member 7                     | Num  |
| SN_LIVH_M8_R_COF1     | Relationship to participant - Member 8                    | Num  |
| SN_LIVH_M8_S_COF1     | Sex of member in household - Member 8                     | Char |
| SN_LIVH_M8_A_COF1     | Age of member in household - Member 8                     | Num  |
| SN_LIVH_M9_R_COF1     | Relationship to participant - Member 9                    | Num  |
| SN_LIVH_M9_S_COF1     | Sex of member in household - Member 9                     | Char |
| SN_LIVH_M9_A_COF1     | Age of member in household - Member 9                     | Num  |
| SN_LIVH_M10_R_COF1    | Relationship to participant - Member 10                   | Num  |
| SN_LIVH_M10_S_COF1    | Sex of member in household - Member 10                    | Char |
| SN_LIVH_M10_A_COF1    | Age of member in household - Member 10                    | Num  |
| SN_CHILD_NB_COF1      | Number of living children                                 | Num  |
| SN_CHILDBIO_NB_COF1   | Number of living biological children                      | Num  |
| SN_CHILDADP_NB_COF1   | Number of living adopted children                         | Num  |
| SN_CHILDSTPPR_NB_COF1 | Number of living step children or partner's children      | Num  |
| SN_DGHTRLIV_NB_COF1   | Number of living daughters                                | Num  |
| SN_SONLIV_NB_COF1     | Number of living sons                                     | Num  |
| SN_SEECHILD_COF1      | Last get together with children outside of household      | Num  |
| SN_SIBLIV_NB_COF1     | Number of living siblings                                 | Num  |
| SN_SEESIB_COF1        | Last get together with siblings outside of household      | Num  |
| SN_RELLIV_NB_COF1     | Number of living relatives                                | Num  |
| SN_SEEREL_COF1        | Last get together with relatives outside of household     | Num  |
| SN_FRND_NB_COF1       | Number of close friends                                   | Num  |
| SN_SEEFRND_COF1       | Last get together with close friends outside of household | Num  |
| SN_NEIBR_NB_COF1      | Number of neighbours                                      | Num  |
| SN_SEENEIBR_COF1      | Last get together with neighbours                         | Num  |
| SN_PERWSCH_NB_COF1    | Number of people known through work or school             | Num  |
| SN_PERCOM_NB_COF1     | Number of people known through community involvement      | Num  |
| SN_PERACT_NB_COF1     | Number of people known through other activities           | Num  |

|                   |  |     |
|-------------------|--|-----|
| SSA_CONFBED_COF1  | MOS scale: Support availability if confined to bed                         | Num |
| SSA_NDTLK_COF1    | MOS scale: Support availability if need to talk                            | Num |
| SSA_CRISIS_COF1   | MOS scale: Support availability for advising about a crisis                | Num |
| SSA_TYTDR_COF1    | MOS scale: Support availability if need to go to doctor                    | Num |
| SSA_SHLOV_COF1    | MOS scale: Support availability showing love and affection                 | Num |
| SSA_GOODT_COF1    | MOS scale: Support availability having a good time                         | Num |
| SSA_INFO_COF1     | MOS scale: Support availability providing information                      | Num |
| SSA_CONFID_COF1   | MOS scale: Support availability if need to confide                         | Num |
| SSA_HUGS_COF1     | MOS scale: Support availability through hugs                               | Num |
| SSA_RELAX_COF1    | MOS scale: Support availability through get togethers for relaxation       | Num |
| SSA_MEALS_COF1    | MOS scale: Support availability if unable to prepare meals                 | Num |
| SSA_ADVCE_COF1    | MOS scale: Support availability through wanted advice                      | Num |
| SSA_MINDOFF_COF1  | MOS scale: Support availability through distraction activities             | Num |
| SSA_CHORES_COF1   | MOS scale: Support availability with daily chores                          | Num |
| SSA_SHFEAR_COF1   | MOS scale: Support availability to share fears                             | Num |
| SSA_SUGG_COF1     | MOS scale: Support availability for suggestions with a personal problem    | Num |
| SSA_ENJOY_COF1    | MOS scale: Support availability to do something enjoyable                  | Num |
| SSA_PROBLM_COF1   | MOS scale: Support availability for understanding problems                 | Num |
| SSA_LOVU_COF1     | MOS scale: Support availability by love and making participant feel wanted | Num |
| SSA_PET_COF1      | Own a household pet for companionship                                      | Num |
| SPA_SOAC_RNP_COF1 | Reads a daily newspaper  | Num |
| SPA_SOAC_HY_COF1  | Has a hobby or pastime   | Num |
| SPA_SOAC_HIC_COF1 | Taken a holiday in Canada in last 12 months                                | Num |
| SPA_SOAC_HOC_COF1 | Taken a holiday outside of Canada in last 12 months                        | Num |



|                              |  |     |
|------------------------------|--|-----|
| <b>SPA_SOAC_DT_COF1</b>      | Gone on a daytrip or outing in last 12 months  | Num |
| <b>SPA_SOAC_INT_COF1</b>     | Uses internet and/or e-mail  | Num |
| <b>SPA_SOAC_VOT_COF1</b>     | Voted in last election   | Num |
| <b>SPA_SOAC_NONE_COF1</b>    | None of social activities statements apply   | Num |
| <b>SPA_SOAC_DK_NA_COF1</b>   | Social activities statements, Don't know   | Num |
| <b>SPA_SOAC_REFUSED_COF1</b> | Social activities statements, Refused to answer  | Num |
| <b>SPA_OUTS_COF1</b>         | Frequency of participation in family/ friends activities out of household (past 12 months) | Num |
| <b>SPA_CHRCH_COF1</b>        | Frequency of participation in religious activities (past 12 months)                        | Num |
| <b>SPA_SPORT_COF1</b>        | Frequency of participation in sports or physical activities with others (past 12 months)   | Num |
| <b>SPA_EDUC_COF1</b>         | Frequency of participation in educational or cultural activities (past 12 months)          | Num |
| <b>SPA_CLUB_COF1</b>         | Frequency of participation in clubs or fraternal organization activities (past 12 months)  | Num |
| <b>SPA_NEIBR_COF1</b>        | Frequency of participation in association activities (past 12 months)                      | Num |
| <b>SPA_VOLUN_COF1</b>        | Frequency of participation in volunteer or charity work (past 12 months)                   | Num |
| <b>SPA_OTACT_COF1</b>        | Frequency of participation in other recreational activities (past 12 months)               | Num |
| <b>SPA_MORAC_COF1</b>        | Desire to participate in more activities (past 12 months)                                  | Num |
| <b>SPA_PREVAC_CO_COF1</b>    | Cost prevented activities participation  | Num |
| <b>SPA_PREVAC_TP_COF1</b>    | Transportation problems prevented activities participation                                 | Num |
| <b>SPA_PREVAC_ANA_COF1</b>   | Lack of activities in area prevented participation   | Num |
| <b>SPA_PREVAC_LNA_COF1</b>   | Location accessibility prevented activities participation                                  | Num |
| <b>SPA_PREVAC_TF_COF1</b>    | Far distance prevented activities participation  | Num |
| <b>SPA_PREVAC_HC_COF1</b>    | Health condition/ limitation prevented activities participation                            | Num |

|                         |  |     |
|-------------------------|--|-----|
| SPA_PREVAC_TI_COF1      | Suitability of activity timing prevented participation             | Num |
| SPA_PREVAC_GA_COF1      | Going alone prevented activities participation                     | Num |
| SPA_PREVAC_PR_COF1      | Personal/ family responsibility prevented activities participation | Num |
| SPA_PREVAC_LRR_COF1     | Language reasons prevented activities participation                | Num |
| SPA_PREVAC_TB_COF1      | Being too busy prevented activities participation                  | Num |
| SPA_PREVAC_AF_COF1      | Safety concerns prevented activities participation                 | Num |
| SPA_PREVAC_OT_COF1      | Other factors prevented activities participation                   | Num |
| SPA_PREVAC_DK_NA_COF1   | Factors prevented activities participation, Don't know             | Num |
| SPA_PREVAC_REFUSED_COF1 | Factors prevented activities participation, Refused to answer      | Num |
| SPA_PREVAC_GR_COF1      | Grieving prevented activities participation                        | Num |
| SPA_PREVAC_WH_COF1      | Weather prevented activities participation                         | Num |
| SPA_PREVAC_MO_COF1      | Lack of motivation prevented activities participation              | Num |
| SPA_PREVAC_RL_COF1      | Relocation prevented activities participation                      | Num |
| SPA_PREVAC_ANS_COF1     | Options not suitable prevented activities participation            | Num |
| SPA_PREVAC_SC_COF1      | Social barriers prevented activities participation                 | Num |
| SPA_COHES_COF1          | Sense of belonging in the community                                | Num |
| SPA_PREVAC_FTG_COF1     | Being too tired prevented activities participation                 | Num |
| ORH_HLTH_COF1           | Oral health status   | Num |
| ORH_TEETH_COF1          | Has one or more of original teeth                                  | Num |
| ORH_TETH20_COF1         | Has 20 or more of original teeth                                   | Num |
| ORH_DENT_COF1           | Wears dentures or false teeth                                      | Num |
| ORH_DNUSE_COF1          | Have dentures or false teeth that do not use                       | Num |
| ORH_UNCEAT_COF1         | Uncomfortable eating in last 12 months                             | Num |
| ORH_EXP_TTH_COF1        | Oral health problems - Toothache                                   | Num |
| ORH_EXP_CHW_COF1        | Oral health problems - Cannot chew adequately                      | Num |
| ORH_EXP_DNU_COF1        | Oral health problems - Dentures uncomfortable                      | Num |

|                      |  |     |
|----------------------|--|-----|
| ORH_EXP_DNL_COF1     | Oral health problems - Dentures loose/don't fit                  | Num |
| ORH_EXP_DNB_COF1     | Oral health problems - Dentures broken                           | Num |
| ORH_EXP_DNT_COF1     | Oral health problems - Dentures lost                             | Num |
| ORH_EXP_SWL_COF1     | Oral health problems - Swelling in your mouth                    | Num |
| ORH_EXP_DRM_COF1     | Oral health problems - Dry mouth                                 | Num |
| ORH_EXP_BRM_COF1     | Oral health problems - Burning mouth                             | Num |
| ORH_EXP_JWS_COF1     | Oral health problems - Jaw muscles sore                          | Num |
| ORH_EXP_JJP_COF1     | Oral health problems - Jaw joints painful                        | Num |
| ORH_EXP_TTD_COF1     | Oral health problems - tooth decay (caries)                      | Num |
| ORH_EXP_NTL_COF1     | Oral health problems - Natural tooth loose                       | Num |
| ORH_EXP_NTB_COF1     | Oral health problems - Natural tooth broken                      | Num |
| ORH_EXP_GUMS_COF1    | Oral health problems - Gums around natural teeth are sore        | Num |
| ORH_EXP_GUMB_COF1    | Oral health problems - Gums around natural teeth bleed           | Num |
| ORH_EXP_DNS_COF1     | Oral health problems - Denture-related sores                     | Num |
| ORH_EXP_TTC_COF1     | Oral health problems -Difficulty keeping natural teeth clean     | Num |
| ORH_EXP_DNC_COF1     | Oral health problems -Difficulty keeping dentures clean          | Num |
| ORH_EXP_BB_COF1      | Oral health problems - Bad breath                                | Num |
| ORH_EXP_NONE_COF1    | Oral health problems - None                                      | Num |
| ORH_EXP_OT_COF1      | Oral health problems - Other                                     | Num |
| ORH_EXP_DK_NA_COF1   | Oral health problems - Don't know/No answer                      | Num |
| ORH_EXP_REFUSED_COF1 | Oral health problems - Refused                                   | Num |
| ORH_DNVST_COF1       | Last visit a Dental Professional                                 | Num |
| ORH_WYNDN_COF1       | Reason not seen a Dental Professional                            | Num |
| ORH_TYPINS_COF1      | Type of dental insurance   | Num |
| ORH_COST_COF1        | Not gone to a dental professional because of cost of care        | Num |
| ORH_PRBHT_COF1       | Accessing dental care problematic because health related problem | Num |
| ORH_BRUSDN_COF1      | Brush teeth or dentures yourself                                 | Num |
| ORH_WHO_COF1         | Person providing assistance with mouth care, if required         | Num |

|                                |  |     |
|--------------------------------|--|-----|
| <b>ORH_OFTN_COF1</b>           | Frequency teeth or dentures cleaned  | Num |
| <b>SLE_QLTY_COF1</b>           | Satisfaction with current sleep pattern                                    | Num |
| <b>SLE_HOUR_NB_COF1</b>        | Number of sleep hours during past month                                    | Num |
| <b>SLE_30MIN_COF1</b>          | Required more than 30 min to fall asleep                                   | Num |
| <b>SLE_30DUR_NB_COF1</b>       | Duration of having trouble going to sleep (in years)                       | Num |
| <b>SLE_30INTRF_COF1</b>        | Extent problem falling asleep interferes with daily functioning            | Num |
| <b>SLE_MIDFQ_COF1</b>          | Frequency waking up and having difficulty falling asleep again             | Num |
| <b>SLE_MIDDUR_NB_COF1</b>      | Duration of having trouble staying asleep (years)                          | Num |
| <b>SLE_MIDINTRF_COF1</b>       | Extent problem staying asleep interferes with daily functioning            | Num |
| <b>SLE_STAYFQ_COF1</b>         | Frequency finding difficulty to stay awake during normal hours             | Num |
| <b>SLE_STAYDUR_NB_COF1</b>     | Duration of having trouble staying awake (years)                           | Num |
| <b>SLE_STAYINTRF_COF1</b>      | Extent problem staying awake interferes with daily functioning             | Num |
| <b>SLE_DREAM_COF1</b>          | "Acts out on dreams" while asleep  | Num |
| <b>SLE_DRMDUR_NB_COF1</b>      | Duration been "acting out" on dreams (years)                               | Num |
| <b>SLE_LEGS_COF1</b>           | Experienced uncomfortable feeling in legs while sitting or lying down      | Num |
| <b>SLE_LGURG_COF1</b>          | Experienced urge to move legs while sitting or lying down                  | Num |
| <b>SLE_LGDUR_NB_COF1</b>       | Duration of having uncomfortable feeling or urge to move legs (years)      | Num |
| <b>SLE_LGFQ_COF1</b>           | Frequency over past week having uncomfortable feeling or urge to move legs | Num |
| <b>SLE_LGIMPR_COF1</b>         | Uncomfortable feelings or urges in legs disappear when active              | Num |
| <b>SLE_LGEVE_COF1</b>          | Uncomfortable feelings or urges in legs worse during evening/ at night     | Num |
| <b>SNO_SNORE_COF1</b>          | Snores loudly  | Num |
| <b>SNO_STOPBREATH_COF1</b>     | Stopped breathing in sleep   | Num |
| <b>PSY_CRT_COF1</b>            | Has been criticized  | Num |
| <b>PSY_OFTNCRT_COF1</b>        | How often were you criticized  | Num |
| <b>PSY_WHOCRT_PARTNER_COF1</b> | Who criticized you: Spouse or partner                                      | Num |
| <b>PSY_WHOCRT_SIBLING_COF1</b> | Who criticized you: Sibling  | Num |

|                             |   |     |
|-----------------------------|---|-----|
| PSY_WHOCRT_CHILD_COF1       | Who criticized you: Child                                       | Num |
| PSY_WHOCRT_GRANDCHILD_COF1  | Who criticized you: Grandchild                                  | Num |
| PSY_WHOCRT_FAMILY_COF1      | Who criticized you: Other family member                         | Num |
| PSY_WHOCRT_FRIEND_COF1      | Who criticized you: Friend                                      | Num |
| PSY_WHOCRT_PAID_COF1        | Who criticized you: Paid Caregiver                              | Num |
| PSY_WHOCRT_DK_NA_COF1       | Who criticized you: Don't know/No answer                        | Num |
| PSY_WHOCRT_REFUSED_COF1     | Who criticized you: Refused                                     | Num |
| PSY_WHOCRT_OT_COF1          | Who criticized you: Other                                       | Num |
| PSY_WHOCRT_MISSING_COF1     | Who criticized you: missing                                     | Num |
| PSY_SEXCRT2_PARTNER_COF1    | Sex of spouse or partner who criticized you                     | Num |
| PSY_SEXCRT2_SIBLING_COF1    | Sex of sibling who criticized you                               | Num |
| PSY_SEXCRT2_CHILD_COF1      | Sex of child who criticized you                                 | Num |
| PSY_SEXCRT2_GRANDCHILD_COF1 | Sex of grandchild who criticized you                            | Num |
| PSY_SEXCRT2_FAMILY_COF1     | Sex of other family member who criticized you                   | Num |
| PSY_SEXCRT2_FRIEND_COF1     | Sex of friend who criticized you                                | Num |
| PSY_SEXCRT2_PAID_COF1       | Sex of paid caregiver who criticized you                        | Num |
| PSY_SEXCRT2_OT_COF1         | Sex of other person who criticized you                          | Num |
| PSY_SEXCRT2_MISSING_COF1    | Sex of person who criticized you - relationship missing         | Num |
| PSY_LIVCRT2_PARTNER_COF1    | Spouse or partner who criticized you lived with you             | Num |
| PSY_LIVCRT2_SIBLING_COF1    | Sibling who criticized you lived with you                       | Num |
| PSY_LIVCRT2_CHILD_COF1      | Child who criticized you lived with you                         | Num |
| PSY_LIVCRT2_GRANDCHILD_COF1 | Grandchild who criticized you lived with you                    | Num |
| PSY_LIVCRT2_FAMILY_COF1     | Other family member who criticized you lived with you           | Num |
| PSY_LIVCRT2_FRIEND_COF1     | Friend who criticized you lived with you                        | Num |
| PSY_LIVCRT2_PAID_COF1       | Paid Caregiver who criticized you lived with you                | Num |
| PSY_LIVCRT2_OT_COF1         | Other person who criticized you lived with you                  | Num |
| PSY_LIVCRT2_MISSING_COF1    | Person (relationship missing) who criticized you lived with you | Num |
| PSY_ISU_COF1                | Been insulted   | Num |
| PSY_OFTNISU_COF1            | How often were you insulted                                     | Num |

|                             |   |     |
|-----------------------------|---|-----|
| PSY_WHOISU_PARTNER_COF1     | Who insulted you: Spouse or partner                           | Num |
| PSY_WHOISU_SIBLING_COF1     | Who insulted you: Sibling                                     | Num |
| PSY_WHOISU_CHILD_COF1       | Who insulted you: Child                                       | Num |
| PSY_WHOISU_GRANDCHILD_COF1  | Who insulted you: Grandchild                                  | Num |
| PSY_WHOISU_FAMILY_COF1      | Who insulted you: Other family member                         | Num |
| PSY_WHOISU_FRIEND_COF1      | Who insulted you: Friend                                      | Num |
| PSY_WHOISU_PAID_COF1        | Who insulted you: Paid Caregiver                              | Num |
| PSY_WHOISU_DK_NA_COF1       | Who insulted you: Don't know/No answer                        | Num |
| PSY_WHOISU_REFUSED_COF1     | Who insulted you: Refused                                     | Num |
| PSY_WHOISU_OT_COF1          | Who insulted you: Other                                       | Num |
| PSY_WHOISU_MISSING_COF1     | Who insulted you: missing                                     | Num |
| PSY_SEXISU2_PARTNER_COF1    | Sex of spouse or partner who insulted you                     | Num |
| PSY_SEXISU2_SIBLING_COF1    | Sex of sibling who insulted you                               | Num |
| PSY_SEXISU2_CHILD_COF1      | Sex of child who insulted you                                 | Num |
| PSY_SEXISU2_GRANDCHILD_COF1 | Sex of grandchild who insulted you                            | Num |
| PSY_SEXISU2_FAMILY_COF1     | Sex of other family member who insulted you                   | Num |
| PSY_SEXISU2_FRIEND_COF1     | Sex of friend who insulted you                                | Num |
| PSY_SEXISU2_PAID_COF1       | Sex of paid caregiver who insulted you                        | Num |
| PSY_SEXISU2_OT_COF1         | Sex of other person who insulted you                          | Num |
| PSY_SEXISU2_MISSING_COF1    | Sex of person (relationship missing) who insulted you         | Num |
| PSY_LIVISU2_PARTNER_COF1    | Spouse or partner who insulted you lived with you             | Num |
| PSY_LIVISU2_SIBLING_COF1    | Sibling who insulted you lived with you                       | Num |
| PSY_LIVISU2_CHILD_COF1      | Child who insulted you lived with you                         | Num |
| PSY_LIVISU2_GRANDCHILD_COF1 | Grandchild who insulted you lived with you                    | Num |
| PSY_LIVISU2_FAMILY_COF1     | Other family member who insulted you lived with you           | Num |
| PSY_LIVISU2_FRIEND_COF1     | Friend who insulted you lived with you                        | Num |
| PSY_LIVISU2_PAID_COF1       | Paid Caregiver who insulted you lived with you                | Num |
| PSY_LIVISU2_OT_COF1         | Other person who insulted you lived with you                  | Num |
| PSY_LIVISU2_MISSING_COF1    | Person (relationship missing) who insulted you lived with you | Num |

|                             |  |     |
|-----------------------------|--|-----|
| PSY_THR_COF1                | Has been threatened/intimidated                                    | Num |
| PSY_OFTNTHR_COF1            | How often has been threatened/intimidated                          | Num |
| PSY_WHOTHR_PARTNER_COF1     | Who threatened/intimidated you:<br>Spouse or partner               | Num |
| PSY_WHOTHR_SIBLING_COF1     | Who threatened/intimidated you:<br>Sibling                         | Num |
| PSY_WHOTHR_CHILD_COF1       | Who threatened/intimidated you:<br>Child                           | Num |
| PSY_WHOTHR_GRANDCHILD_COF1  | Who threatened/intimidated you:<br>Grandchild                      | Num |
| PSY_WHOTHR_FAMILY_COF1      | Who threatened/intimidated you:<br>Other family member             | Num |
| PSY_WHOTHR_FRIEND_COF1      | Who threatened/intimidated you:<br>Friend                          | Num |
| PSY_WHOTHR_PAID_COF1        | Who threatened/intimidated you:<br>Paid Caregiver                  | Num |
| PSY_WHOTHR_DK_NA_COF1       | Who threatened/intimidated you:<br>Don't know/No answer            | Num |
| PSY_WHOTHR_REFUSED_COF1     | Who threatened/intimidated you:<br>Refused                         | Num |
| PSY_WHOTHR_OT_COF1          | Who threatened/intimidated you:<br>Other                           | Num |
| PSY_WHOTHR_MISSING_COF1     | Who threatened/intimidated you:<br>missing                         | Num |
| PSY_SEXTHR2_PARTNER_COF1    | Sex of spouse or partner who<br>threatened/intimidated             | Num |
| PSY_SEXTHR2_SIBLING_COF1    | Sex of siblings who<br>threatened/intimidated                      | Num |
| PSY_SEXTHR2_CHILD_COF1      | Sex of child who<br>threatened/intimidated                         | Num |
| PSY_SEXTHR2_GRANDCHILD_COF1 | Sex of grandchild who<br>threatened/intimidated                    | Num |
| PSY_SEXTHR2_FAMILY_COF1     | Sex of other family member who<br>threatened/intimidated           | Num |
| PSY_SEXTHR2_FRIEND_COF1     | Sex of friend who<br>threatened/intimidated                        | Num |
| PSY_SEXTHR2_PAID_COF1       | Sex of paid caregiver who<br>threatened/intimidated                | Num |
| PSY_SEXTHR2_OT_COF1         | Sex of other person who<br>threatened/intimidated                  | Num |
| PSY_SEXTHR2_MISSING_COF1    | Sex of person (relationship missing)<br>who threatened/intimidated | Num |
| PSY_LIVTHR2_PARTNER_COF1    | Spouse or partner who<br>threatened/intimidated lived with<br>you  | Num |
| PSY_LIVTHR2_SIBLING_COF1    | Sibling who threatened/intimidated<br>lived with you               | Num |



|                                    |   |     |
|------------------------------------|---|-----|
| <b>PSY_LIVTHR2_CHILD_COF1</b>      | Child who threatened/intimidated lived with you                         | Num |
| <b>PSY_LIVTHR2_GRANDCHILD_COF1</b> | Grandchild who threatened/intimidated lived with you                    | Num |
| <b>PSY_LIVTHR2_FAMILY_COF1</b>     | Other family member who threatened/intimidated lived with you           | Num |
| <b>PSY_LIVTHR2_FRIEND_COF1</b>     | Friend who threatened/intimidated lived with you                        | Num |
| <b>PSY_LIVTHR2_PAID_COF1</b>       | Paid Caregiver who threatened/intimidated lived with you                | Num |
| <b>PSY_LIVTHR2_OT_COF1</b>         | Other person who threatened/intimidated lived with you                  | Num |
| <b>PSY_LIVTHR2_MISSING_COF1</b>    | Person (relationship missing) who threatened/intimidated lived with you | Num |
| <b>PSY_IGN_COF1</b>                | Been excluded/ignored   | Num |
| <b>PSY_OFTNIGN_COF1</b>            | How often were you excluded/ignored                                     | Num |
| <b>PSY_WHOIGN_PARTNER_COF1</b>     | Who excluded/ignored you: Spouse or partner                             | Num |
| <b>PSY_WHOIGN_SIBLING_COF1</b>     | Who excluded/ignored you: Sibling                                       | Num |
| <b>PSY_WHOIGN_CHILD_COF1</b>       | Who excluded/ignored you: Child   | Num |
| <b>PSY_WHOIGN_GRANDCHILD_COF1</b>  | Who excluded/ignored you: Grandchild                                    | Num |
| <b>PSY_WHOIGN_FAMILY_COF1</b>      | Who excluded/ignored you: Other family member                           | Num |
| <b>PSY_WHOIGN_FRIEND_COF1</b>      | Who excluded/ignored you: Friend  | Num |
| <b>PSY_WHOIGN_PAID_COF1</b>        | Who excluded/ignored you: Paid Caregiver                                | Num |
| <b>PSY_WHOIGN_DK_NA_COF1</b>       | Who excluded/ignored you: Don't know/No answer                          | Num |
| <b>PSY_WHOIGN_REFUSED_COF1</b>     | Who excluded/ignored you: Refused                                       | Num |
| <b>PSY_WHOIGN_OT_COF1</b>          | Who excluded/ignored you: Other   | Num |
| <b>PSY_WHOIGN_MISSING_COF1</b>     | Who excluded/ignored you: missing                                       | Num |
| <b>PSY_SEXIGN2_PARTNER_COF1</b>    | Sex of spouse or partner who excluded/ignored                           | Num |
| <b>PSY_SEXIGN2_SIBLING_COF1</b>    | Sex of sibling who excluded/ignored                                     | Num |
| <b>PSY_SEXIGN2_CHILD_COF1</b>      | Sex of child who excluded/ignored                                       | Num |
| <b>PSY_SEXIGN2_GRANDCHILD_COF1</b> | Sex of grandchild who excluded/ignored                                  | Num |

|                                    |   |     |
|------------------------------------|---|-----|
| <b>PSY_SEXIGN2_FAMILY_COF1</b>     | Sex of other family member who excluded/ignored                   | Num |
| <b>PSY_SEXIGN2_FRIEND_COF1</b>     | Sex of friend who excluded/ignored                                | Num |
| <b>PSY_SEXIGN2_PAID_COF1</b>       | Sex of paid caregiver who excluded/ignored                        | Num |
| <b>PSY_SEXIGN2_OT_COF1</b>         | Sex of other person who excluded/ignored                          | Num |
| <b>PSY_SEXIGN2_MISSING_COF1</b>    | Sex of person (relationship missing) who excluded/ignored         | Num |
| <b>PSY_LIVIGN2_PARTNER_COF1</b>    | Spouse or partner who excluded/ignored lived with you             | Num |
| <b>PSY_LIVIGN2_SIBLING_COF1</b>    | Sibling who excluded/ignored lived with you                       | Num |
| <b>PSY_LIVIGN2_CHILD_COF1</b>      | Child who excluded/ignored lived with you                         | Num |
| <b>PSY_LIVIGN2_GRANDCHILD_COF1</b> | Grandchild who excluded/ignored lived with you                    | Num |
| <b>PSY_LIVIGN2_FAMILY_COF1</b>     | Other family member who excluded/ignored lived with you           | Num |
| <b>PSY_LIVIGN2_FRIEND_COF1</b>     | Friend who excluded/ignored lived with you                        | Num |
| <b>PSY_LIVIGN2_PAID_COF1</b>       | Paid Caregiver who excluded/ignored lived with you                | Num |
| <b>PSY_LIVIGN2_OT_COF1</b>         | Other person who excluded/ignored lived with you                  | Num |
| <b>PSY_LIVIGN2_MISSING_COF1</b>    | Person (relationship missing) who excluded/ignored lived with you | Num |
| <b>PHY_PUSH_COF1</b>               | Has been pushed/shoved/grabbed                                    | Num |
| <b>PHY_OFTNPUSH_COF1</b>           | How often was pushed/shoved/grabbed                               | Num |
| <b>PHY_WHOPUSH_PARTNER_COF1</b>    | Who pushed/shoved/grabbed you: Spouse or partner                  | Num |
| <b>PHY_WHOPUSH_SIBLING_COF1</b>    | Who pushed/shoved/grabbed you: Sibling                            | Num |
| <b>PHY_WHOPUSH_CHILD_COF1</b>      | Who pushed/shoved/grabbed you: Child                              | Num |
| <b>PHY_WHOPUSH_GRANDCHILD_COF1</b> | Who pushed/shoved/grabbed you: Grandchild                         | Num |
| <b>PHY_WHOPUSH_FAMILY_COF1</b>     | Who pushed/shoved/grabbed you: Other family member                | Num |
| <b>PHY_WHOPUSH_FRIEND_COF1</b>     | Who pushed/shoved/grabbed you: Friend                             | Num |
| <b>PHY_WHOPUSH_PAID_COF1</b>       | Who pushed/shoved/grabbed you: Paid Caregiver                     | Num |
| <b>PHY_WHOPUSH_DK_NA_COF1</b>      | Who pushed/shoved/grabbed you: Don't know/No answer               | Num |

|                                     |  |     |
|-------------------------------------|--|-----|
| <b>PHY_WHOPUSH_REFUSED_COF1</b>     | Who pushed/shoved/grabbed you:<br>Refused                          | Num |
| <b>PHY_WHOPUSH_OT_COF1</b>          | Who pushed/shoved/grabbed you:<br>Other                            | Num |
| <b>PHY_WHOPUSH_MISSING_COF1</b>     | Who pushed/shoved/grabbed you:<br>missing                          | Num |
| <b>PHY_SEXPUSH2_PARTNER_COF1</b>    | Sex of spouse or partner who<br>pushed/shoved/grabbed              | Num |
| <b>PHY_SEXPUSH2_SIBLING_COF1</b>    | Sex of sibling who<br>pushed/shoved/grabbed                        | Num |
| <b>PHY_SEXPUSH2_CHILD_COF1</b>      | Sex of child who<br>pushed/shoved/grabbed                          | Num |
| <b>PHY_SEXPUSH2_GRANDCHILD_COF1</b> | Sex of grandchild who<br>pushed/shoved/grabbed                     | Num |
| <b>PHY_SEXPUSH2_FAMILY_COF1</b>     | Sex of other family member who<br>pushed/shoved/grabbed            | Num |
| <b>PHY_SEXPUSH2_FRIEND_COF1</b>     | Sex of friend who<br>pushed/shoved/grabbed                         | Num |
| <b>PHY_SEXPUSH2_PAID_COF1</b>       | Sex of paid caregiver who<br>pushed/shoved/grabbed                 | Num |
| <b>PHY_SEXPUSH2_OT_COF1</b>         | Sex of other person who<br>pushed/shoved/grabbed                   | Num |
| <b>PHY_SEXPUSH2_MISSING_COF1</b>    | Sex of person (relationship missing)<br>who pushed/shoved/grabbed  | Num |
| <b>PHY_LIVPUSH2_PARTNER_COF1</b>    | Spouse or partner who<br>pushed/shoved/grabbed lived with<br>you   | Num |
| <b>PHY_LIVPUSH2_SIBLING_COF1</b>    | Sibling who<br>pushed/shoved/grabbed lived with<br>you             | Num |
| <b>PHY_LIVPUSH2_CHILD_COF1</b>      | Child who<br>pushed/shoved/grabbed lived with<br>you               | Num |
| <b>PHY_LIVPUSH2_GRANDCHILD_COF1</b> | Grandchild who<br>pushed/shoved/grabbed lived with<br>you          | Num |
| <b>PHY_LIVPUSH2_FAMILY_COF1</b>     | Other family member who<br>pushed/shoved/grabbed lived with<br>you | Num |
| <b>PHY_LIVPUSH2_FRIEND_COF1</b>     | Friend who<br>pushed/shoved/grabbed lived with<br>you              | Num |
| <b>PHY_LIVPUSH2_PAID_COF1</b>       | Paid Caregiver who<br>pushed/shoved/grabbed lived with<br>you      | Num |
| <b>PHY_LIVPUSH2_OT_COF1</b>         | Other who<br>pushed/shoved/grabbed lived with<br>you               | Num |

|                                     |  |     |
|-------------------------------------|--|-----|
| <b>PHY_LIVPUSH2_MISSING_COF1</b>    | Person (relationship missing) who pushed/shoved/grabbed lived with you | Num |
| <b>PHY_THRN_COF1</b>                | Has had someone throw something at you                                 | Num |
| <b>PHY_OFNTHRN_COF1</b>             | How often has had someone throw something at you                       | Num |
| <b>PHY_WHOTHRN_PARTNER_COF1</b>     | Who threw something at you: Spouse or partner                          | Num |
| <b>PHY_WHOTHRN_SIBLING_COF1</b>     | Who threw something at you: Sibling                                    | Num |
| <b>PHY_WHOTHRN_CHILD_COF1</b>       | Who threw something at you: Child                                      | Num |
| <b>PHY_WHOTHRN_GRANDCHILD_COF1</b>  | Who threw something at you: Grandchild                                 | Num |
| <b>PHY_WHOTHRN_FAMILY_COF1</b>      | Who threw something at you: Other family member                        | Num |
| <b>PHY_WHOTHRN_FRIEND_COF1</b>      | Who threw something at you: Friend                                     | Num |
| <b>PHY_WHOTHRN_PAID_COF1</b>        | Who threw something at you: Paid Caregiver                             | Num |
| <b>PHY_WHOTHRN_DK_NA_COF1</b>       | Who threw something at you: Don't know/No answer                       | Num |
| <b>PHY_WHOTHRN_REFUSED_COF1</b>     | Who threw something at you: Refused                                    | Num |
| <b>PHY_WHOTHRN_OT_COF1</b>          | Who threw something at you: Other                                      | Num |
| <b>PHY_WHOTHRN_MISSING_COF1</b>     | Who threw something at you: missing                                    | Num |
| <b>PHY_SEXTHRN2_PARTNER_COF1</b>    | Sex of spouse or partner who threw something at you                    | Num |
| <b>PHY_SEXTHRN2_SIBLING_COF1</b>    | Sex of sibling who threw something at you                              | Num |
| <b>PHY_SEXTHRN2_CHILD_COF1</b>      | Sex of child who threw something at you                                | Num |
| <b>PHY_SEXTHRN2_GRANDCHILD_COF1</b> | Sex of grandchild who threw something at you                           | Num |
| <b>PHY_SEXTHRN2_FAMILY_COF1</b>     | Sex of other family member who threw something at you                  | Num |
| <b>PHY_SEXTHRN2_FRIEND_COF1</b>     | Sex of friend who threw something at you                               | Num |
| <b>PHY_SEXTHRN2_PAID_COF1</b>       | Sex of paid caregiver who threw something at you                       | Num |
| <b>PHY_SEXTHRN2_OT_COF1</b>         | Sex of other person who threw something at you                         | Num |
| <b>PHY_SEXTHRN2_MISSING_COF1</b>    | Sex of person (relationship missing) who threw something at you        | Num |
| <b>PHY_LIVTHRN2_PARTNER_COF1</b>    | Spouse or partner who threw something at you lived with you            | Num |

|                              |   |     |
|------------------------------|---|-----|
| PHY_LIVTHRN2_SIBLING_COF1    | Sibling who threw something at you lived with you                       | Num |
| PHY_LIVTHRN2_CHILD_COF1      | Child who threw something at you lived with you                         | Num |
| PHY_LIVTHRN2_GRANDCHILD_COF1 | Grandchild who threw something at you lived with you                    | Num |
| PHY_LIVTHRN2_FAMILY_COF1     | Other family member who threw something at you lived with you           | Num |
| PHY_LIVTHRN2_FRIEND_COF1     | Friend who threw something at you lived with you                        | Num |
| PHY_LIVTHRN2_PAID_COF1       | Paid Caregiver who threw something at you lived with you                | Num |
| PHY_LIVTHRN2_OT_COF1         | Other person who threw something at you lived with you                  | Num |
| PHY_LIVTHRN2_MISSING_COF1    | Person (relationship missing) who threw something at you lived with you | Num |
| PHY_HIT_COF1                 | Has been hit/slapped  | Num |
| PHY_OFTHIT_COF1              | How often was hit/slapped   | Num |
| PHY_WHOHIT_PARTNER_COF1      | Who hit/slapped you: Spouse or partner                                  | Num |
| PHY_WHOHIT_SIBLING_COF1      | Who hit/slapped you: Sibling  | Num |
| PHY_WHOHIT_CHILD_COF1        | Who hit/slapped you: Child  | Num |
| PHY_WHOHIT_GRANDCHILD_COF1   | Who hit/slapped you: Grandchild   | Num |
| PHY_WHOHIT_FAMILY_COF1       | Who hit/slapped you: Other family member                                | Num |
| PHY_WHOHIT_FRIEND_COF1       | Who hit/slapped you: Friend   | Num |
| PHY_WHOHIT_PAID_COF1         | Who hit/slapped you: Paid Caregiver                                     | Num |
| PHY_WHOHIT_DK_NA_COF1        | Who hit/slapped you: Don't know/No answer                               | Num |
| PHY_WHOHIT_REFUSED_COF1      | Who hit/slapped you: Refused  | Num |
| PHY_WHOHIT_OT_COF1           | Who hit/slapped you: Other  | Num |
| PHY_WHOHIT_MISSING_COF1      | Who hit/slapped you: missing  | Num |
| PHY_SEXHIT2_PARTNER_COF1     | Sex of partner who hit/slapped you                                      | Num |
| PHY_SEXHIT2_SIBLING_COF1     | Sex of sibling who hit/slapped you                                      | Num |
| PHY_SEXHIT2_CHILD_COF1       | Sex of child who hit/slapped you  | Num |
| PHY_SEXHIT2_GRANDCHILD_COF1  | Sex of grandchild who hit/slapped you                                   | Num |
| PHY_SEXHIT2_FAMILY_COF1      | Sex of other family member who hit/slapped you                          | Num |
| PHY_SEXHIT2_FRIEND_COF1      | Sex of friend who hit/slapped you                                       | Num |
| PHY_SEXHIT2_PAID_COF1        | Sex of paid caregiver who hit/slapped you                               | Num |

|                             |  |     |
|-----------------------------|--|-----|
| PHY_SEXHIT2_OT_COF1         | Sex of other person who hit/slapped you                          | Num |
| PHY_SEXHIT2_MISSING_COF1    | Sex of person (relationship missing) who hit/slapped you         | Num |
| PHY_LIVHIT2_PARTNER_COF1    | Spouse or partner who hit/slapped you lived with you             | Num |
| PHY_LIVHIT2_SIBLING_COF1    | Sibling who hit/slapped you lived with you                       | Num |
| PHY_LIVHIT2_CHILD_COF1      | Child who hit/slapped you lived with you                         | Num |
| PHY_LIVHIT2_GRANDCHILD_COF1 | Grandchild who hit/slapped you lived with you                    | Num |
| PHY_LIVHIT2_FAMILY_COF1     | Other family member who hit/slapped you lived with you           | Num |
| PHY_LIVHIT2_FRIEND_COF1     | Friend who hit/slapped you lived with you                        | Num |
| PHY_LIVHIT2_PAID_COF1       | Paid Caregiver who hit/slapped you lived with you                | Num |
| PHY_LIVHIT2_OT_COF1         | Other who hit/slapped you lived with you                         | Num |
| PHY_LIVHIT2_MISSING_COF1    | Person (relationship missing) who hit/slapped you lived with you | Num |
| PHY_THT_COF1                | Someone has tried to hit you                                     | Num |
| PHY_OFNTHT_COF1             | How often has someone tried to hit you                           | Num |
| PHY_WHOTHT_PARTNER_COF1     | Who tried to hit you: Spouse or partner                          | Num |
| PHY_WHOTHT_SIBLING_COF1     | Who tried to hit you: Sibling                                    | Num |
| PHY_WHOTHT_CHILD_COF1       | Who tried to hit you: Child                                      | Num |
| PHY_WHOTHT_GRANDCHILD_COF1  | Who tried to hit you: Grandchild                                 | Num |
| PHY_WHOTHT_FAMILY_COF1      | Who tried to hit you: Other family member                        | Num |
| PHY_WHOTHT_FRIEND_COF1      | Who tried to hit you: Friend                                     | Num |
| PHY_WHOTHT_PAID_COF1        | Who tried to hit you: Paid Caregiver                             | Num |
| PHY_WHOTHT_DK_NA_COF1       | Who tried to hit you: Don't know/No answer                       | Num |
| PHY_WHOTHT_REFUSED_COF1     | Who tried to hit you: Refused                                    | Num |
| PHY_WHOTHT_OT_COF1          | Who tried to hit you: Other                                      | Num |
| PHY_WHOTHT_MISSING_COF1     | Who tried to hit you: missing                                    | Num |
| PHY_SEXTHT2_PARTNER_COF1    | Sex of partner who tried to hit you                              | Num |
| PHY_SEXTHT2_SIBLING_COF1    | Sex of sibling who tried to hit you                              | Num |
| PHY_SEXTHT2_CHILD_COF1      | Sex of child who tried to hit you                                | Num |
| PHY_SEXTHT2_GRANDCHILD_COF1 | Sex of grandchild who tried to hit you                           | Num |
| PHY_SEXTHT2_FAMILY_COF1     | Sex of other family member who tried to hit you                  | Num |

|                             |   |     |
|-----------------------------|---|-----|
| PHY_SEXTHT2_FRIEND_COF1     | Sex of friend who tried to hit you                                | Num |
| PHY_SEXTHT2_PAID_COF1       | Sex of paid caregiver who tried to hit you                        | Num |
| PHY_SEXTHT2_OT_COF1         | Sex of other person who tried to hit you                          | Num |
| PHY_SEXTHT2_MISSING_COF1    | Sex of person (relationship missing) who tried to hit you         | Num |
| PHY_LIVTHT2_PARTNER_COF1    | Spouse or partner who tried to hit you lived with you             | Num |
| PHY_LIVTHT2_SIBLING_COF1    | Sibling who tried to hit you lived with you                       | Num |
| PHY_LIVTHT2_CHILD_COF1      | Child who tried to hit you lived with you                         | Num |
| PHY_LIVTHT2_GRANDCHILD_COF1 | Grandchild who tried to hit you lived with you                    | Num |
| PHY_LIVTHT2_FAMILY_COF1     | Other family member who tried to hit you lived with you           | Num |
| PHY_LIVTHT2_FRIEND_COF1     | Friend who tried to hit you lived with you                        | Num |
| PHY_LIVTHT2_PAID_COF1       | Paid Caregiver who tried to hit you lived with you                | Num |
| PHY_LIVTHT2_OT_COF1         | Other who tried to hit you lived with you                         | Num |
| PHY_LIVTHT2_MISSING_COF1    | Person (relationship missing) who tried to hit you lived with you | Num |
| PHY_CHK_COF1                | Someone has tried to choke you                                    | Num |
| PHY_OFNCHK_COF1             | How often has someone tried to choke you                          | Num |
| PHY_WHOCHK_PARTNER_COF1     | Who tried to choke you: Spouse or partner                         | Num |
| PHY_WHOCHK_SIBLING_COF1     | Who tried to choke you: Sibling                                   | Num |
| PHY_WHOCHK_CHILD_COF1       | Who tried to choke you: Child                                     | Num |
| PHY_WHOCHK_GRANDCHILD_COF1  | Who tried to choke you: Grandchild                                | Num |
| PHY_WHOCHK_FAMILY_COF1      | Who tried to choke you: Other family member                       | Num |
| PHY_WHOCHK_FRIEND_COF1      | Who tried to choke you: Friend                                    | Num |
| PHY_WHOCHK_PAID_COF1        | Who tried to choke you: Paid Caregiver                            | Num |
| PHY_WHOCHK_DK_NA_COF1       | Who tried to choke you: Don't know/No answer                      | Num |
| PHY_WHOCHK_REFUSED_COF1     | Who tried to choke you: Refused                                   | Num |
| PHY_WHOCHK_OT_COF1          | Who tried to choke you: Other                                     | Num |
| PHY_WHOCHK_MISSING_COF1     | Who tried to choke you: missing                                   | Num |
| PHY_SEXCHK2_PARTNER_COF1    | Sex of partner who tried to choke you                             | Num |



|                             |   |     |
|-----------------------------|---|-----|
| PHY_SEXCHK2_SIBLING_COF1    | Sex of sibling who tried to choke you                               | Num |
| PHY_SEXCHK2_CHILD_COF1      | Sex of child who tried to choke you                                 | Num |
| PHY_SEXCHK2_GRANDCHILD_COF1 | Sex of grandchild who tried to choke you                            | Num |
| PHY_SEXCHK2_FAMILY_COF1     | Sex of other family member who tried to choke you                   | Num |
| PHY_SEXCHK2_FRIEND_COF1     | Sex of friend who tried to choke you                                | Num |
| PHY_SEXCHK2_PAID_COF1       | Sex of paid caregiver who tried to choke you                        | Num |
| PHY_SEXCHK2_OT_COF1         | Sex of other person who tried to choke you                          | Num |
| PHY_SEXCHK2_MISSING_COF1    | Sex of person (relationship missing) who tried to choke you         | Num |
| PHY_LIVCHK2_PARTNER_COF1    | Spouse or partner who tried to choke you lived with you             | Num |
| PHY_LIVCHK2_SIBLING_COF1    | Sibling who tried to choke you lived with you                       | Num |
| PHY_LIVCHK2_CHILD_COF1      | Child who tried to choke you lived with you                         | Num |
| PHY_LIVCHK2_GRANDCHILD_COF1 | Grandchild who tried to choke you lived with you                    | Num |
| PHY_LIVCHK2_FAMILY_COF1     | Other family member who tried to choke you lived with you           | Num |
| PHY_LIVCHK2_FRIEND_COF1     | Friend who tried to choke you lived with you                        | Num |
| PHY_LIVCHK2_PAID_COF1       | Paid Caregiver who tried to choke you lived with you                | Num |
| PHY_LIVCHK2_OT_COF1         | Other person who tried to choke you lived with you                  | Num |
| PHY_LIVCHK2_MISSING_COF1    | Person (relationship missing) who tried to choke you lived with you | Num |
| PHY_WPN_COF1                | Been threatened with a weapon                                       | Num |
| PHY_OFTNWPN_COF1            | How often were you threatened with a weapon                         | Num |
| PHY_WHOWPN_PARTNER_COF1     | Who threatened you with a weapon: Spouse or partner                 | Num |
| PHY_WHOWPN_SIBLING_COF1     | Who threatened you with a weapon: Sibling                           | Num |
| PHY_WHOWPN_CHILD_COF1       | Who threatened you with a weapon: Child                             | Num |
| PHY_WHOWPN_GRANDCHILD_COF1  | Who threatened you with a weapon: Grandchild                        | Num |
| PHY_WHOWPN_FAMILY_COF1      | Who threatened you with a weapon: Other family member               | Num |
| PHY_WHOWPN_FRIEND_COF1      | Who threatened you with a weapon: Friend                            | Num |

|                             |   |     |
|-----------------------------|---|-----|
| PHY_WHOWPN_PAID_COF1        | Who threatened you with a weapon: Paid Caregiver                          | Num |
| PHY_WHOWPN_DK_NA_COF1       | Who threatened you with a weapon: Don't know/No answer                    | Num |
| PHY_WHOWPN_REFUSED_COF1     | Who threatened you with a weapon: Refused                                 | Num |
| PHY_WHOWPN_OT_COF1          | Who threatened you with a weapon: Other                                   | Num |
| PHY_WHOWPN_MISSING_COF1     | Who threatened you with a weapon: Missing                                 | Num |
| PHY_SEXWPN2_PARTNER_COF1    | Sex of partner who threatened with a weapon                               | Num |
| PHY_SEXWPN2_SIBLING_COF1    | Sex of sibling who threatened with a weapon                               | Num |
| PHY_SEXWPN2_CHILD_COF1      | Sex of child who threatened with a weapon                                 | Num |
| PHY_SEXWPN2_GRANDCHILD_COF1 | Sex of grandchild who threatened with a weapon                            | Num |
| PHY_SEXWPN2_FAMILY_COF1     | Sex of other family member who threatened with a weapon                   | Num |
| PHY_SEXWPN2_FRIEND_COF1     | Sex of friend who threatened with a weapon                                | Num |
| PHY_SEXWPN2_PAID_COF1       | Sex of paid caregiver who threatened with a weapon                        | Num |
| PHY_SEXWPN2_OT_COF1         | Sex of other person who threatened with a weapon                          | Num |
| PHY_SEXWPN2_MISSING_COF1    | Sex of person (relationship missing) who threatened with a weapon         | Num |
| PHY_LIVWPN2_PARTNER_COF1    | Spouse or partner who threatened with a weapon lived with you             | Num |
| PHY_LIVWPN2_SIBLING_COF1    | Sibling who threatened with a weapon lived with you                       | Num |
| PHY_LIVWPN2_CHILD_COF1      | Child who threatened with a weapon lived with you                         | Num |
| PHY_LIVWPN2_GRANDCHILD_COF1 | Grandchild who threatened with a weapon lived with you                    | Num |
| PHY_LIVWPN2_FAMILY_COF1     | Other family member who threatened with a weapon lived with you           | Num |
| PHY_LIVWPN2_FRIEND_COF1     | Friend who threatened with a weapon lived with you                        | Num |
| PHY_LIVWPN2_PAID_COF1       | Paid Caregiver who threatened with a weapon lived with you                | Num |
| PHY_LIVWPN2_OT_COF1         | Other person who threatened with a weapon lived with you                  | Num |
| PHY_LIVWPN2_MISSING_COF1    | Person (relationship missing) who threatened with a weapon lived with you | Num |

|                             |   |     |
|-----------------------------|---|-----|
| FIN_MNY_COF1                | Forced to give money possessions or property                      | Num |
| FIN_OFTNMNY_COF1            | How often were you forced to give money possessions or property   | Num |
| FIN_WHOMNY_PARTNER_COF1     | Who made you give them money: Spouse of partner                   | Num |
| FIN_WHOMNY_SIBLING_COF1     | Who made you give them money: Sibling                             | Num |
| FIN_WHOMNY_CHILD_COF1       | Who made you give them money: Child                               | Num |
| FIN_WHOMNY_GRANDCHILD_COF1  | Who made you give them money: Grandchild                          | Num |
| FIN_WHOMNY_FAMILY_COF1      | Who made you give them money: Other family member                 | Num |
| FIN_WHOMNY_FRIEND_COF1      | Who made you give them money: Friend                              | Num |
| FIN_WHOMNY_PAID_COF1        | Who made you give them money: Paid Caregiver                      | Num |
| FIN_WHOMNY_DK_NA_COF1       | Who made you give them money: Don't know/No answer                | Num |
| FIN_WHOMNY_REFUSED_COF1     | Who made you give them money: Refused                             | Num |
| FIN_WHOMNY_OT_COF1          | Who made you give them money: Other                               | Num |
| FIN_WHOMNY_MISSING_COF1     | Who made you give them money: Missing                             | Num |
| FIN_SEXMNY2_PARTNER_COF1    | Sex of partner who made you give them money                       | Num |
| FIN_SEXMNY2_SIBLING_COF1    | Sex of sibling who made you give them money                       | Num |
| FIN_SEXMNY2_CHILD_COF1      | Sex of child who made you give them money                         | Num |
| FIN_SEXMNY2_GRANDCHILD_COF1 | Sex of grandchild who made you give them money                    | Num |
| FIN_SEXMNY2_FAMILY_COF1     | Sex of other family member who made you give them money           | Num |
| FIN_SEXMNY2_FRIEND_COF1     | Sex of friend who made you give them money                        | Num |
| FIN_SEXMNY2_PAID_COF1       | Sex of paid caregiver who made you give them money                | Num |
| FIN_SEXMNY2_OT_COF1         | Sex of other person who made you give them money                  | Num |
| FIN_SEXMNY2_MISSING_COF1    | Sex of person (relationship missing) who made you give them money | Num |
| FIN_LIVMNY2_PARTNER_COF1    | Spouse or partner who made you give them money lived with you     | Num |
| FIN_LIVMNY2_SIBLING_COF1    | Sibling who made you give them money lived with you               | Num |

|                                    |   |     |
|------------------------------------|---|-----|
| <b>FIN_LIVMNY2_CHILD_COF1</b>      | Child who made you give them money lived with you                         | Num |
| <b>FIN_LIVMNY2_GRANDCHILD_COF1</b> | Grandchild who made you give them money lived with you                    | Num |
| <b>FIN_LIVMNY2_FAMILY_COF1</b>     | Other family member who made you give them money lived with you           | Num |
| <b>FIN_LIVMNY2_FRIEND_COF1</b>     | Friend who made you give them money lived with you                        | Num |
| <b>FIN_LIVMNY2_PAID_COF1</b>       | Paid Caregiver who made you give them money lived with you                | Num |
| <b>FIN_LIVMNY2_OT_COF1</b>         | Other person who made you give them money lived with you                  | Num |
| <b>FIN_LIVMNY2_MISSING_COF1</b>    | Person (relationship missing) who made you give them money lived with you | Num |
| <b>FIN_POS_COF1</b>                | Had money possessions or property taken                                   | Num |
| <b>FIN_OFTNPOS_COF1</b>            | How often was money possessions or property taken                         | Num |
| <b>FIN_WHOPOS_PARTNER_COF1</b>     | Who took your money: Spouse or partner                                    | Num |
| <b>FIN_WHOPOS_SIBLING_COF1</b>     | Who took your money: Sibling  | Num |
| <b>FIN_WHOPOS_CHILD_COF1</b>       | Who took your money: Child  | Num |
| <b>FIN_WHOPOS_GRANDCHILD_COF1</b>  | Who took your money: Grandchild   | Num |
| <b>FIN_WHOPOS_FAMILY_COF1</b>      | Who took your money: Other family member                                  | Num |
| <b>FIN_WHOPOS_FRIEND_COF1</b>      | Who took your money: Friend   | Num |
| <b>FIN_WHOPOS_PAID_COF1</b>        | Who took your money: Paid Caregiver                                       | Num |
| <b>FIN_WHOPOS_DK_NA_COF1</b>       | Who took your money: Don't know/No answer                                 | Num |
| <b>FIN_WHOPOS_REFUSED_COF1</b>     | Who took your money: Refused  | Num |
| <b>FIN_WHOPOS_OT_COF1</b>          | Who took your money: Other  | Num |
| <b>FIN_WHOPOS_MISSING_COF1</b>     | Who took your money: Missing  | Num |
| <b>FIN_SEXPOS2_PARTNER_COF1</b>    | Sex of partner who took money   | Num |
| <b>FIN_SEXPOS2_SIBLING_COF1</b>    | Sex of sibling who took money   | Num |
| <b>FIN_SEXPOS2_CHILD_COF1</b>      | Sex of child who took money   | Num |
| <b>FIN_SEXPOS2_GRANDCHILD_COF1</b> | Sex of grandchild who took money  | Num |
| <b>FIN_SEXPOS2_FAMILY_COF1</b>     | Sex of other family member who took money                                 | Num |
| <b>FIN_SEXPOS2_FRIEND_COF1</b>     | Sex of friend who took money  | Num |
| <b>FIN_SEXPOS2_PAID_COF1</b>       | Sex of paid caregiver who took money                                      | Num |

|                                    |  |     |
|------------------------------------|--|-----|
| <b>FIN_SEXPOS2_OT_COF1</b>         | Sex of other person who took money                                     | Num |
| <b>FIN_SEXPOS2_MISSING_COF1</b>    | Sex of person (relationship missing) who took money                    | Num |
| <b>FIN_LIVPOS2_PARTNER_COF1</b>    | Spouse or partner who took money lived with you                        | Num |
| <b>FIN_LIVPOS2_SIBLING_COF1</b>    | Sibling who took money lived with you                                  | Num |
| <b>FIN_LIVPOS2_CHILD_COF1</b>      | Child who took money lived with you                                    | Num |
| <b>FIN_LIVPOS2_GRANDCHILD_COF1</b> | Grandchild who took money lived with you                               | Num |
| <b>FIN_LIVPOS2_FAMILY_COF1</b>     | Other family member who took money lived with you                      | Num |
| <b>FIN_LIVPOS2_FRIEND_COF1</b>     | Friend who took money lived with you                                   | Num |
| <b>FIN_LIVPOS2_PAID_COF1</b>       | Paid Caregiver who took money lived with you                           | Num |
| <b>FIN_LIVPOS2_OT_COF1</b>         | Other person who took money lived with you                             | Num |
| <b>FIN_LIVPOS2_MISSING_COF1</b>    | Person (relationship missing) who took money lived with you            | Num |
| <b>FIN_PRV_COF1</b>                | Had access to money possessions or property deliberately prevented     | Num |
| <b>FIN_OFNPRV_COF1</b>             | How was access to money possessions or property deliberately prevented | Num |
| <b>FIN_WHOPRV_PARTNER_COF1</b>     | Who prevented access to money: Spouse or partner                       | Num |
| <b>FIN_WHOPRV_SIBLING_COF1</b>     | Who prevented access to money: Sibling                                 | Num |
| <b>FIN_WHOPRV_CHILD_COF1</b>       | Who prevented access to money: Child                                   | Num |
| <b>FIN_WHOPRV_GRANDCHILD_COF1</b>  | Who prevented access to money: Grandchild                              | Num |
| <b>FIN_WHOPRV_FAMILY_COF1</b>      | Who prevented access to money: Other family member                     | Num |
| <b>FIN_WHOPRV_FRIEND_COF1</b>      | Who prevented access to money: Friend                                  | Num |
| <b>FIN_WHOPRV_PAID_COF1</b>        | Who prevented access to money: Paid Caregiver                          | Num |
| <b>FIN_WHOPRV_DK_NA_COF1</b>       | Who prevented access to money: Don't know/No answer                    | Num |
| <b>FIN_WHOPRV_REFUSED_COF1</b>     | Who prevented access to money: Refused                                 | Num |
| <b>FIN_WHOPRV_OT_COF1</b>          | Who prevented access to money: Other                                   | Num |

|                                    |  |      |
|------------------------------------|--|------|
| <b>FIN_WHOPRV_MISSING_COF1</b>     | Who prevented access to money:<br>Missing  | Num  |
| <b>FIN_SEXPRV2_PARTNER_COF1</b>    | Sex of partner who prevented<br>access to money                                  | Num  |
| <b>FIN_SEXPRV2_SIBLING_COF1</b>    | Sex of sibling who prevented<br>access to money                                  | Num  |
| <b>FIN_SEXPRV2_CHILD_COF1</b>      | Sex of child who prevented access<br>to money                                    | Num  |
| <b>FIN_SEXPRV2_GRANDCHILD_COF1</b> | Sex of grandchild who prevented<br>access to money                               | Num  |
| <b>FIN_SEXPRV2_FAMILY_COF1</b>     | Sex of other family member who<br>prevented access to money                      | Num  |
| <b>FIN_SEXPRV2_FRIEND_COF1</b>     | Sex of friend who prevented access<br>to money                                   | Num  |
| <b>FIN_SEXPRV2_PAID_COF1</b>       | Sex of paid caregiver who<br>prevented access to money                           | Num  |
| <b>FIN_SEXPRV2_OT_COF1</b>         | Sex of other person who prevented<br>access to money                             | Num  |
| <b>FIN_SEXPRV2_MISSING_COF1</b>    | Sex of person (relationship missing)<br>who prevented access to money            | Num  |
| <b>FIN_LIVPRV2_PARTNER_COF1</b>    | Spouse or partner who prevented<br>access to money lived with you                | Num  |
| <b>FIN_LIVPRV2_SIBLING_COF1</b>    | Sibling who prevented access to<br>money lived with you                          | Num  |
| <b>FIN_LIVPRV2_CHILD_COF1</b>      | Child who prevented access to<br>money lived with you                            | Num  |
| <b>FIN_LIVPRV2_GRANDCHILD_COF1</b> | Grandchild who prevented access<br>to money lived with you                       | Num  |
| <b>FIN_LIVPRV2_FAMILY_COF1</b>     | Other family member who<br>prevented access to money lived<br>with you           | Num  |
| <b>FIN_LIVPRV2_FRIEND_COF1</b>     | Friend who prevented access to<br>money lived with you                           | Num  |
| <b>FIN_LIVPRV2_PAID_COF1</b>       | Paid Caregiver who prevented<br>access to money lived with you                   | Num  |
| <b>FIN_LIVPRV2_OT_COF1</b>         | Other person who prevented<br>access to money lived with you                     | Num  |
| <b>FIN_LIVPRV2_MISSING_COF1</b>    | Person (relationship missing) who<br>prevented access to money lived<br>with you | Num  |
| <b>SPR_timeStart_COF1</b>          | Spirometry start time  | Num  |
| <b>SPR_INPUT_SEX_COF1</b>          | Sex- spirometer input  | Char |
| <b>SPR_INPUT_HEIGHT_COF1</b>       | Height - spirometer input  | Num  |
| <b>SPR_INPUT_WEIGHT_COF1</b>       | Weight - spirometer input  | Num  |
| <b>SPR_INPUT_SMOKER_COF1</b>       | Smoking status - spirometer input  | Num  |
| <b>SPR_OUTPUT_HEIGHT_COF1</b>      | Height - spirometer output   | Num  |
| <b>SPR_OUTPUT_WEIGHT_COF1</b>      | Weight - spirometer output   | Num  |

|                                     |   |      |
|-------------------------------------|---|------|
| <b>SPR_OUTPUT_ETHN_COF1</b>         | Ethnicity - spirometer output   | Num  |
| <b>SPR_OUTPUT_QUALITYGRADE_COF1</b> | Spirometry Quality Grade  | Char |
| <b>SPR_FEV1_R1_COF1</b>             | Forced expiratory volume after 1 second - Highest ranked trial                  | Num  |
| <b>SPR_FEV1_R2_COF1</b>             | Forced expiratory volume after 1 second - Second-highest ranked trial           | Num  |
| <b>SPR_FEV1_R3_COF1</b>             | Forced expiratory volume after 1 second - Third-highest ranked trial            | Num  |
| <b>SPR_FVC_R1_COF1</b>              | Forced vital capacity - Highest ranked trial                                    | Num  |
| <b>SPR_FVC_R2_COF1</b>              | Forced vital capacity - Second-highest ranked trial                             | Num  |
| <b>SPR_FVC_R3_COF1</b>              | Forced vital capacity - Third-highest ranked trial                              | Num  |
| <b>SPR_FEV1_FVC_R1_COF1</b>         | Ratio of FEV1 to FVC - Highest ranked trial                                     | Num  |
| <b>SPR_FEV1_FVC_R2_COF1</b>         | Ratio of FEV1 to FVC - Second-highest ranked trial                              | Num  |
| <b>SPR_FEV1_FVC_R3_COF1</b>         | Ratio of FEV1 to FVC - Third-highest ranked trial                               | Num  |
| <b>SPR_FEV1_PRED_R1_COF1</b>        | Predicted forced expiratory volume after 1 second - Highest ranked trial        | Num  |
| <b>SPR_FEV1_PRED_R2_COF1</b>        | Predicted forced expiratory volume after 1 second - Second-highest ranked trial | Num  |
| <b>SPR_FEV1_PRED_R3_COF1</b>        | Predicted forced expiratory volume after 1 second - Third-highest ranked trial  | Num  |
| <b>SPR_FVC_PRED_R1_COF1</b>         | Predicted forced vital capacity - Highest ranked trial                          | Num  |
| <b>SPR_FVC_PRED_R2_COF1</b>         | Predicted forced vital capacity - Second-highest ranked trial                   | Num  |
| <b>SPR_FVC_PRED_R3_COF1</b>         | Predicted forced vital capacity - Third-highest ranked trial                    | Num  |
| <b>SPR_FEV1_FVC_PRED_R1_COF1</b>    | Predicted ratio of FEV1 to FVC - Highest ranked trial                           | Num  |
| <b>SPR_FEV1_FVC_PRED_R2_COF1</b>    | Predicted ratio of FEV1 to FVC - Second-highest ranked trial                    | Num  |
| <b>SPR_FEV1_FVC_PRED_R3_COF1</b>    | Predicted ratio of FEV1 to FVC - Third-highest ranked trial                     | Num  |
| <b>SPR_STATUS_COF1</b>              | Spirometry test status  | Num  |
| <b>SPR_OUTPUT_SMOKER_COF1</b>       | Smoking status - spirometer output  | Num  |
| <b>TUG_timeStart_COF1</b>           | Timed Get Up and Go start time  | Num  |
| <b>TUG_STATUS_COF1</b>              | Timed Get Up and Go test status   | Num  |



|                                |  |      |
|--------------------------------|--|------|
| <b>TUG_DEVICE_COF1</b>         | Assistive device used for Timed Get Up and Go                    | Num  |
| <b>TUG_TIME_COF1</b>           | Total time required to complete Timed Get Up and Go (in seconds) | Num  |
| <b>TON_timeStart_COF1</b>      | Tonometry start time   | Num  |
| <b>TON_STATUS_COF1</b>         | Tonometry test status  | Num  |
| <b>TON_EYE_R_COF1</b>          | Tonometry right eye test completed                               | Num  |
| <b>TON_EYE_L_COF1</b>          | Tonometry left eye test completed                                | Num  |
| <b>TON_IOPG_R_COF1</b>         | Intraocular pressure - right eye                                 | Num  |
| <b>TON_IOPG_L_COF1</b>         | Intraocular pressure - left eye                                  | Num  |
| <b>TON_IOPCC_R_COF1</b>        | Corneal-compensated IOP - right eye                              | Num  |
| <b>TON_IOPCC_L_COF1</b>        | Corneal-compensated IOP - left eye                               | Num  |
| <b>TON_CRF_R_COF1</b>          | Corneal resistance factor - right eye                            | Num  |
| <b>TON_CRF_L_COF1</b>          | Corneal resistance factor - left eye                             | Num  |
| <b>TON_CH_R_COF1</b>           | Corneal hysteresis - right eye                                   | Num  |
| <b>TON_CH_L_COF1</b>           | Corneal hysteresis - left eye                                    | Num  |
| <b>TON_QUALITYINDEX_R_COF1</b> | Quality index - right eye  | Num  |
| <b>TON_QUALITYINDEX_L_COF1</b> | Quality index - left eye   | Num  |
| <b>BAL_timeStart_COF1</b>      | Standing balance start time                                      | Num  |
| <b>BAL_STATUS_COF1</b>         | Standing balance test status                                     | Num  |
| <b>BAL_UNCOMPL_R_COF1</b>      | Reason standing balance not done on right leg                    | Num  |
| <b>BAL_TIME_R_COF1</b>         | Total time completed right leg Standing Balance (in seconds)     | Num  |
| <b>BAL_UNCOMPL_L_COF1</b>      | Reason standing balance not done on left leg                     | Num  |
| <b>BAL_TIME_L_COF1</b>         | Total time completed left leg Standing Balance (in seconds)      | Num  |
| <b>BAL_BEST_COF1</b>           | Best attained time - Standing Balance                            | Num  |
| <b>BAL_COMPL_R_COF1</b>        | Standing balance completed on right leg                          | Num  |
| <b>BAL_COMPL_L_COF1</b>        | Standing balance completed on left leg                           | Num  |
| <b>VA_timeStart_COF1</b>       | Start time of Vision Acuity test                                 | Num  |
| <b>VA_DONE_BOTH_COF1</b>       | Test done - both eyes  | Num  |
| <b>VA_OTHER_COMMENTS_COF1</b>  | Other comments   | Char |
| <b>VA_COMMENTS_COF1</b>        | General comment left by interviewer                              | Num  |
| <b>VA_STATUS_COF1</b>          | Vision Acuity Status   | Num  |
| <b>VA_GLASSES_COF1</b>         | Participant wearing glasses during test                          | Num  |
| <b>VA_CNTLENS_COF1</b>         | Participant wearing contact lenses during test                   | Num  |

|                                |   |     |
|--------------------------------|---|-----|
| <b>VA_DONE_R_COF1</b>          | Test done - right eye   | Num |
| <b>VA_DONE_R_RSN_COF1</b>      | Reason test not done - right eye  | Num |
| <b>VA_DONE_L_COF1</b>          | Test done - left eye  | Num |
| <b>VA_DONE_L_RSN_COF1</b>      | Reason test not done - left eye   | Num |
| <b>VA_DONE_R_PO_COF1</b>       | Test done - right eye with pinhole  | Num |
| <b>VA_DONE_L_PO_COF1</b>       | Test done - left eye with pinhole   | Num |
| <b>VA_DONE_L_PO_RSN_COF1</b>   | Reason test not done - left eye with pinhole                                      | Num |
| <b>VA_DONE_R_PO_RSN_COF1</b>   | Reason test not done - right eye with pinhole                                     | Num |
| <b>VA_DONE_BOTH_RSN_COF1</b>   | Reason test not done - both eyes  | Num |
| <b>VA_ETDRS_R_NB_COF1</b>      | Last row all 5 letters identified correctly - Right eye                           | Num |
| <b>VA_ETDRS_L_NB_COF1</b>      | Last row all 5 letters identified correctly - Left eye                            | Num |
| <b>VA_ETDRS_BOTH_NB_COF1</b>   | Last row all 5 letters identified correctly - Both eyes                           | Num |
| <b>VA_ETDRS_L_PO_NB_COF1</b>   | Last row all 5 letters identified correctly - Left eye with pinhole               | Num |
| <b>VA_ETDRS_R_RSLT_COF1</b>    | Visual acuity test result for right eye   | Num |
| <b>VA_ETDRS_BOTH_RSLT_COF1</b> | Visual acuity test result for both eyes   | Num |
| <b>VA_ETDRS_L_PO_RSLT_COF1</b> | Visual acuity test result for left eye with pinhole                               | Num |
| <b>VA_ETDRS_L_RSLT_COF1</b>    | Visual acuity test result for left eye  | Num |
| <b>VA_ETDRS_R_PO_RSLT_COF1</b> | Visual acuity test result for right eye with pinhole                              | Num |
| <b>VA_ETDRS_L_LTR_COF1</b>     | Number of letters correctly identified past the last row - Left eye               | Num |
| <b>VA_ETDRS_R_PO_LTR_COF1</b>  | Number of letters correctly identified past the last row - Right eye with pinhole | Num |
| <b>VA_ETDRS_BOTH_LTR_COF1</b>  | Number of letters correctly identified past the last row - Both eyes              | Num |
| <b>VA_ETDRS_R_PO_NB_COF1</b>   | Last row all 5 letters identified correctly - Right eye with pinhole              | Num |
| <b>VA_ETDRS_R_LTR_COF1</b>     | Number of letters correctly identified past last row - Right eye                  | Num |
| <b>VA_ETDRS_L_PO_LTR_COF1</b>  | Number of letters correctly identified past the last row - Left eye with pinhole  | Num |
| <b>DXA_STATUS_COF1</b>         | DXA Hip scan status   | Num |
| <b>DXA_HIPR_QC_PASS_COF1</b>   | DXA right hip quality pass  | Num |
| <b>DXA_HIPL_QC_PASS_COF1</b>   | DXA left hip quality pass   | Num |
| <b>DXA_HIPR_QC_AB_COF1</b>     | Right femur is abducted   | Num |

|                                    |   |     |
|------------------------------------|---|-----|
| <b>DXA_HIPL_QC_AB_COF1</b>         | Left femur is abducted  | Num |
| <b>DXA_HIPR_QC_AD_COF1</b>         | Right femur is adducted   | Num |
| <b>DXA_HIPL_QC_AD_COF1</b>         | Left femur is adducted  | Num |
| <b>DXA_HIPR_QC_IROT_COF1</b>       | Right femur is internally rotated   | Num |
| <b>DXA_HIPL_QC_IROT_COF1</b>       | Left femur is internally rotated  | Num |
| <b>DXA_HIPR_QC_EROT_COF1</b>       | Right femur is externally rotated   | Num |
| <b>DXA_HIPL_QC_EROT_COF1</b>       | Left femur is externally rotated  | Num |
| <b>DXA_HIPR_QC_HIGH_COF1</b>       | Right hip ROI is placed too high and/or clipping of lower anatomy                                   | Num |
| <b>DXA_HIPL_QC_HIGH_COF1</b>       | Left hip ROI is placed too high and/or clipping of lower anatomy                                    | Num |
| <b>DXA_HIPR_QC_LOW_COF1</b>        | Right hip ROI is placed too low and/or clipping of upper anatomy                                    | Num |
| <b>DXA_HIPL_QC_LOW_COF1</b>        | Left hip ROI is placed too low and/or clipping of upper anatomy                                     | Num |
| <b>DXA_HIPR_QC_LEFT_COF1</b>       | Right hip ROI is placed too far right and/or clipping of the anatomy along the left side of the ROI | Num |
| <b>DXA_HIPL_QC_LEFT_COF1</b>       | Left hip ROI is placed too far right and/or clipping of the anatomy along the left side of the ROI  | Num |
| <b>DXA_HIPR_QC_RIGHT_COF1</b>      | Right hip ROI is placed too far left and/or clipping of the anatomy along the right side of the ROI | Num |
| <b>DXA_HIPL_QC_RIGHT_COF1</b>      | Left hip ROI is placed too far left and/or clipping of the anatomy along the right side of the ROI  | Num |
| <b>DXA_HIPR_QC_OTHER_COF1</b>      | Right hip - Corrupt file or other condition   | Num |
| <b>DXA_HIPL_QC_OTHER_COF1</b>      | Left hip - Corrupt file or other condition  | Num |
| <b>DXA_HIPR_QC_ART_METAL_COF1</b>  | Right hip -Metal artifact   | Num |
| <b>DXA_HIPL_QC_ART_METAL_COF1</b>  | Left hip - Metal artifact   | Num |
| <b>DXA_HIPR_QC_ART_STREAK_COF1</b> | Right hip - Streak or banding artifact  | Num |
| <b>DXA_HIPL_QC_ART_STREAK_COF1</b> | Left hip - Streak or banding artifact   | Num |
| <b>DXA_HIPR_QC_ART_BLUR_COF1</b>   | Right hip - Blurring artifact   | Num |
| <b>DXA_HIPL_QC_ART_BLUR_COF1</b>   | Left hip - Blurring artifact  | Num |
| <b>DXA_HIPR_QC_ART_MOTION_COF1</b> | Right hip - Motion artifact   | Num |
| <b>DXA_HIPL_QC_ART_MOTION_COF1</b> | Left hip - Motion artifact  | Num |
| <b>DXA_HIPR_QC_ART_NOISE_COF1</b>  | Right hip - Noise or poor quality (grainy) image  | Num |

|                                     |  |     |
|-------------------------------------|--|-----|
| <b>DXA_HIPL_QC_ART_NOISE_COF1</b>   | Left hip - Noise or poor quality (grainy) image      | Num |
| <b>DXA_HIPR_QC_ART_OBJECT_COF1</b>  | Right hip - Object artifact                          | Num |
| <b>DXA_HIPL_QC_ART_OBJECT_COF1</b>  | Left hip - Object artifact                           | Num |
| <b>DXA_HIPR_QC_ART_UNKNOWN_COF1</b> | Right hip - Unknown artifact                         | Num |
| <b>DXA_HIPL_QC_ART_UNKNOWN_COF1</b> | Left hip - Unknown artifact                          | Num |
| <b>DXA_ETHNICITY_COF1</b>           | Participant ethnicity                                | Num |
| <b>DXA_HIPR_TROCH_AREA_COF1</b>     | Area for Trochanter Bone analysis - Right hip        | Num |
| <b>DXA_HIPR_TROCH_BMC_COF1</b>      | BMC for Trochanter Bone analysis - Right hip         | Num |
| <b>DXA_HIPR_TROCH_BMD_COF1</b>      | BMD for Trochanter Bone analysis - Right hip         | Num |
| <b>DXA_HIPL_TROCH_AREA_COF1</b>     | Area for Trochanter Bone analysis - Left hip         | Num |
| <b>DXA_HIPL_TROCH_BMC_COF1</b>      | BMC for Trochanter Bone analysis - Left hip          | Num |
| <b>DXA_HIPL_TROCH_BMD_COF1</b>      | BMD for Trochanter Bone analysis - Left hip          | Num |
| <b>DXA_HIPR_INTER_AREA_COF1</b>     | Area for inter -Trochanter Bone analysis - Right hip | Num |
| <b>DXA_HIPR_INTER_BMD_COF1</b>      | BMD for inter -Trochanter Bone analysis - Right hip  | Num |
| <b>DXA_HIPL_INTER_AREA_COF1</b>     | Area for inter -Trochanter Bone analysis - left hip  | Num |
| <b>DXA_HIPL_INTER_BMD_COF1</b>      | BMD for inter -Trochanter Bone analysis - left hip   | Num |
| <b>DXA_HIPR_INTER_BMC_COF1</b>      | BMC for inter -Trochanter Bone analysis - right hip  | Num |
| <b>DXA_HIPR_NECK_AREA_COF1</b>      | Area for Neck Bone analysis - right hip              | Num |
| <b>DXA_HIPR_NECK_BMC_COF1</b>       | BMC for Neck Bone analysis - right hip               | Num |
| <b>DXA_HIPR_NECK_BMD_COF1</b>       | BMD for Neck Bone analysis - right hip               | Num |
| <b>DXA_HIPL_INTER_BMC_COF1</b>      | BMC for inter -Trochanter Bone analysis - left hip   | Num |
| <b>DXA_HIPL_NECK_AREA_COF1</b>      | Area for Neck Bone analysis - left hip               | Num |
| <b>DXA_HIPL_NECK_BMC_COF1</b>       | BMC for Neck Bone analysis - left hip                | Num |
| <b>DXA_HIPL_NECK_BMD_COF1</b>       | BMD for Neck Bone analysis - left hip                | Num |

|                                  |  |     |
|----------------------------------|--|-----|
| <b>DXA_HIPR_WARDS_AREA_COF1</b>  | Area for Ward's Triangle Bone analysis - right hip   | Num |
| <b>DXA_HIPR_WARDS_BMC_COF1</b>   | BMC for Ward's Triangle Bone analysis - right hip  | Num |
| <b>DXA_HIPR_WARDS_BMD_COF1</b>   | BMD for Ward's Triangle Bone analysis - right hip  | Num |
| <b>DXA_HIPL_WARDS_AREA_COF1</b>  | Area for Ward's Triangle Bone analysis - left hip  | Num |
| <b>DXA_HIPL_WARDS_BMC_COF1</b>   | BMC for Ward's Triangle Bone analysis - left hip   | Num |
| <b>DXA_HIPL_WARDS_BMD_COF1</b>   | BMD for Ward's Triangle Bone analysis - left hip   | Num |
| <b>DXA_HIPR_HTOT_AREA_COF1</b>   | Area for Total Bone analysis for all included regions - right hip                              | Num |
| <b>DXA_HIPR_HTOT_BMC_COF1</b>    | BMC for Total Bone analysis for all included regions - right hip                               | Num |
| <b>DXA_HIPR_HTOT_BMD_COF1</b>    | BMD for Total Bone analysis for all included regions - right hip                               | Num |
| <b>DXA_HIPL_HTOT_AREA_COF1</b>   | Area for Total Bone analysis for all included regions - left hip                               | Num |
| <b>DXA_HIPL_HTOT_BMC_COF1</b>    | BMC for Total Bone analysis for all included regions - left hip                                | Num |
| <b>DXA_HIPL_HTOT_BMD_COF1</b>    | BMD for Total Bone analysis for all included regions - left hip                                | Num |
| <b>DXA_HIPR_ROI_TYPE_COF1</b>    | Type of Region of Interest (ROI) analysis to be done - closely related to scan type -right hip | Num |
| <b>DXA_HIPL_ROI_TYPE_COF1</b>    | Type of Region of Interest (ROI) analysis to be done - closely related to scan type - left hip | Num |
| <b>DXA_HIPR_ROI_WIDTH_COF1</b>   | Width of ROI in cm - Right hip   | Num |
| <b>DXA_HIPL_ROI_WIDTH_COF1</b>   | Width of ROI in cm - left hip  | Num |
| <b>DXA_HIPR_ROI_HEIGHT_COF1</b>  | Height of ROI in cm - Right hip  | Num |
| <b>DXA_HIPL_ROI_HEIGHT_COF1</b>  | Height of ROI in cm - Left hip   | Num |
| <b>DXA_HIPR_AXIS_LENGTH_COF1</b> | Length of Right Hip Axis in cm   | Num |
| <b>DXA_HIPL_AXIS_LENGTH_COF1</b> | Length of Left Hip Axis in cm  | Num |
| <b>DXA_HIPR_NN_BMD_COF1</b>      | Narrow Neck Bone Mineral Density (g/cm <sup>2</sup> ) -Right hip                               | Num |
| <b>DXA_HIPL_NN_BMD_COF1</b>      | Narrow Neck Bone Mineral Density (g/cm <sup>2</sup> ) -Left hip                                | Num |
| <b>DXA_HIPL_NN_CSA_COF1</b>      | Narrow Neck Cross Sectional Area (cm <sup>2</sup> ) - left hip                                 | Num |
| <b>DXA_HIPL_NN_CSMI_COF1</b>     | Narrow Neck Cross Sectional Moment of Inertia (cm <sup>4</sup> ) - left hip                    | Num |
| <b>DXA_HIPL_NN_WIDTH_COF1</b>    | Narrow Neck Subperiosteally Width (cm) - left hip  | Num |

|                                  |   |     |
|----------------------------------|---|-----|
| <b>DXA_HIPL_NN_ED_COF1</b>       | Narrow Neck Endocortical Diameter (cm) - left hip                               | Num |
| <b>DXA_HIPL_NN_ACT_COF1</b>      | Narrow Neck Average Cortical Thickness (cm) - left hip                          | Num |
| <b>DXA_HIPL_NN_PCD_COF1</b>      | Narrow Neck Profile Center Distance (cm) - left hip                             | Num |
| <b>DXA_HIPL_NN_CMP_COF1</b>      | Narrow Neck Center of Mass Position (dimensionless) - left hip                  | Num |
| <b>DXA_HIPL_NN_SECT_MOD_COF1</b> | Narrow Neck Section Modulus (cm <sup>3</sup> ) - left hip                       | Num |
| <b>DXA_HIPL_NN_BR_COF1</b>       | Narrow Neck Buckling Ratio (dimensionless) - left hip                           | Num |
| <b>DXA_HIPR_NN_CSA_COF1</b>      | Narrow Neck Cross Sectional Area (cm <sup>2</sup> ) -right hip                  | Num |
| <b>DXA_HIPR_NN_CSMI_COF1</b>     | Narrow Neck Cross Sectional Moment of Inertia (cm <sup>4</sup> ) -right hip     | Num |
| <b>DXA_HIPR_NN_WIDTH_COF1</b>    | Narrow Neck Subperiosteal Width (cm) -right hip                                 | Num |
| <b>DXA_HIPR_NN_ED_COF1</b>       | Narrow Neck Endocortical Diameter (cm) -right hip                               | Num |
| <b>DXA_HIPR_NN_ACT_COF1</b>      | Narrow Neck Average Cortical Thickness (cm) -right hip                          | Num |
| <b>DXA_HIPR_NN_PCD_COF1</b>      | Narrow Neck Profile Center Distance (cm) -right hip                             | Num |
| <b>DXA_HIPR_NN_CMP_COF1</b>      | Narrow Neck Center of Mass Position (dimensionless) -right hip                  | Num |
| <b>DXA_HIPR_NN_SECT_MOD_COF1</b> | Narrow Neck Section Modulus (cm <sup>3</sup> ) -right hip                       | Num |
| <b>DXA_HIPR_NN_BR_COF1</b>       | Narrow Neck Buckling Ratio (dimensionless) -right hip                           | Num |
| <b>DXA_HIPL_IT_CSA_COF1</b>      | Intertrochanter Cross Sectional Area (cm <sup>2</sup> ) - left hip              | Num |
| <b>DXA_HIPL_IT_CSMI_COF1</b>     | Intertrochanter Cross Sectional Moment of Inertia (cm <sup>4</sup> ) - left hip | Num |
| <b>DXA_HIPL_IT_WIDTH_COF1</b>    | Intertrochanter Subperiosteal Width (cm) - left hip                             | Num |
| <b>DXA_HIPL_IT_ED_COF1</b>       | Intertrochanter Endocortical Diameter (cm) - left hip                           | Num |
| <b>DXA_HIPL_IT_ACT_COF1</b>      | Intertrochanter Average Cortical Thickness (cm) - left hip                      | Num |
| <b>DXA_HIPL_IT_PCD_COF1</b>      | Intertrochanter Profile Center Distance (cm) - left hip                         | Num |
| <b>DXA_HIPL_IT_CMP_COF1</b>      | Intertrochanter Center of Mass Position (dimensionless) - left hip              | Num |
| <b>DXA_HIPL_IT_SECT_MOD_COF1</b> | Intertrochanter Section Modulus (cm <sup>3</sup> ) - left hip                   | Num |
| <b>DXA_HIPL_IT_BR_COF1</b>       | Intertrochanter Buckling Ratio (dimensionless) - left hip                       | Num |

|                                  |   |     |
|----------------------------------|---|-----|
| <b>DXA_HIPR_IT_CSA_COF1</b>      | Intertrochanter Cross Sectional Area (cm <sup>2</sup> ) -right hip              | Num |
| <b>DXA_HIPR_IT_CSMI_COF1</b>     | Intertrochanter Cross Sectional Moment of Inertia (cm <sup>4</sup> ) -right hip | Num |
| <b>DXA_HIPR_IT_WIDTH_COF1</b>    | Intertrochanter Subperiosteal Width (cm) -right hip                             | Num |
| <b>DXA_HIPR_IT_ED_COF1</b>       | Intertrochanter Endocortical Diameter (cm) -right hip                           | Num |
| <b>DXA_HIPR_IT_ACT_COF1</b>      | Intertrochanter Average Cortical Thickness (cm) -right hip                      | Num |
| <b>DXA_HIPR_IT_PCD_COF1</b>      | Intertrochanter Profile Center Distance (cm) -right hip                         | Num |
| <b>DXA_HIPR_IT_CMP_COF1</b>      | Intertrochanter Center of Mass Position (dimensionless) -right hip              | Num |
| <b>DXA_HIPR_IT_SECT_MOD_COF1</b> | Intertrochanter Section Modulus (cm <sup>3</sup> ) -right hip                   | Num |
| <b>DXA_HIPR_IT_BR_COF1</b>       | Intertrochanter Buckling Ratio (dimensionless) -right hip                       | Num |
| <b>DXA_HIPL_FS_CSA_COF1</b>      | Femur Shaft Cross Sectional Area (cm <sup>2</sup> ) - left hip                  | Num |
| <b>DXA_HIPL_FS_CSMI_COF1</b>     | Femur Shaft Cross Sectional Moment of Inertia (cm <sup>4</sup> ) - left hip     | Num |
| <b>DXA_HIPL_FS_WIDTH_COF1</b>    | Femur Shaft Subperiosteal Width (cm) - left hip                                 | Num |
| <b>DXA_HIPL_FS_ED_COF1</b>       | Femur Shaft Endocortical Diameter (cm) - left hip                               | Num |
| <b>DXA_HIPL_FS_ACT_COF1</b>      | Femur Shaft Average Cortical Thickness (cm) - left hip                          | Num |
| <b>DXA_HIPL_FS_PCD_COF1</b>      | Femur Shaft Profile Center Distance (cm) - left hip                             | Num |
| <b>DXA_HIPL_FS_CMP_COF1</b>      | Femur Shaft Center of Mass Position (dimensionless) - left hip                  | Num |
| <b>DXA_HIPL_FS_SECT_MOD_COF1</b> | Femur Shaft Section Modulus (cm <sup>3</sup> ) - left hip                       | Num |
| <b>DXA_HIPL_FS_BR_COF1</b>       | Femur Shaft Buckling Ratio (dimensionless) - left hip                           | Num |
| <b>DXA_HIPR_FS_CSA_COF1</b>      | Femur Shaft Cross Sectional Area (cm <sup>2</sup> ) -right hip                  | Num |
| <b>DXA_HIPR_FS_CSMI_COF1</b>     | Femur Shaft Cross Sectional Moment of Inertia (cm <sup>4</sup> ) -right hip     | Num |
| <b>DXA_HIPR_FS_WIDTH_COF1</b>    | Femur Shaft Subperiosteal Width (cm) -right hip                                 | Num |
| <b>DXA_HIPR_FS_ED_COF1</b>       | Femur Shaft Endocortical Diameter (cm) -right hip                               | Num |
| <b>DXA_HIPR_FS_ACT_COF1</b>      | Femur Shaft Average Cortical Thickness (cm) -right hip                          | Num |
| <b>DXA_HIPR_FS_PCD_COF1</b>      | Femur Shaft Profile Center Distance (cm) -right hip                             | Num |



|                                       |  |     |
|---------------------------------------|--|-----|
| <b>DXA_HIPR_FS_CMP_COF1</b>           | Femur Shaft Center of Mass Position (dimensionless) -right hip         | Num |
| <b>DXA_HIPR_FS_SECT_MOD_COF1</b>      | Femur Shaft Section Modulus (cm <sup>3</sup> ) -right hip              | Num |
| <b>DXA_HIPR_FS_BR_COF1</b>            | Femur Shaft Buckling Ratio (dimensionless) -right hip                  | Num |
| <b>DXA_HIPR_IT_BMD_COF1</b>           | Intertrochanter Bone Mineral Density (g/cm <sup>2</sup> ) - right hip  | Num |
| <b>DXA_HIPL_IT_BMD_COF1</b>           | Intertrochanter Bone Mineral Density (g/cm <sup>2</sup> ) - left hip   | Num |
| <b>DXA_HIPR_FS_BMD_COF1</b>           | Femur Shaft Bone Mineral Density (g/cm <sup>2</sup> ) - right hip      | Num |
| <b>DXA_HIPR_SHAFT_NECK_ANGLE_COF1</b> | Angle formed by shaft center line and neck axis in degrees - right hip | Num |
| <b>DXA_HIPL_FS_BMD_COF1</b>           | Femur Shaft Bone Mineral Density (g/cm <sup>2</sup> ) - left hip       | Num |
| <b>DXA_HIPL_SHAFT_NECK_ANGLE_COF1</b> | Angle formed by shaft center line and neck axis in degrees - left hip  | Num |
| <b>DXA_HIPR_NECK_T_COF1</b>           | T-score for Neck Bone analysis - right hip                             | Num |
| <b>DXA_HIPR_TROCH_T_COF1</b>          | T-score for Trochanter Bone analysis - Right hip                       | Num |
| <b>DXA_HIPR_INTER_T_COF1</b>          | T-score for inter -Trochanter Bone analysis - right hip                | Num |
| <b>DXA_HIPR_WARDS_T_COF1</b>          | T-score for Ward's Triangle Bone analysis - right hip                  | Num |
| <b>DXA_HIPR_HTOT_T_COF1</b>           | T-score for Total Bone analysis for all included regions - right hip   | Num |
| <b>DXA_HIPL_NECK_T_COF1</b>           | T-score for Neck Bone analysis - left hip                              | Num |
| <b>DXA_HIPL_TROCH_T_COF1</b>          | T-score for Trochanter Bone analysis - left hip                        | Num |
| <b>DXA_HIPL_INTER_T_COF1</b>          | T-score for inter -Trochanter Bone analysis - left hip                 | Num |
| <b>DXA_HIPL_WARDS_T_COF1</b>          | T-score for Ward's Triangle Bone analysis - left hip                   | Num |
| <b>DXA_HIPL_HTOT_T_COF1</b>           | T-score for Total Bone analysis for all included regions - left hip    | Num |
| <b>DXA_HIPR_NECK_Z_COF1</b>           | Z-score for Neck Bone analysis - right hip                             | Num |
| <b>DXA_HIPR_NECK_PR_COF1</b>          | Peak reference for Neck Bone analysis - right hip                      | Num |
| <b>DXA_HIPR_NECK_AM_COF1</b>          | Age matched percent for Neck Bone analysis - right hip                 | Num |
| <b>DXA_HIPR_TROCH_Z_COF1</b>          | Z-score for Trochanter Bone analysis - Right hip                       | Num |
| <b>DXA_HIPR_TROCH_PR_COF1</b>         | Peak reference for Trochanter Bone analysis - Right hip                | Num |

|                               |  |     |
|-------------------------------|--|-----|
| <b>DXA_HIPR_TROCH_AM_COF1</b> | Age matched percent for Trochanter Bone analysis - Right hip                     | Num |
| <b>DXA_HIPR_INTER_Z_COF1</b>  | Z-score for inter -Trochanter Bone analysis - right hip                          | Num |
| <b>DXA_HIPR_INTER_PR_COF1</b> | Peak reference for inter -Trochanter Bone analysis - right hip                   | Num |
| <b>DXA_HIPR_INTER_AM_COF1</b> | Age matched percent for inter -Trochanter Bone analysis - right hip              | Num |
| <b>DXA_HIPR_WARDS_Z_COF1</b>  | Z-score for Ward's Triangle Bone analysis - right hip                            | Num |
| <b>DXA_HIPR_WARDS_PR_COF1</b> | Peak reference for Ward's Triangle Bone analysis - right hip                     | Num |
| <b>DXA_HIPR_WARDS_AM_COF1</b> | Age matched percent for Ward's Triangle Bone analysis - right hip                | Num |
| <b>DXA_HIPR_HTOT_Z_COF1</b>   | Z-score for Total Bone analysis for all included regions - right hip             | Num |
| <b>DXA_HIPR_HTOT_PR_COF1</b>  | Peak reference for Total Bone analysis for all included regions - right hip      | Num |
| <b>DXA_HIPR_HTOT_AM_COF1</b>  | Age matched percent for Total Bone analysis for all included regions - right hip | Num |
| <b>DXA_HIPL_NECK_Z_COF1</b>   | Z-score for Neck Bone analysis - left hip  | Num |
| <b>DXA_HIPL_NECK_PR_COF1</b>  | Peak reference for Neck Bone analysis - left hip                                 | Num |
| <b>DXA_HIPL_NECK_AM_COF1</b>  | Age matched percent for Neck Bone analysis - left hip                            | Num |
| <b>DXA_HIPL_TROCH_Z_COF1</b>  | Z-score for Trochanter Bone analysis - left hip                                  | Num |
| <b>DXA_HIPL_TROCH_PR_COF1</b> | Peak reference for Trochanter Bone analysis - left hip                           | Num |
| <b>DXA_HIPL_TROCH_AM_COF1</b> | Age matched percent for Trochanter Bone analysis - left hip                      | Num |
| <b>DXA_HIPL_INTER_Z_COF1</b>  | Z-score for inter -Trochanter Bone analysis - left hip                           | Num |
| <b>DXA_HIPL_INTER_PR_COF1</b> | Peak reference for inter -Trochanter Bone analysis - left hip                    | Num |
| <b>DXA_HIPL_INTER_AM_COF1</b> | Age matched percent for inter -Trochanter Bone analysis - left hip               | Num |
| <b>DXA_HIPL_WARDS_Z_COF1</b>  | Z-score for Ward's Triangle Bone analysis - left hip                             | Num |
| <b>DXA_HIPL_WARDS_PR_COF1</b> | Peak reference for Ward's Triangle Bone analysis - left hip                      | Num |
| <b>DXA_HIPL_WARDS_AM_COF1</b> | Age matched percent for Ward's Triangle Bone analysis - left hip                 | Num |
| <b>DXA_HIPL_HTOT_Z_COF1</b>   | Z-score for Total Bone analysis for all included regions - left hip              | Num |

|                                   |   |     |
|-----------------------------------|---|-----|
| <b>DXA_HIPL_HTOT_PR_COF1</b>      | Peak reference for Total Bone analysis for all included regions - left hip                        | Num |
| <b>DXA_HIPL_HTOT_AM_COF1</b>      | Age matched percent for Total Bone analysis for all included regions - left hip                   | Num |
| <b>FRAX_OSTFX_COF1</b>            | 10 year probability (x 100) of osteoporotic fracture, without knowing BMD                         | Num |
| <b>FRAX_HIPFX_COF1</b>            | 10 year probability (x 100) of hip fracture, without knowing BMD                                  | Num |
| <b>FRAX_OSTFX_BMD_COF1</b>        | 10 year probability (x 100) of osteoporotic fracture, knowing BMD                                 | Num |
| <b>FRAX_HIPFX_BMD_COF1</b>        | 10 year probability (x 100) of hip fracture, knowing BMD  | Num |
| <b>FRAX_OSTFX_CATEGORY_COF1</b>   | Fracture risk classification of 10 year probability (x 100) of osteoporotic fracture, knowing BMD | Num |
| <b>DXA_FA_STATUS_COF1</b>         | Status of Forearm Bone Density  | Num |
| <b>DXA_FA_QC_PASS_COF1</b>        | DXA forearm quality pass  | Num |
| <b>DXA_FA_QC_AB_COF1</b>          | Forearm is abducted   | Num |
| <b>DXA_FA_QC_AD_COF1</b>          | Forearm is adducted   | Num |
| <b>DXA_FA_QC_HIGH_COF1</b>        | Forearm ROI is placed too high and/or clipping of lower anatomy                                   | Num |
| <b>DXA_FA_QC_LOW_COF1</b>         | Forearm ROI is placed too low and/or clipping of upper anatomy                                    | Num |
| <b>DXA_FA_QC_LEFT_COF1</b>        | Forearm ROI is placed too far right and/or clipping of the anatomy along the left side of the ROI | Num |
| <b>DXA_FA_QC_RIGHT_COF1</b>       | Forearm ROI is placed too far left and/or clipping of the anatomy along the right side of the ROI | Num |
| <b>DXA_FA_QC_OTHER_COF1</b>       | Forearm - Corrupt file or other condition   | Num |
| <b>DXA_FA_QC_ART_METAL_COF1</b>   | Forearm -Metal artifact   | Num |
| <b>DXA_FA_QC_ART_STREAK_COF1</b>  | Forearm - Streak or banding artifact  | Num |
| <b>DXA_FA_QC_ART_BLUR_COF1</b>    | Forearm - Blurring artifact   | Num |
| <b>DXA_FA_QC_ART_MOTION_COF1</b>  | Forearm - Motion artifact   | Num |
| <b>DXA_FA_QC_ART_NOISE_COF1</b>   | Forearm - Noise or poor quality (grainy) image  | Num |
| <b>DXA_FA_QC_ART_OBJECT_COF1</b>  | Forearm - Object artifact   | Num |
| <b>DXA_FA_QC_ART_UNKNOWN_COF1</b> | Forearm - Unknown artifact  | Num |
| <b>DXA_FA_SIDE_COF1</b>           | Side on which Forearm is scanned  | Num |
| <b>DXA_FA_R_13_AREA_COF1</b>      | Area for 1/3 distal radius - forearm  | Num |

|                                  |  |     |
|----------------------------------|--|-----|
| <b>DXA_FA_R_13_BMC_COF1</b>      | Bone Mineral Content for 1/3 distal radius - forearm   | Num |
| <b>DXA_FA_R_13_BMD_COF1</b>      | Bone Mineral Density for 1/3 distal radius - forearm   | Num |
| <b>DXA_FA_R_MID_AREA_COF1</b>    | Area for mid distal radius - forearm                   | Num |
| <b>DXA_FA_R_MID_BMC_COF1</b>     | Bone Mineral Content for mid distal radius - forearm   | Num |
| <b>DXA_FA_R_MID_BMD_COF1</b>     | Bone Mineral Density for mid distal radius - forearm   | Num |
| <b>DXA_FA_R_UD_AREA_COF1</b>     | Area for ultra distal radius - forearm                 | Num |
| <b>DXA_FA_R_UD_BMC_COF1</b>      | Bone Mineral Content for ultra distal radius - forearm | Num |
| <b>DXA_FA_R_UD_BMD_COF1</b>      | Bone Mineral Density for ultra distal radius - forearm | Num |
| <b>DXA_FA_U_13_AREA_COF1</b>     | Area for 1/3 distal ulna - forearm                     | Num |
| <b>DXA_FA_U_13_BMC_COF1</b>      | Bone Mineral Content for 1/3 distal ulna - forearm     | Num |
| <b>DXA_FA_U_13_BMD_COF1</b>      | Bone Mineral Density for 1/3 distal ulna - forearm     | Num |
| <b>DXA_FA_RTOT_AREA_COF1</b>     | Total area analysis for radius. - forearm              | Num |
| <b>DXA_FA_RTOT_BMC_COF1</b>      | Total BMC analysis for radius. - forearm               | Num |
| <b>DXA_FA_RTOT_BMD_COF1</b>      | Total BMD analysis for radius. - forearm               | Num |
| <b>DXA_FA_UTOT_AREA_COF1</b>     | Total area analysis for ulna - forearm                 | Num |
| <b>DXA_FA_UTOT_BMC_COF1</b>      | Total BMC analysis for ulna - forearm                  | Num |
| <b>DXA_FA_UTOT_BMD_COF1</b>      | Total BMD analysis for ulna - forearm                  | Num |
| <b>DXA_FA_RU13TOT_AREA_COF1</b>  | Total area for 1/3 distal radius and ulna - forearm    | Num |
| <b>DXA_FA_RU13TOT_BMC_COF1</b>   | Total BMC for 1/3 distal radius and ulna - forearm     | Num |
| <b>DXA_FA_RU13TOT_BMD_COF1</b>   | Total BMD for 1/3 distal radius and ulna - forearm     | Num |
| <b>DXA_FA_RUMIDTOT_AREA_COF1</b> | Total area for mid distal radius and ulna - forearm    | Num |
| <b>DXA_FA_RUMIDTOT_BMC_COF1</b>  | Total BMC for mid distal radius and ulna - forearm     | Num |
| <b>DXA_FA_RUMIDTOT_BMD_COF1</b>  | Total BMD for mid distal radius and ulna - forearm     | Num |
| <b>DXA_FA_RUUDTOT_AREA_COF1</b>  | Total area for ultra distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUUDTOT_BMC_COF1</b>   | Total BMC for ultra distal radius and ulna - forearm   | Num |

|                                |  |     |
|--------------------------------|--|-----|
| <b>DXA_FA_RUUDTOT_BMD_COF1</b> | Total BMD for ultra distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RUTOT_AREA_COF1</b>  | Total area for radius and ulna - forearm   | Num |
| <b>DXA_FA_RUTOT_BMC_COF1</b>   | Total BMC for radius and ulna - forearm  | Num |
| <b>DXA_FA_RUTOT_BMD_COF1</b>   | Total BMD for radius and ulna - forearm  | Num |
| <b>DXA_FA_ROI_TYPE_COF1</b>    | Type of Region of Interest (ROI) analysis to be done - closely related to scan type -right forearm | Num |
| <b>DXA_FA_ROI_WIDTH_COF1</b>   | Width of ROI in cm - forearm   | Num |
| <b>DXA_FA_ROI_HEIGHT_COF1</b>  | Height of ROI in cm - forearm  | Num |
| <b>DXA_FA_ARM_LENGTH_COF1</b>  | Length of the right arm in mm.   | Num |
| <b>DXA_FA_RU13TOT_T_COF1</b>   | T-score for 1/3 distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RU13TOT_Z_COF1</b>   | Z-score for 1/3 distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RU13TOT_PR_COF1</b>  | Peak reference for 1/3 distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RU13TOT_AM_COF1</b>  | Age matched percent for 1/3 distal radius and ulna - forearm                                       | Num |
| <b>DXA_FA_RUMIDTOT_T_COF1</b>  | T-score for mid distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RUMIDTOT_Z_COF1</b>  | Z-score for mid distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RUMIDTOT_PR_COF1</b> | Peak reference for mid distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUMIDTOT_AM_COF1</b> | Age matched percent for mid distal radius and ulna - forearm                                       | Num |
| <b>DXA_FA_RUUDTOT_T_COF1</b>   | T-score for ultra distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RUUDTOT_Z_COF1</b>   | Z-score for ultra distal radius and ulna - forearm   | Num |
| <b>DXA_FA_RUUDTOT_PR_COF1</b>  | Peak reference for ultra distal radius and ulna - forearm  | Num |
| <b>DXA_FA_RUUDTOT_AM_COF1</b>  | Age matched percent for ultra distal radius and ulna - forearm                                     | Num |
| <b>DXA_FA_RUTOT_T_COF1</b>     | T-score for radius and ulna - forearm  | Num |
| <b>DXA_FA_RUTOT_Z_COF1</b>     | Z-score for radius and ulna - forearm  | Num |
| <b>DXA_FA_RUTOT_PR_COF1</b>    | Peak reference for radius and ulna - forearm   | Num |
| <b>DXA_FA_RUTOT_AM_COF1</b>    | Age matched percent for radius and ulna - forearm  | Num |
| <b>DXA_FA_R_13_T_COF1</b>      | T-score for 1/3 distal radius - forearm  | Num |

|                      |   |     |
|----------------------|---|-----|
| DXA_FA_R_13_Z_COF1   | Z-score for 1/3 distal radius - forearm               | Num |
| DXA_FA_R_13_PR_COF1  | Peak reference for 1/3 distal radius - forearm        | Num |
| DXA_FA_R_13_AM_COF1  | Age matched percent for 1/3 distal radius - forearm   | Num |
| DXA_FA_R_MID_T_COF1  | T-score for mid distal radius - forearm               | Num |
| DXA_FA_R_MID_Z_COF1  | Z-score for mid distal radius - forearm               | Num |
| DXA_FA_R_MID_PR_COF1 | Peak reference for mid distal radius - forearm        | Num |
| DXA_FA_R_MID_AM_COF1 | Age matched percent for mid distal radius - forearm   | Num |
| DXA_FA_R_UD_T_COF1   | T-score for ultra distal radius - forearm             | Num |
| DXA_FA_R_UD_Z_COF1   | Z-score for ultra distal radius - forearm             | Num |
| DXA_FA_R_UD_PR_COF1  | Peak reference for ultra distal radius - forearm      | Num |
| DXA_FA_R_UD_AM_COF1  | Age matched percent for ultra distal radius - forearm | Num |
| DXA_FA_RTOT_T_COF1   | T-score for total radius - forearm                    | Num |
| DXA_FA_RTOT_Z_COF1   | Z-score for total radius - forearm                    | Num |
| DXA_FA_RTOT_PR_COF1  | Peak reference for total radius - forearm             | Num |
| DXA_FA_RTOT_AM_COF1  | Age matched percent for total radius - forearm        | Num |
| DXA_FA_U_13_T_COF1   | T-score for 1/3 distal ulna - forearm                 | Num |
| DXA_FA_U_13_Z_COF1   | Z-score for 1/3 distal ulna - forearm                 | Num |
| DXA_FA_U_13_PR_COF1  | Peak reference for 1/3 distal ulna - forearm          | Num |
| DXA_FA_U_13_AM_COF1  | Age matched percent for 1/3 distal ulna - forearm     | Num |
| DXA_FA_U_MID_T_COF1  | T-score for mid distal ulna - forearm                 | Num |
| DXA_FA_U_MID_Z_COF1  | Z-score for mid distal ulna - forearm                 | Num |
| DXA_FA_U_MID_PR_COF1 | Peak reference for mid distal ulna - forearm          | Num |
| DXA_FA_U_MID_AM_COF1 | Age matched percent for mid distal ulna - forearm     | Num |
| DXA_FA_U_UD_T_COF1   | T-score for ultra distal ulna - forearm               | Num |
| DXA_FA_U_UD_Z_COF1   | Z-score for ultra distal ulna - forearm               | Num |
| DXA_FA_U_UD_PR_COF1  | Peak reference for ultra distal ulna - forearm        | Num |
| DXA_FA_U_UD_AM_COF1  | Age matched percent for ultra distal ulna - forearm   | Num |
| DXA_FA_UTOT_T_COF1   | T-score for total ulna - forearm                      | Num |

|                         |  |     |
|-------------------------|--|-----|
| DXA_FA_UTOT_Z_COF1      | Z-score for total ulna - forearm               | Num |
| DXA_FA_UTOT_PR_COF1     | Peak reference for total ulna - forearm        | Num |
| DXA_FA_UTOT_AM_COF1     | Age matched percent for total ulna - forearm   | Num |
| DXA_WB_STATUS_COF1      | Whole body DXA status                          | Num |
| DXA_WB_WBTOT_AREA_COF1  | Total body area                                | Num |
| DXA_WB_WBTOT_BMC_COF1   | Total BMC                                      | Num |
| DXA_WB_WBTOT_BMD_COF1   | Total BMD                                      | Num |
| DXA_WBTOT_T_COF1        | Whole body dexa T score                        | Num |
| DXA_WBTOT_Z_COF1        | Whole body dexa Z score                        | Num |
| DXA_WBTOT_PR_COF1       | Whole body peak reference percent              | Num |
| DXA_WBTOT_AM_COF1       | Whole body age matched percent                 | Num |
| DXA_WB_SUBTOT_AREA_COF1 | Total bone area excluding the head region      | Num |
| DXA_WB_SUBTOT_BMC_COF1  | Total BMC excluding the head region            | Num |
| DXA_WB_SUBTOT_BMD_COF1  | Total BMD excluding the head region            | Num |
| DXA_WB_HEAD_AREA_COF1   | Bone area for the Head region<br>Bone analysis | Num |
| DXA_WB_HEAD_BMC_COF1    | Bone mineral content for the Head region       | Num |
| DXA_WB_HEAD_BMD_COF1    | Bone mineral density for the Head region       | Num |
| DXA_WB_LARM_AREA_COF1   | Bone area for the Left Arm region              | Num |
| DXA_WB_LARM_BMC_COF1    | Bone mineral content for the Left Arm region   | Num |
| DXA_WB_LARM_BMD_COF1    | Bone mineral density for the Left Arm region   | Num |
| DXA_WB_RARM_AREA_COF1   | Bone area for the Right Arm region             | Num |
| DXA_WB_RARM_BMC_COF1    | Bone mineral content for the Right Arm region  | Num |
| DXA_WB_RARM_BMD_COF1    | Bone mineral density for the Right Arm region  | Num |
| DXA_WB_LRIB_AREA_COF1   | Bone area for the Left Rib region              | Num |
| DXA_WB_LRIB_BMC_COF1    | Bone mineral content for the Left Rib region   | Num |
| DXA_WB_LRIB_BMD_COF1    | Bone mineral density for the Left Rib region   | Num |
| DXA_WB_RRIB_AREA_COF1   | Bone area for the Right Rib region             | Num |
| DXA_WB_RRIB_BMC_COF1    | Bone mineral content for the Right Rib region  | Num |
| DXA_WB_RRIB_BMD_COF1    | Bone mineral density for the Right Rib region  | Num |
| DXA_WB_T_S_AREA_COF1    | Bone area for the Thoracic region              | Num |



|                        |  |     |
|------------------------|--|-----|
| DXA_WB_T_S_BMC_COF1    | Bone mineral content for the Thoracic region                     | Num |
| DXA_WB_T_S_BMD_COF1    | Bone mineral density for the Thoracic region                     | Num |
| DXA_WB_L_S_AREA_COF1   | Bone area for the Lumbar Spine region                            | Num |
| DXA_WB_L_S_BMC_COF1    | Bone mineral content for the Lumbar Spine region                 | Num |
| DXA_WB_L_S_BMD_COF1    | Bone mineral density for the Lumbar Spine region                 | Num |
| DXA_WB_PELV_AREA_COF1  | Bone area for the Pelvic region                                  | Num |
| DXA_WB_PELV_BMC_COF1   | Bone mineral content for the Pelvic region                       | Num |
| DXA_WB_PELV_BMD_COF1   | Bone mineral density for the Pelvic region                       | Num |
| DXA_WB_LLEG_AREA_COF1  | Bone area for the Left Leg region                                | Num |
| DXA_WB_LLEG_BMC_COF1   | Bone mineral content for the Left Leg region                     | Num |
| DXA_WB_LLEG_BMD_COF1   | Bone mineral density for the Left Leg region                     | Num |
| DXA_WB_RLEG_AREA_COF1  | Bone area for the Right Leg region                               | Num |
| DXA_WB_RLEG_BMC_COF1   | Bone mineral content for the Right Leg region                    | Num |
| DXA_WB_RLEG_BMD_COF1   | Bone mineral density for the Right Leg region                    | Num |
| DXA_WBC_FAT_STD_COF1   | The value is always 68   | Num |
| DXA_WBC_LEAN_STD_COF1  | The value is always -10  | Num |
| DXA_WBC_BRAIN_FAT_COF1 | Assumed %%fat for brain tissue                                   | Num |
| DXA_WBC_WATER_LBM_COF1 | Assumed %% of the lean body mass that is water                   | Num |
| DXA_WBC_HEAD_FAT_COF1  | Grams of Fat tissue in Head region                               | Num |
| DXA_WBC_HEAD_LEAN_COF1 | Grams of Lean tissue in Head region                              | Num |
| DXA_WBC_HEAD_MASS_COF1 | Mass in grams in Head region                                     | Num |
| DXA_WBC_HEAD_PFAT_COF1 | Percentage of fat tissue to total tissue mass in Head region     | Num |
| DXA_WBC_LARM_FAT_COF1  | Grams of Fat tissue in Left arm region                           | Num |
| DXA_WBC_LARM_LEAN_COF1 | Grams of Lean tissue in Left arm region                          | Num |
| DXA_WBC_LARM_MASS_COF1 | Mass in grams in Left arm region                                 | Num |
| DXA_WBC_LARM_PFAT_COF1 | Percentage of fat tissue to total tissue mass in Left arm region | Num |
| DXA_WBC_RARM_FAT_COF1  | Grams of Fat tissue in Right arm region                          | Num |
| DXA_WBC_RARM_LEAN_COF1 | Grams of Lean tissue in Right arm region                         | Num |
| DXA_WBC_RARM_MASS_COF1 | Mass in grams in Right arm region                                | Num |

|   |   |     |
|---|---|-----|
| <b>DXA_WBC_RARM_PFAT_COF1</b>           | Percentage of fat tissue to total tissue mass in Right arm region     | Num |
| <b>DXA_WBC_TRUNK_FAT_COF1</b>           | Grams of Fat tissue in Trunk region                                   | Num |
| <b>DXA_WBC_TRUNK_LEAN_COF1</b>          | Grams of Lean tissue in Trunk region                                  | Num |
| <b>DXA_WBC_TRUNK_MASS_COF1</b>          | Mass in grams in Trunk region   | Num |
| <b>DXA_WBC_TRUNK_PFAT_COF1</b>          | Percentage of fat tissue to total tissue mass in Trunk region         | Num |
| <b>DXA_WBC_L_LEG_FAT_COF1</b>           | Grams of Fat tissue in Left leg region                                | Num |
| <b>DXA_WBC_L_LEG_LEAN_COF1</b>          | Grams of Lean tissue in Left leg region                               | Num |
| <b>DXA_WBC_L_LEG_MASS_COF1</b>          | Mass in grams in Left leg region                                      | Num |
| <b>DXA_WBC_L_LEG_PFAT_COF1</b>          | Percentage of fat tissue to total tissue mass in Left leg region      | Num |
| <b>DXA_WBC_R_LEG_FAT_COF1</b>           | Grams of Fat tissue in Right leg region                               | Num |
| <b>DXA_WBC_R_LEG_LEAN_COF1</b>          | Grams of Lean tissue in Right leg region                              | Num |
| <b>DXA_WBC_R_LEG_MASS_COF1</b>          | Mass in grams in Right leg region                                     | Num |
| <b>DXA_WBC_R_LEG_PFAT_COF1</b>          | Percentage of fat tissue to total tissue mass in Right leg region     | Num |
| <b>DXA_WBC_SUBTOT_FAT_COF1</b>          | Grams of Fat tissue in Summary  | Num |
| <b>DXA_WBC_SUBTOT_LEAN_COF1</b>         | Grams of Lean tissue in Summary                                       | Num |
| <b>DXA_WBC_SUBTOT_MASS_COF1</b>         | Mass in grams in Summary  | Num |
| <b>DXA_WBC_SUBTOT_PFAT_COF1</b>         | Percentage of fat tissue to total tissue mass in Summary              | Num |
| <b>DXA_WBC_WBTOT_FAT_COF1</b>           | Grams of Fat tissue in all included regions                           | Num |
| <b>DXA_WBC_WBTOT_LEAN_COF1</b>          | Grams of Lean tissue in all included regions                          | Num |
| <b>DXA_WBC_WBTOT_MASS_COF1</b>          | Mass in grams in all included regions                                 | Num |
| <b>DXA_WBC_WBTOT_PFAT_COF1</b>          | Percentage of fat tissue to total tissue mass in all included regions | Num |
| <b>DXA_OI_FAT_STD_COF1</b>              | The value is always 68  | Num |
| <b>DXA_OI_LEAN_STD_COF1</b>             | The value is always -10   | Num |
| <b>DXA_OI_BRAIN_FAT_COF1</b>            | Assumed %%fat for brain tissue  | Num |
| <b>DXA_OI_WATER_LBM_COF1</b>            | Assumed %% of the lean body mass that is water                        | Num |
| <b>DXA_OI_TOTAL_PERCENT_FAT_COF1</b>    | %% of total body mass that is fat                                     | Num |
| <b>DXA_OI_BODY_MASS_INDEX_COF1</b>      | Total body mass divided by height squared (kg/m <sup>2</sup> )        | Num |
| <b>DXA_OI_ANDROID_GYNOID_RATIO_COF1</b> | %% fat in Android region / %% fat in Gynoid region                    | Num |
| <b>DXA_OI_ANDROID_PERCENT_FAT_COF1</b>  | %% fat in Android region  | Num |

|                                       |   |     |
|---------------------------------------|---|-----|
| <b>DXA_OI_GYNOID_PERCENT_FAT_COF1</b> | %% fat in Gynoid region   | Num |
| <b>DXA_OI_FAT_MASS_RATIO_COF1</b>     | %% fat in Trunk / %% fat in legs  | Num |
| <b>DXA_OI_TL_FAT_MASS_RATIO_COF1</b>  | Trunk fat / Limb fat  | Num |
| <b>DXA_OI_FAT_MASS_H2_COF1</b>        | Total fat mass divided by height squared (kg/m <sup>2</sup> )                   | Num |
| <b>DXA_OI_TOTAL_FAT_MASS_COF1</b>     | Total fat mass in whole body  | Num |
| <b>DXA_OI_LEAN_MASS_H2_COF1</b>       | Total lean mass divided by height squared (kg/m <sup>2</sup> )                  | Num |
| <b>DXA_OI_APDG_LEAN_MASS_H2_COF1</b>  | Lean mass in limbs divided by height squared (kg/m <sup>2</sup> )               | Num |
| <b>DXA_OI_TOTAL_LEAN_MASS_COF1</b>    | Total lean mass in whole body   | Num |
| <b>DXA_DRV_LARM_PURE_LEAN_COF1</b>    | Pure lean mass (without bone) in left arm                                       | Num |
| <b>DXA_DRV_RARM_PURE_LEAN_COF1</b>    | Pure lean mass (without bone) in right arm                                      | Num |
| <b>DXA_DRV_L_LEG_PURE_LEAN_COF1</b>   | Pure lean mass (without bone) in left leg                                       | Num |
| <b>DXA_DRV_R_LEG_PURE_LEAN_COF1</b>   | Pure lean mass (without bone) in right leg                                      | Num |
| <b>DXA_DRV_HEAD_PURE_LEAN_COF1</b>    | Pure lean mass (without bone) in head   | Num |
| <b>DXA_DRV_TRUNK_PURE_LEAN_COF1</b>   | Pure lean mass (without bone) in trunk  | Num |
| <b>DXA_DRV_SUBTOT_PURE_LEAN_COF1</b>  | Total pure lean mass (without bone) excluding head region                       | Num |
| <b>DXA_DRV_APDG_PURE_LEAN_COF1</b>    | Pure lean mass (without bone) in limbs  | Num |
| <b>DXA_DRV_TRUNK_BMC_COF1</b>         | Bone mineral content for Trunk region - derived                                 | Num |
| <b>DXA_OI_TOTAL_PURE_LEAN_COF1</b>    | Total lean mass without bone in whole body (in grams)                           | Num |
| <b>DXA_OI_PURE_LEAN_H2_COF1</b>       | Total lean mass without bone, divided by height squared (kg/m <sup>2</sup> )    | Num |
| <b>DXA_OI_APDG_PURE_LEAN_H2_COF1</b>  | Lean mass without bone in limbs, divided by height squared (kg/m <sup>2</sup> ) | Num |
| <b>IMT_STATUS_COF1</b>                | status of cIMT measure  | Num |
| <b>IMT_R1_ZE_COF1</b>                 | cIMT penalty scoring sums to zero or less - right still image 1                 | Num |
| <b>IMT_R1_AR_COF1</b>                 | Carotid artery imaged - right still image 1                                     | Num |
| <b>IMT_R1_AS_COF1</b>                 | Carotid artery imaged but sliced; half visible - right still image 1            | Num |

|                            |   |     |
|----------------------------|---|-----|
| <b>IMT_R1_NA_COF1</b>      | Carotid artery not imaged; jugular vein imaged - right still image 1                    | Num |
| <b>IMT_R1_NO_COF1</b>      | Carotid artery not imaged; nothing identifiable - right still image 1                   | Num |
| <b>IMT_R1_PI_COF1</b>      | Carotid artery imaged perpendicular to sound beam - right still image 1                 | Num |
| <b>IMT_R1_AN_COF1</b>      | Carotid artery imaged on an angle - right still image 1                                 | Num |
| <b>IMT_R1_CE_COF1</b>      | Clear cIMT on far wall; entire length - right still image 1                             | Num |
| <b>IMT_R1_CS_COF1</b>      | Clear cIMT on far wall; reduced section - right still image 1                           | Num |
| <b>IMT_R1_PC_COF1</b>      | cIMT present but poor contrast; blurry image - right still image 1                      | Num |
| <b>IMT_R1_NI_COF1</b>      | No far wall cIMT visible - right still image 1  | Num |
| <b>IMT_R1_SB_COF1</b>      | Analysis box correct location; has < 250 points - right still image 1                   | Num |
| <b>IMT_R1_SK_COF1</b>      | Analysis box correct location; has > 250 points & < 500 points - right still image 1    | Num |
| <b>IMT_R1_GB_COF1</b>      | Analysis box correct location; includes 500 points - right still image 1                | Num |
| <b>IMT_R1_LO_COF1</b>      | Location of analysis box incorrect; should be moved right or left - right still image 1 | Num |
| <b>IMT_R1_AM_COF1</b>      | Edge detection accurately following far wall cIMT - right still image 1                 | Num |
| <b>IMT_R1_ME_COF1</b>      | Inaccurate measure of cIMT; Lines drop out at a small section - right still image 1     | Num |
| <b>IMT_R1_NONE_COF1</b>    | right IMT still image 2 - no issues   | Num |
| <b>IMT_R1_RATING_COF1</b>  | cIMT rating score - right still image 1   | Num |
| <b>IMT_R1_QUALITY_COF1</b> | cIMT Overall Quality - right still image 1  | Num |
| <b>IMT_R2_ZE_COF1</b>      | cIMT penalty scoring sums to zero or less - right still image 2                         | Num |
| <b>IMT_R2_AR_COF1</b>      | Carotid artery imaged - right still image 2   | Num |
| <b>IMT_R2_AS_COF1</b>      | Carotid artery imaged but sliced; half visible - right still image 2                    | Num |
| <b>IMT_R2_NA_COF1</b>      | Carotid artery not imaged; jugular vein imaged - right still image 2                    | Num |
| <b>IMT_R2_NO_COF1</b>      | Carotid artery not imaged; nothing identifiable - right still image 2                   | Num |

|                            |   |     |
|----------------------------|---|-----|
| <b>IMT_R2_PI_COF1</b>      | Carotid artery imaged perpendicular to sound beam - right still image 2                 | Num |
| <b>IMT_R2_AN_COF1</b>      | Carotid artery imaged on an angle - right still image 2                                 | Num |
| <b>IMT_R2_CE_COF1</b>      | Clear cIMT on far wall; entire length - right still image 2                             | Num |
| <b>IMT_R2_CS_COF1</b>      | Clear cIMT on far wall; reduced section - right still image 2                           | Num |
| <b>IMT_R2_PC_COF1</b>      | cIMT present but poor contrast; blurry image - right still image 2                      | Num |
| <b>IMT_R2_NI_COF1</b>      | No far wall cIMT visible - right still image 2  | Num |
| <b>IMT_R2_SB_COF1</b>      | Analysis box correct location; has < 250 points - right still image 2                   | Num |
| <b>IMT_R2_SK_COF1</b>      | Analysis box correct location; has > 250 points & < 500 points - right still image 2    | Num |
| <b>IMT_R2_GB_COF1</b>      | Analysis box correct location; includes 500 points - right still image 2                | Num |
| <b>IMT_R2_LO_COF1</b>      | Location of analysis box incorrect; should be moved right or left - right still image 2 | Num |
| <b>IMT_R2_AM_COF1</b>      | Edge detection accurately following far wall cIMT - right still image 2                 | Num |
| <b>IMT_R2_ME_COF1</b>      | Inaccurate measure of cIMT; Lines drop out at a small section - right still image 2     | Num |
| <b>IMT_R2_NONE_COF1</b>    | right IMT still image 2 - no issues   | Num |
| <b>IMT_R2_RATING_COF1</b>  | cIMT rating score - right still image 2   | Num |
| <b>IMT_R2_QUALITY_COF1</b> | cIMT Overall Quality - right still image 2  | Num |
| <b>IMT_R3_ZE_COF1</b>      | cIMT penalty scoring sums to zero or less - right still image 3                         | Num |
| <b>IMT_R3_AR_COF1</b>      | Carotid artery imaged - right still image 3   | Num |
| <b>IMT_R3_AS_COF1</b>      | Carotid artery imaged but sliced; half visible - right still image 3                    | Num |
| <b>IMT_R3_NA_COF1</b>      | Carotid artery not imaged; jugular vein imaged - right still image 3                    | Num |
| <b>IMT_R3_NO_COF1</b>      | Carotid artery not imaged; nothing identifiable - right still image 3                   | Num |
| <b>IMT_R3_PI_COF1</b>      | Carotid artery imaged perpendicular to sound beam - right still image 3                 | Num |

|                     |   |     |
|---------------------|---|-----|
| IMT_R3_AN_COF1      | Carotid artery imaged on an angle - right still image 3                                 | Num |
| IMT_R3_CE_COF1      | Clear cIMT on far wall; entire length - right still image 3                             | Num |
| IMT_R3_CS_COF1      | Clear cIMT on far wall; reduced section - right still image 3                           | Num |
| IMT_R3_PC_COF1      | cIMT present but poor contrast; blurry image - right still image 3                      | Num |
| IMT_R3_NI_COF1      | No far wall cIMT visible - right still image 3  | Num |
| IMT_R3_SB_COF1      | Analysis box correct location; has < 250 points - right still image 3                   | Num |
| IMT_R3_SK_COF1      | Analysis box correct location; has > 250 points & < 500 points - right still image 3    | Num |
| IMT_R3_GB_COF1      | Analysis box correct location; includes 500 points - right still image 3                | Num |
| IMT_R3_LO_COF1      | Location of analysis box incorrect; should be moved right or left - right still image 3 | Num |
| IMT_R3_AM_COF1      | Edge detection accurately following far wall cIMT - right still image 3                 | Num |
| IMT_R3_ME_COF1      | Inaccurate measure of cIMT; Lines drop out at a small section - right still image 3     | Num |
| IMT_R3_NONE_COF1    | right IMT still image 3 - no issues   | Num |
| IMT_R3_RATING_COF1  | cIMT rating score - right still image 3   | Num |
| IMT_R3_QUALITY_COF1 | cIMT Overall Quality - right still image 3  | Num |
| IMT_L1_ZE_COF1      | cIMT penalty scoring sums to zero or less - left still image 1                          | Num |
| IMT_L1_AR_COF1      | Carotid artery imaged - left still image 1  | Num |
| IMT_L1_AS_COF1      | Carotid artery imaged but sliced; half visible - left still image 1                     | Num |
| IMT_L1_NA_COF1      | Carotid artery not imaged; jugular vein imaged - left still image 1                     | Num |
| IMT_L1_NO_COF1      | Carotid artery not imaged; nothing identifiable - left still image 1                    | Num |
| IMT_L1_PI_COF1      | Carotid artery imaged perpendicular to sound beam - left still image 1                  | Num |
| IMT_L1_AN_COF1      | Carotid artery imaged on an angle - left still image 1                                  | Num |
| IMT_L1_CE_COF1      | Clear cIMT on far wall; entire length - left still image 1                              | Num |

|                     |  |     |
|---------------------|--|-----|
| IMT_L1_CS_COF1      | Clear cIMT on far wall; reduced section - left still image 1                           | Num |
| IMT_L1_PC_COF1      | cIMT present but poor contrast; blurry image - left still image 1                      | Num |
| IMT_L1_NI_COF1      | No far wall cIMT visible - left still image 1  | Num |
| IMT_L1_SB_COF1      | Analysis box correct location; has < 250 points - left still image 1                   | Num |
| IMT_L1_SK_COF1      | Analysis box correct location; has > 250 points & < 500 points - left still image 1    | Num |
| IMT_L1_GB_COF1      | Analysis box correct location; includes 500 points - left still image 1                | Num |
| IMT_L1_LO_COF1      | Location of analysis box incorrect; should be moved right or left - left still image 1 | Num |
| IMT_L1_AM_COF1      | Edge detection accurately following far wall cIMT - left still image 1                 | Num |
| IMT_L1_ME_COF1      | Inaccurate measure of cIMT; Lines drop out at a small section - left still image 1     | Num |
| IMT_L1_NONE_COF1    | Left IMT still image 1 - no issues   | Num |
| IMT_L1_RATING_COF1  | cIMT rating score - left still image 1   | Num |
| IMT_L1_QUALITY_COF1 | cIMT Overall Quality - left still image 1  | Num |
| IMT_L2_ZE_COF1      | cIMT penalty scoring sums to zero or less - left still image 2                         | Num |
| IMT_L2_AR_COF1      | Carotid artery imaged - left still image 2   | Num |
| IMT_L2_AS_COF1      | Carotid artery imaged but sliced; half visible - left still image 2                    | Num |
| IMT_L2_NA_COF1      | Carotid artery not imaged; jugular vein imaged - left still image 2                    | Num |
| IMT_L2_NO_COF1      | Carotid artery not imaged; nothing identifiable - left still image 2                   | Num |
| IMT_L2_PI_COF1      | Carotid artery imaged perpendicular to sound beam - left still image 2                 | Num |
| IMT_L2_AN_COF1      | Carotid artery imaged on an angle - left still image 2                                 | Num |
| IMT_L2_CE_COF1      | Clear cIMT on far wall; entire length - left still image 2                             | Num |
| IMT_L2_CS_COF1      | Clear cIMT on far wall; reduced section - left still image 2                           | Num |
| IMT_L2_PC_COF1      | cIMT present but poor contrast; blurry image - left still image 2                      | Num |



|                            |  |     |
|----------------------------|--|-----|
| <b>IMT_L2_NI_COF1</b>      | No far wall cIMT visible - left still image 2  | Num |
| <b>IMT_L2_SB_COF1</b>      | Analysis box correct location; has < 250 points - left still image 2                   | Num |
| <b>IMT_L2_SK_COF1</b>      | Analysis box correct location; has > 250 points & < 500 points - left still image 2    | Num |
| <b>IMT_L2_GB_COF1</b>      | Analysis box correct location; includes 500 points - left still image 2                | Num |
| <b>IMT_L2_LO_COF1</b>      | Location of analysis box incorrect; should be moved right or left - left still image 2 | Num |
| <b>IMT_L2_AM_COF1</b>      | Edge detection accurately following far wall cIMT - left still image 2                 | Num |
| <b>IMT_L2_ME_COF1</b>      | Inaccurate measure of cIMT; Lines drop out at a small section - left still image 2     | Num |
| <b>IMT_L2_NONE_COF1</b>    | Left IMT still image 2 - no issues   | Num |
| <b>IMT_L2_RATING_COF1</b>  | cIMT rating score - left still image 2   | Num |
| <b>IMT_L2_QUALITY_COF1</b> | cIMT Overall Quality - left still image 2  | Num |
| <b>IMT_L3_ZE_COF1</b>      | cIMT penalty scoring sums to zero or less - left still image 3                         | Num |
| <b>IMT_L3_AR_COF1</b>      | Carotid artery imaged - left still image 3   | Num |
| <b>IMT_L3_AS_COF1</b>      | Carotid artery imaged but sliced; half visible - left still image 3                    | Num |
| <b>IMT_L3_NA_COF1</b>      | Carotid artery not imaged; jugular vein imaged - left still image 3                    | Num |
| <b>IMT_L3_NO_COF1</b>      | Carotid artery not imaged; nothing identifiable - left still image 3                   | Num |
| <b>IMT_L3_PI_COF1</b>      | Carotid artery imaged perpendicular to sound beam - left still image 3                 | Num |
| <b>IMT_L3_AN_COF1</b>      | Carotid artery imaged on an angle - left still image 3                                 | Num |
| <b>IMT_L3_CE_COF1</b>      | Clear cIMT on far wall; entire length - left still image 3                             | Num |
| <b>IMT_L3_CS_COF1</b>      | Clear cIMT on far wall; reduced section - left still image 3                           | Num |
| <b>IMT_L3_PC_COF1</b>      | cIMT present but poor contrast; blurry image - left still image 3                      | Num |
| <b>IMT_L3_NI_COF1</b>      | No far wall cIMT visible - left still image 3  | Num |
| <b>IMT_L3_SB_COF1</b>      | Analysis box correct location; has < 250 points - left still image 3                   | Num |

|                            |  |     |
|----------------------------|--|-----|
| <b>IMT_L3_SK_COF1</b>      | Analysis box correct location; has > 250 points & < 500 points - left still image 3    | Num |
| <b>IMT_L3_GB_COF1</b>      | Analysis box correct location; includes 500 points - left still image 3                | Num |
| <b>IMT_L3_LO_COF1</b>      | Location of analysis box incorrect; should be moved right or left - left still image 3 | Num |
| <b>IMT_L3_AM_COF1</b>      | Edge detection accurately following far wall cIMT - left still image 3                 | Num |
| <b>IMT_L3_ME_COF1</b>      | Inaccurate measure of cIMT; Lines drop out at a small section - left still image 3     | Num |
| <b>IMT_L3_NONE_COF1</b>    | Left IMT still image 3 - no issues   | Num |
| <b>IMT_L3_RATING_COF1</b>  | cIMT rating score - left still image 3   | Num |
| <b>IMT_L3_QUALITY_COF1</b> | cIMT Overall Quality - left still image 3  | Num |
| <b>IMT_R0_MIN_COF1</b>     | IMT posterior minimum - right structured report index 0                                | Num |
| <b>IMT_R0_MAX_COF1</b>     | IMT posterior maximum - right structured report index 0                                | Num |
| <b>IMT_R0_AVE_COF1</b>     | IMT posterior average - right structured report index 0                                | Num |
| <b>IMT_R0_STD_COF1</b>     | IMT posterior standard deviation - right structured report index 0                     | Num |
| <b>IMT_R0_NMEAS_COF1</b>   | IMT posterior number of means - right structured report index 0                        | Num |
| <b>IMT_R1_MIN_COF1</b>     | IMT posterior minimum - right structured report index 1                                | Num |
| <b>IMT_R1_MAX_COF1</b>     | IMT posterior maximum - right structured report index 1                                | Num |
| <b>IMT_R1_AVE_COF1</b>     | IMT posterior average - right structured report index 1                                | Num |
| <b>IMT_R1_STD_COF1</b>     | IMT posterior standard deviation - right structured report index 1                     | Num |
| <b>IMT_R1_NMEAS_COF1</b>   | IMT posterior number of means - right structured report index 1                        | Num |
| <b>IMT_R2_MIN_COF1</b>     | IMT posterior minimum - right structured report index 2                                | Num |
| <b>IMT_R2_MAX_COF1</b>     | IMT posterior maximum - right structured report index 2                                | Num |
| <b>IMT_R2_AVE_COF1</b>     | IMT posterior average - right structured report index 2                                | Num |
| <b>IMT_R2_STD_COF1</b>     | IMT posterior standard deviation - right structured report index 2                     | Num |
| <b>IMT_R2_NMEAS_COF1</b>   | IMT posterior number of means - right structured report index 2                        | Num |

|                          |  |     |
|--------------------------|--|-----|
| <b>IMT_R3_MIN_COF1</b>   | IMT posterior minimum - right structured report index 3            | Num |
| <b>IMT_R3_MAX_COF1</b>   | IMT posterior maximum - right structured report index 3            | Num |
| <b>IMT_R3_AVE_COF1</b>   | IMT posterior average - right structured report index 3            | Num |
| <b>IMT_R3_STD_COF1</b>   | IMT posterior standard deviation - right structured report index 3 | Num |
| <b>IMT_R3_NMEAS_COF1</b> | IMT posterior number of means - right structured report index 3    | Num |
| <b>IMT_R4_MIN_COF1</b>   | IMT posterior minimum - right structured report index 4            | Num |
| <b>IMT_R4_MAX_COF1</b>   | IMT posterior maximum - right structured report index 4            | Num |
| <b>IMT_R4_AVE_COF1</b>   | IMT posterior average - right structured report index 4            | Num |
| <b>IMT_R4_STD_COF1</b>   | IMT posterior standard deviation - right structured report index 4 | Num |
| <b>IMT_R4_NMEAS_COF1</b> | IMT posterior number of means - right structured report index 4    | Num |
| <b>IMT_R5_MIN_COF1</b>   | IMT posterior minimum - right structured report index 5            | Num |
| <b>IMT_R5_MAX_COF1</b>   | IMT posterior maximum - right structured report index 5            | Num |
| <b>IMT_R5_AVE_COF1</b>   | IMT posterior average - right structured report index 5            | Num |
| <b>IMT_R5_STD_COF1</b>   | IMT posterior standard deviation - right structured report index 5 | Num |
| <b>IMT_R5_NMEAS_COF1</b> | IMT posterior number of means - right structured report index 5    | Num |
| <b>IMT_R6_MIN_COF1</b>   | IMT posterior minimum - right structured report index 6            | Num |
| <b>IMT_R6_MAX_COF1</b>   | IMT posterior maximum - right structured report index 6            | Num |
| <b>IMT_R6_AVE_COF1</b>   | IMT posterior average - right structured report index 6            | Num |
| <b>IMT_R6_STD_COF1</b>   | IMT posterior standard deviation - right structured report index 6 | Num |
| <b>IMT_R6_NMEAS_COF1</b> | IMT posterior number of means - right structured report index 6    | Num |
| <b>IMT_R7_MIN_COF1</b>   | IMT posterior minimum - right structured report index 7            | Num |
| <b>IMT_R7_MAX_COF1</b>   | IMT posterior maximum - right structured report index 7            | Num |
| <b>IMT_R7_AVE_COF1</b>   | IMT posterior average - right structured report index 7            | Num |
| <b>IMT_R7_STD_COF1</b>   | IMT posterior standard deviation - right structured report index 7 | Num |

|                           |   |     |
|---------------------------|---|-----|
| <b>IMT_R7_NMEAS_COF1</b>  | IMT posterior number of means - right structured report index 7     | Num |
| <b>IMT_R8_MIN_COF1</b>    | IMT posterior minimum - right structured report index 8             | Num |
| <b>IMT_R8_MAX_COF1</b>    | IMT posterior maximum - right structured report index 8             | Num |
| <b>IMT_R8_AVE_COF1</b>    | IMT posterior average - right structured report index 8             | Num |
| <b>IMT_R8_STD_COF1</b>    | IMT posterior standard deviation - right structured report index 8  | Num |
| <b>IMT_R8_NMEAS_COF1</b>  | IMT posterior number of means - right structured report index 8     | Num |
| <b>IMT_R9_MIN_COF1</b>    | IMT posterior minimum - right structured report index 9             | Num |
| <b>IMT_R9_MAX_COF1</b>    | IMT posterior maximum - right structured report index 9             | Num |
| <b>IMT_R9_AVE_COF1</b>    | IMT posterior average - right structured report index 9             | Num |
| <b>IMT_R9_STD_COF1</b>    | IMT posterior standard deviation - right structured report index 9  | Num |
| <b>IMT_R9_NMEAS_COF1</b>  | IMT posterior number of means - right structured report index 9     | Num |
| <b>IMT_R10_MIN_COF1</b>   | IMT posterior minimum - right structured report index 10            | Num |
| <b>IMT_R10_MAX_COF1</b>   | IMT posterior maximum - right structured report index 10            | Num |
| <b>IMT_R10_AVE_COF1</b>   | IMT posterior average - right structured report index 10            | Num |
| <b>IMT_R10_STD_COF1</b>   | IMT posterior standard deviation - right structured report index 10 | Num |
| <b>IMT_R10_NMEAS_COF1</b> | IMT posterior number of means - right structured report index 10    | Num |
| <b>IMT_R11_MIN_COF1</b>   | IMT posterior minimum - right structured report index 11            | Num |
| <b>IMT_R11_MAX_COF1</b>   | IMT posterior maximum - right structured report index 11            | Num |
| <b>IMT_R11_AVE_COF1</b>   | IMT posterior average - right structured report index 11            | Num |
| <b>IMT_R11_STD_COF1</b>   | IMT posterior standard deviation - right structured report index 11 | Num |
| <b>IMT_R11_NMEAS_COF1</b> | IMT posterior number of means - right structured report index 11    | Num |
| <b>IMT_R12_MIN_COF1</b>   | IMT posterior minimum - right structured report index 12            | Num |
| <b>IMT_R12_MAX_COF1</b>   | IMT posterior maximum - right structured report index 12            | Num |
| <b>IMT_R12_AVE_COF1</b>   | IMT posterior average - right structured report index 12            | Num |

|                           |   |     |
|---------------------------|---|-----|
| <b>IMT_R12_STD_COF1</b>   | IMT posterior standard deviation - right structured report index 12 | Num |
| <b>IMT_R12_NMEAS_COF1</b> | IMT posterior number of means - right structured report index 12    | Num |
| <b>IMT_R13_MIN_COF1</b>   | IMT posterior minimum - right structured report index 13            | Num |
| <b>IMT_R13_MAX_COF1</b>   | IMT posterior maximum - right structured report index 13            | Num |
| <b>IMT_R13_AVE_COF1</b>   | IMT posterior average - right structured report index 13            | Num |
| <b>IMT_R13_STD_COF1</b>   | IMT posterior standard deviation - right structured report index 13 | Num |
| <b>IMT_R13_NMEAS_COF1</b> | IMT posterior number of means - right structured report index 13    | Num |
| <b>IMT_L0_MIN_COF1</b>    | IMT posterior minimum - left structured report index 0              | Num |
| <b>IMT_L0_MAX_COF1</b>    | IMT posterior maximum - left structured report index 0              | Num |
| <b>IMT_L0_AVE_COF1</b>    | IMT posterior average - left structured report index 0              | Num |
| <b>IMT_L0_STD_COF1</b>    | IMT posterior standard deviation - left structured report index 0   | Num |
| <b>IMT_L0_NMEAS_COF1</b>  | IMT posterior number of means - left structured report index 0      | Num |
| <b>IMT_L1_MIN_COF1</b>    | IMT posterior minimum - left structured report index 1              | Num |
| <b>IMT_L1_MAX_COF1</b>    | IMT posterior maximum - left structured report index 1              | Num |
| <b>IMT_L1_AVE_COF1</b>    | IMT posterior average - left structured report index 1              | Num |
| <b>IMT_L1_STD_COF1</b>    | IMT posterior standard deviation - left structured report index 1   | Num |
| <b>IMT_L1_NMEAS_COF1</b>  | IMT posterior number of means - left structured report index 1      | Num |
| <b>IMT_L2_MIN_COF1</b>    | IMT posterior minimum - left structured report index 2              | Num |
| <b>IMT_L2_MAX_COF1</b>    | IMT posterior maximum - left structured report index 2              | Num |
| <b>IMT_L2_AVE_COF1</b>    | IMT posterior average - left structured report index 2              | Num |
| <b>IMT_L2_STD_COF1</b>    | IMT posterior standard deviation - left structured report index 2   | Num |
| <b>IMT_L2_NMEAS_COF1</b>  | IMT posterior number of means - left structured report index 2      | Num |
| <b>IMT_L3_MIN_COF1</b>    | IMT posterior minimum - left structured report index 3              | Num |
| <b>IMT_L3_MAX_COF1</b>    | IMT posterior maximum - left structured report index 3              | Num |

|                          |   |     |
|--------------------------|---|-----|
| <b>IMT_L3_AVE_COF1</b>   | IMT posterior average - left structured report index 3            | Num |
| <b>IMT_L3_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 3 | Num |
| <b>IMT_L3_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 3    | Num |
| <b>IMT_L4_MIN_COF1</b>   | IMT posterior minimum - left structured report index 4            | Num |
| <b>IMT_L4_MAX_COF1</b>   | IMT posterior maximum - left structured report index 4            | Num |
| <b>IMT_L4_AVE_COF1</b>   | IMT posterior average - left structured report index 4            | Num |
| <b>IMT_L4_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 4 | Num |
| <b>IMT_L4_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 4    | Num |
| <b>IMT_L5_MIN_COF1</b>   | IMT posterior minimum - left structured report index 5            | Num |
| <b>IMT_L5_MAX_COF1</b>   | IMT posterior maximum - left structured report index 5            | Num |
| <b>IMT_L5_AVE_COF1</b>   | IMT posterior average - left structured report index 5            | Num |
| <b>IMT_L5_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 5 | Num |
| <b>IMT_L5_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 5    | Num |
| <b>IMT_L6_MIN_COF1</b>   | IMT posterior minimum - left structured report index 6            | Num |
| <b>IMT_L6_MAX_COF1</b>   | IMT posterior maximum - left structured report index 6            | Num |
| <b>IMT_L6_AVE_COF1</b>   | IMT posterior average - left structured report index 6            | Num |
| <b>IMT_L6_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 6 | Num |
| <b>IMT_L6_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 6    | Num |
| <b>IMT_L7_MIN_COF1</b>   | IMT posterior minimum - left structured report index 7            | Num |
| <b>IMT_L7_MAX_COF1</b>   | IMT posterior maximum - left structured report index 7            | Num |
| <b>IMT_L7_AVE_COF1</b>   | IMT posterior average - left structured report index 7            | Num |
| <b>IMT_L7_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 7 | Num |
| <b>IMT_L7_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 7    | Num |
| <b>IMT_L8_MIN_COF1</b>   | IMT posterior minimum - left structured report index 8            | Num |

|                           |  |     |
|---------------------------|--|-----|
| <b>IMT_L8_MAX_COF1</b>    | IMT posterior maximum - left structured report index 8             | Num |
| <b>IMT_L8_AVE_COF1</b>    | IMT posterior average - left structured report index 8             | Num |
| <b>IMT_L8_STD_COF1</b>    | IMT posterior standard deviation - left structured report index 8  | Num |
| <b>IMT_L8_NMEAS_COF1</b>  | IMT posterior number of means - left structured report index 8     | Num |
| <b>IMT_L9_MIN_COF1</b>    | IMT posterior minimum - left structured report index 9             | Num |
| <b>IMT_L9_MAX_COF1</b>    | IMT posterior maximum - left structured report index 9             | Num |
| <b>IMT_L9_AVE_COF1</b>    | IMT posterior average - left structured report index 9             | Num |
| <b>IMT_L9_STD_COF1</b>    | IMT posterior standard deviation - left structured report index 9  | Num |
| <b>IMT_L9_NMEAS_COF1</b>  | IMT posterior number of means - left structured report index 9     | Num |
| <b>IMT_L10_MIN_COF1</b>   | IMT posterior minimum - left structured report index 10            | Num |
| <b>IMT_L10_MAX_COF1</b>   | IMT posterior maximum - left structured report index 10            | Num |
| <b>IMT_L10_AVE_COF1</b>   | IMT posterior average - left structured report index 10            | Num |
| <b>IMT_L10_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 10 | Num |
| <b>IMT_L10_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 10    | Num |
| <b>IMT_L11_MIN_COF1</b>   | IMT posterior minimum - left structured report index 11            | Num |
| <b>IMT_L11_MAX_COF1</b>   | IMT posterior maximum - left structured report index 11            | Num |
| <b>IMT_L11_AVE_COF1</b>   | IMT posterior average - left structured report index 11            | Num |
| <b>IMT_L11_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 11 | Num |
| <b>IMT_L11_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 11    | Num |
| <b>IMT_L12_MIN_COF1</b>   | IMT posterior minimum - left structured report index 12            | Num |
| <b>IMT_L12_MAX_COF1</b>   | IMT posterior maximum - left structured report index 12            | Num |
| <b>IMT_L12_AVE_COF1</b>   | IMT posterior average - left structured report index 12            | Num |
| <b>IMT_L12_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 12 | Num |
| <b>IMT_L12_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 12    | Num |



|                           |  |     |
|---------------------------|--|-----|
| <b>IMT_L13_MIN_COF1</b>   | IMT posterior minimum - left structured report index 13            | Num |
| <b>IMT_L13_MAX_COF1</b>   | IMT posterior maximum - left structured report index 13            | Num |
| <b>IMT_L13_AVE_COF1</b>   | IMT posterior average - left structured report index 13            | Num |
| <b>IMT_L13_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 13 | Num |
| <b>IMT_L13_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 13    | Num |
| <b>IMT_L14_MIN_COF1</b>   | IMT posterior minimum - left structured report index 14            | Num |
| <b>IMT_L14_MAX_COF1</b>   | IMT posterior maximum - left structured report index 14            | Num |
| <b>IMT_L14_AVE_COF1</b>   | IMT posterior average - left structured report index 14            | Num |
| <b>IMT_L14_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 14 | Num |
| <b>IMT_L14_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 14    | Num |
| <b>IMT_L15_MIN_COF1</b>   | IMT posterior minimum - left structured report index 15            | Num |
| <b>IMT_L15_MAX_COF1</b>   | IMT posterior maximum - left structured report index 15            | Num |
| <b>IMT_L15_AVE_COF1</b>   | IMT posterior average - left structured report index 15            | Num |
| <b>IMT_L15_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 15 | Num |
| <b>IMT_L15_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 15    | Num |
| <b>IMT_L16_MIN_COF1</b>   | IMT posterior minimum - left structured report index 16            | Num |
| <b>IMT_L16_MAX_COF1</b>   | IMT posterior maximum - left structured report index 16            | Num |
| <b>IMT_L16_AVE_COF1</b>   | IMT posterior average - left structured report index 16            | Num |
| <b>IMT_L16_STD_COF1</b>   | IMT posterior standard deviation - left structured report index 16 | Num |
| <b>IMT_L16_NMEAS_COF1</b> | IMT posterior number of means - left structured report index 16    | Num |
| <b>BLD_CONSENT_COF1</b>   | Consent to have blood withdrawn                                    | Num |
| <b>BLD_STATUS_COF1</b>    | Status of blood stage  | Num |
| <b>BLD_DRAW_COF1</b>      | Blood sample withdrawn for processing                              | Num |
| <b>BLD_WNOB_COF1</b>      | Reason blood sample was not provided                               | Num |
| <b>BLD_HEMA_COF1</b>      | Sample processed for hematology results                            | Num |

|                            |   |      |
|----------------------------|---|------|
| <b>BLD_FD24_COF1</b>       | Food or drink (excl water) past 24hrs             | Num  |
| <b>BLD_FD24_DAY_COF1</b>   | Date of last food or drink                        | Char |
| <b>BLD_FD24_HR_COF1</b>    | Hours since last food or drink                    | Num  |
| <b>BLD_FD24_MIN_COF1</b>   | Minutes since last food or drink                  | Num  |
| <b>BLD_CAFF24_COF1</b>     | Consumed caffeine past 24hrs                      | Num  |
| <b>BLD_CAFF24_DAY_COF1</b> | Day last consumed caffeine                        | Char |
| <b>BLD_CAFF24_HR_COF1</b>  | Hours since last caffeine                         | Num  |
| <b>BLD_CAFF24_MIN_COF1</b> | Minutes since last caffeine                       | Num  |
| <b>BLD_TOBA24_COF1</b>     | Consumed tobacco past 24hrs                       | Num  |
| <b>BLD_TOBA24_DAY_COF1</b> | Day last consumed tobacco                         | Char |
| <b>BLD_TOBA24_HR_COF1</b>  | Hours since tobacco consumption                   | Num  |
| <b>BLD_TOBA24_MIN_COF1</b> | Minutes since tobacco consumption                 | Num  |
| <b>BLD_ALC24_COF1</b>      | Consumed Alcohol past 24hrs                       | Num  |
| <b>BLD_ALC24_DAY_COF1</b>  | Day last consumed alcohol                         | Char |
| <b>BLD_ALC24_HR_COF1</b>   | Hours since alcohol consumption                   | Num  |
| <b>BLD_ALC24_MIN_COF1</b>  | Minutes since alcohol consumption                 | Num  |
| <b>BLD_DSITE_HEM_COF1</b>  | Hematoma at draw site                             | Num  |
| <b>BLD_DSITE_SHV_COF1</b>  | Sclerotic, hard veins at draw site                | Num  |
| <b>BLD_DSITE_FIF_COF1</b>  | Fibrosed, inflamed, or fragile veins at draw site | Num  |
| <b>BLD_DSITE_SWO_COF1</b>  | Red, swollen veins at draw site                   | Num  |
| <b>BLD_DSITE_PET_COF1</b>  | Petechiae at draw site                            | Num  |
| <b>BLD_DSITE_TAT_COF1</b>  | Tattoo(s) at draw site                            | Num  |
| <b>BLD_DSITE_SCR_COF1</b>  | Extensive scarring at draw site                   | Num  |
| <b>BLD_DSITE_VGR_COF1</b>  | Arm(s) with vascular graft at draw site           | Num  |
| <b>BLD_DSITE_PAR_COF1</b>  | Paralyzed arm(s) at draw site                     | Num  |
| <b>BLD_DSITE_CAT_COF1</b>  | Arm with(s) PICC line at draw site                | Num  |
| <b>BLD_ACHOSEN2_COF1</b>   | Arm chosen for blood collection                   | Num  |
| <b>BLD_FATT_COF1</b>       | First attempt at blood draw                       | Num  |
| <b>BLD_NEEDLE_COF1</b>     | Needle used for blood draw                        | Num  |
| <b>BLD_SIT_REC_COF1</b>    | Position during blood draw                        | Num  |
| <b>BLD_CUR_MEN_COF1</b>    | Menstruating during blood draw                    | Num  |
| <b>BLD_RUNDATE_COF1</b>    | The date and time the test was done               | Num  |
| <b>BLD_WBC_COF1</b>        | White blood cells                                 | Num  |
| <b>BLD_LY_PER_COF1</b>     | Lymphocytes (relative number)                     | Num  |
| <b>BLD_MO_PER_COF1</b>     | Monocytes (relative number)                       | Num  |
| <b>BLD_GR_PER_COF1</b>     | Granulocytes (relative number)                    | Num  |
| <b>BLD_LY_NB_COF1</b>      | Lymphocytes (absolute number)                     | Num  |
| <b>BLD_MO_NB_COF1</b>      | Monocytes (absolute number)                       | Num  |
| <b>BLD_GR_NB_COF1</b>      | Granulocytes (absolute number)                    | Num  |
| <b>BLD_RBC_COF1</b>        | Red blood cells                                   | Num  |

|                            |  |      |
|----------------------------|--|------|
| <b>BLD_Hgb_COF1</b>        | Hemoglobin   | Num  |
| <b>BLD_Hct_COF1</b>        | Hematocrit   | Num  |
| <b>BLD_MCV_COF1</b>        | Mean corpuscular volume  | Num  |
| <b>BLD_MCH_COF1</b>        | Mean corpuscular hemoglobin  | Num  |
| <b>BLD_MCHC_COF1</b>       | Mean corpuscular hemoglobin concentration  | Num  |
| <b>BLD_RDW_COF1</b>        | Red blood cell distribution width  | Num  |
| <b>BLD_Plt_COF1</b>        | Platelets  | Num  |
| <b>BLD_MPV_COF1</b>        | Mean platelet volume   | Num  |
| <b>NEUR_CONSREC_COF1</b>   | consent to be recorded   | Num  |
| <b>STP_LANG_COF1</b>       | Stroop test language   | Char |
| <b>STP_timeStart_COF1</b>  | Stroop start time  | Num  |
| <b>STP_STATUS_COF1</b>     | Stroop test status   | Num  |
| <b>STP_DOT_COF1</b>        | Ready to begin - Colour of solid circles shown   | Num  |
| <b>STP_DOTRPT_COF1</b>     | Ready to begin (repeat) - Colour of solid circles shown                                      | Num  |
| <b>STP_DOTFCTR_COF1</b>    | Factors impairing performance - Colour of solid circles shown                                | Num  |
| <b>STP_DOT_LG_COF1</b>     | Language Impairing performance - (Colour of solid circles shown)                             | Num  |
| <b>STP_DOT_PH_COF1</b>     | Physical impairment impairing performance - (Colour of solid circles shown)                  | Num  |
| <b>STP_DOT_DI_COF1</b>     | Distraction or noisy environment impairing performance (Colour of solid circles shown)       | Num  |
| <b>STP_DOT_IM_COF1</b>     | Impaired concentration/memory problems impairing performance (Colour of solid circles shown) | Num  |
| <b>STP_DOT_AID_COF1</b>    | Using an aid impaired performance (Colour of solid circles shown)                            | Num  |
| <b>STP_DOT_TE_COF1</b>     | Technical difficulties impairing performance (Colour of solid circles shown)                 | Num  |
| <b>STP_DOT_OT_COF1</b>     | Other factors impairing performance (Colour of solid circles shown)                          | Num  |
| <b>STP_DOTABLE_COF1</b>    | Able to complete test (Colour of solid circles shown)  | Num  |
| <b>STP_DOTRECR_COF1</b>    | Begin recording (Colour of solid circles shown)  | Num  |
| <b>STP_DOTTIME_SS_COF1</b> | Time to say colour of each solid circle shown (in seconds)                                   | Num  |
| <b>STP_WOR_COF1</b>        | Ready to begin - Ink colour of word shown  | Num  |

|                     |  |     |
|---------------------|--|-----|
| STP_WORRPT_COF1     | Ready to begin (repeat) - Ink colour of word shown   | Num |
| STP_WORFCTR_COF1    | Factors impairing performance - Ink colour of word shown   | Num |
| STP_WOR_LG_COF1     | Language Impairing performance - (Ink colour of word shown)  | Num |
| STP_WOR_PH_COF1     | Physical impairment impairing performance - (Ink colour of word shown)                               | Num |
| STP_WOR_DI_COF1     | Distraction or noisy environment impairing performance (Ink colour of word shown)                    | Num |
| STP_WOR_IM_COF1     | Impaired concentration/memory problems impairing performance (Ink colour of word shown)              | Num |
| STP_WOR_AID_COF1    | Using an aid impaired performance (Ink colour of word shown)   | Num |
| STP_WOR_TE_COF1     | Technical difficulties impairing performance (Ink colour of word shown)                              | Num |
| STP_WOR_OT_COF1     | Other factors impairing performance (Ink colour of word shown)                                       | Num |
| STP_WORABLE_COF1    | Able to complete test (Ink colour of word shown)   | Num |
| STP_WORRECR_COF1    | Begin recording (Ink colour of word shown)   | Num |
| STP_WORTIME_SS_COF1 | Time to say ink colour of each word shown (in seconds)   | Num |
| STP_COL_COF1        | Ready to begin - colour names in different ink colours   | Num |
| STP_COLRPT_COF1     | Ready to begin (repeat) - colour names in different ink colours                                      | Num |
| STP_COLFCTR_COF1    | Factors impairing performance - colour names in different ink colours                                | Num |
| STP_COL_LG_COF1     | Language Impairing performance - (colour names in different ink colours)                             | Num |
| STP_COL_PH_COF1     | Physical impairment impairing performance - (colour names in different ink colours)                  | Num |
| STP_COL_DI_COF1     | Distraction or noisy environment impairing performance (colour names in different ink colours)       | Num |
| STP_COL_IM_COF1     | Impaired concentration/memory problems impairing performance (colour names in different ink colours) | Num |

|                      |  |     |
|----------------------|--|-----|
| STP_COL_AID_COF1     | Using an aid impaired performance (colour names in different ink colours)            | Num |
| STP_COL_TE_COF1      | Technical difficulties impairing performance (colour names in different ink colours) | Num |
| STP_COL_OT_COF1      | Other factors impairing performance (colour names in different ink colours)          | Num |
| STP_COLABLE_COF1     | Able to complete test (colour names in different ink colours)                        | Num |
| STP_COLRECR_COF1     | Begin recording (colour names in different ink colours)                              | Num |
| STP_COLTIME_SS_COF1  | Time to say ink colour of each colour name (in seconds)                              | Num |
| STP_DOTERR_NB_COF1   | Number of errors - Colours   | Num |
| STP_WORERR_NB_COF1   | Number of errors - Words   | Num |
| STP_COLERR_NB_COF1   | Number of errors - Interference  | Num |
| STP_DOTQLTY_COF1     | Recording quality good enough to score - Colour of solid circles shown               | Num |
| STP_DOTQLTY_RSN_COF1 | Problem with recording - Colour of solid circles shown                               | Num |
| STP_WORQLTY_COF1     | Recording quality good enough to score - Ink colour of word shown                    | Num |
| STP_WORQLTY_RSN_COF1 | Problem with recording - Ink colour of word shown                                    | Num |
| STP_COLQLTY_COF1     | Recording quality good enough to score - Colour names in different ink colours       | Num |
| STP_COLQLTY_RSN_COF1 | Problem with recording - Colour names in different ink colours                       | Num |
| PMT_timeStart_COF1   | Prospective Memory Test  | Num |
| PMT_STATUS_COF1      | Event Prospective Memory Test status   | Num |
| PMT_ABLE_COF1        | Assessment of participant ability to do the test                                     | Num |
| PMT_FCT_LG_COF1      | Had difficulty understanding English/French  | Num |
| PMT_FCT_PH_COF1      | Physical impairment, such as difficulty hearing                                      | Num |
| PMT_FCT_DI_COF1      | Distraction or noisy environment   | Num |
| PMT_FCT_IM_COF1      | Impaired concentration/memory problems   | Num |
| PMT_FCT_AID_COF1     | Used an aid  | Num |
| PMT_FCT_TE_COF1      | Technical difficulties with the laptop   | Num |
| PMT_FCT_OT_COF1      | Other factors prevented from doing the test  | Num |

|                      |   |      |
|----------------------|---|------|
| PMT_FCT_DK_NA_COF1   | Factors prevented from doing the test - Don't know/ No answer | Num  |
| PMT_FCT_REFUSED_COF1 | Factors prevented from doing the test - Refused               | Num  |
| PMT_TIM_COF1         | First cue: Doing something when timer goes off                | Num  |
| PMT_NOCUE_COF1       | Participant's response to timer cue                           | Num  |
| PMT_ENV_COF1         | Second cue: Doing something with envelope                     | Num  |
| PMT_MONEY_COF1       | Third reminder: Doing something with money                    | Num  |
| PMT_ITP_COF1         | Intention to perform  | Num  |
| PMT_ACR_COF1         | Accuracy of Response  | Num  |
| PMT_REM_COF1         | Need of Reminders   | Num  |
| PMT_LANG_COF1        | Event-Based Prospective Memory Task start language            | Char |
| TMT_timeStart_COF1   | Time-Based Prospective Memory Task start time                 | Num  |
| TMT_LANG_COF1        | Time-Based Prospective Memory Task start language             | Char |
| TMT_STATUS_COF1      | Time-Based Prospective Memory Test status                     | Num  |
| TMT_PASS_COF1        | Subject passed all practice trials                            | Num  |
| TMT_ABLE_COF1        | Participant able to do the test                               | Num  |
| TMT_FCT_LG_COF1      | Had difficulty understanding English/French                   | Num  |
| TMT_FCT_PH_COF1      | Physical impairment, such as difficulty hearing               | Num  |
| TMT_FCT_DI_COF1      | Distraction or noisy environment                              | Num  |
| TMT_FCT_IM_COF1      | Impaired concentration/memory problems                        | Num  |
| TMT_FCT_AID_COF1     | Used an aid   | Num  |
| TMT_FCT_TE_COF1      | Technical difficulties with the laptop                        | Num  |
| TMT_FCT_OT_COF1      | Other factors prevented from doing the test                   | Num  |
| TMT_DOTIM_COF1       | Participant's response to timer (1st) cue                     | Num  |
| TMT_DOTIM_REP_COF1   | Repeated directions and tasks correctly                       | Num  |
| TMT_DOENV_COF1       | Participant's response to envelope (2nd) cue                  | Num  |
| TMT_DOCARD_COF1      | Participant's response to card (3rd) cue                      | Num  |
| TMT_ITPEXACT_COF1    | Intention to perform  | Num  |
| TMT_ACC_COF1         | Accuracy of Response  | Num  |
| TMT_RMD_COF1         | Need of Reminders   | Num  |
| CRT_STATUS_COF1      | Status of Choice Reaction Time test                           | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>CRT_TRIAL_NB_COF1</b>            | Number of completed trials   | Num  |
| <b>CRT_PERCT_CORRANS_COF1</b>       | Percentage of correct keystrokes                                   | Num  |
| <b>CRT_MRT_CORRANS_COF1</b>         | Mean Reaction Time (in ms)   | Num  |
| <b>CRT_TRIALCORR_NB_COF1</b>        | Number of responses (corrected to exclude missing responses)       | Num  |
| <b>CRT_MRTWOUT_CORRANS_COF1</b>     | Mean Reaction Time of correct answers without outliers (ms)        | Num  |
| <b>FAS_S_SCORE_COF1</b>             | FAS score - Number of S words recited in 60 seconds                | Num  |
| <b>FAS_S_META_AUDIO_STATUS_COF1</b> | FAS (S) - Status of recording                                      | Num  |
| <b>FAS_S_META_PSTATUS_COF1</b>      | FAS (S) - Participant status                                       | Num  |
| <b>FAS_S_LANG_COF1</b>              | FAS - Response language (letter S)                                 | Char |
| <b>FAS_F_SCORE_COF1</b>             | FAS score - Number of F words recited in 60 seconds                | Num  |
| <b>FAS_F_META_AUDIO_STATUS_COF1</b> | FAS (F) - Status of recording                                      | Num  |
| <b>FAS_F_META_PSTATUS_COF1</b>      | FAS (F) - Participant status                                       | Num  |
| <b>FAS_F_LANG_COF1</b>              | FAS - Response language (letter F)                                 | Char |
| <b>FAS_A_SCORE_COF1</b>             | FAS score - Number of A words recited in 60 seconds                | Num  |
| <b>FAS_A_META_AUDIO_STATUS_COF1</b> | FAS (A) - Status of recording                                      | Num  |
| <b>FAS_A_META_PSTATUS_COF1</b>      | FAS (A) - Participant status                                       | Num  |
| <b>FAS_A_LANG_COF1</b>              | FAS - Response language (letter A)                                 | Char |
| <b>FAS_STARTLANG_COF1</b>           | FAS start language   | Char |
| <b>FAS_timeStart_COF1</b>           | FAS start time   | Num  |
| <b>FAS_STATUS_COF1</b>              | FAS test status  | Num  |
| <b>FAS_INSTRDY_COF1</b>             | FAS - Ready to begin   | Num  |
| <b>FAS_INSTRPT_COF1</b>             | FAS - Ready to begin (Repeat)                                      | Num  |
| <b>FAS_INSTFCTR_COF1</b>            | Factors impairing performance - FAS                                | Num  |
| <b>FAS_INST_LG_COF1</b>             | Language Impairing performance - (FAS)                             | Num  |
| <b>FAS_INST_PH_COF1</b>             | Physical impairment impairing performance - (FAS)                  | Num  |
| <b>FAS_INST_DI_COF1</b>             | Distraction or noisy environment impairing performance (FAS)       | Num  |
| <b>FAS_INST_IM_COF1</b>             | Impaired concentration/memory problems impairing performance (FAS) | Num  |
| <b>FAS_INST_AID_COF1</b>            | Using an aid impaired performance (FAS)                            | Num  |
| <b>FAS_INST_TE_COF1</b>             | Technical difficulties impairing performance (FAS)                 | Num  |



|                        |   |      |
|------------------------|---|------|
| FAS_INST_OT_COF1       | Other factors impairing performance (FAS)                                 | Num  |
| FAS_RECR_F_COF1        | Begin recording letter F  | Num  |
| FAS_COMP_F_COF1        | Completed reciting F words  | Num  |
| FAS_RECR_A_COF1        | Begin recording letter A  | Num  |
| FAS_COMP_A_COF1        | Completed reciting A words  | Num  |
| FAS_RECR_S_COF1        | Begin recording letter S  | Num  |
| FAS_COMP_S_COF1        | Completed reciting S words  | Num  |
| ICQ_FXRST_COF1         | Broken or fractured wrist   | Num  |
| NUR_DSCR_COF1          | The AB-SCREEN II Nutritional Risk Score                                   | Num  |
| HRG_HHIES_COF1         | Hearing Handicap Inventory for the Elderly - classification               | Num  |
| NUR_DHNR_COF1          | High Nutritional Risk Indicator   | Num  |
| PA2_DSCR_COF1          | PASE scale: Respondent's PASE score (not including recoding of open text) | Num  |
| K10_DSCORE_COF1        | Kessler 10 - Psychological Distress Scale                                 | Num  |
| PA2_DSCR2_COF1         | PASE scale: PASE Score - Final  | Num  |
| HRG_HHIESSCR_COF1      | Hearing Handicap Inventory for the Elderly - score                        | Num  |
| BLD_ALB_COF1           | Albumin   | Num  |
| BLD_ALT_COF1           | Alanine Aminotransferase  | Num  |
| BLD_CREAT_COF1         | Creatinine  | Num  |
| BLD_FERR_COF1          | Ferritin  | Num  |
| BLD_FT4_COF1           | Free Thyroxine  | Num  |
| BLD_HSCR_P_COF1        | High Sensitivity C-Reactive Protein                                       | Num  |
| BLD_CHOL_COF1          | Cholesterol   | Num  |
| BLD_HDL_COF1           | High-Density Lipoprotein  | Num  |
| BLD_LDL_COF1           | Low-Density Lipoprotein, calculated                                       | Num  |
| BLD_nonHDL_COF1        | non HDL   | Num  |
| BLD_TRIG_COF1          | Triglycerides   | Num  |
| BLD_TSH_COF1           | Thyroid-Stimulating Hormone, comment                                      | Num  |
| BLD_TNT_COF1           | High-sensitivity troponin T   | Num  |
| BLD_NT_proBNP_COF1     | N-Terminal Prohormone B-Type Natriuretic Peptide                          | Num  |
| BLD_HBA1c_COF1         | Hemoglobin A1c  | Num  |
| MEDI_NO_COF1           | Number of medications taken by participant                                | Num  |
| MEDI_FRM_1_COF1        | DIN coding source - Medication 1  | Char |
| MEDI_ID_DIN_SP2_1_COF1 | Drug Identification Number or Natural product number - Medication 1       | Num  |

|                                    |   |      |
|------------------------------------|---|------|
| <b>MEDI_ID_NAME_SP2_1_COF1</b>     | Drug or Natural product name (Original input) - Medication 1        | Char |
| <b>MEDI_ID_NAME_SP_OUT_1_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 1    | Char |
| <b>MEDI_DB_Type_1_COF1</b>         | DIN number source - Medication 1                                    | Char |
| <b>MEDI_DecisionRule_1_COF1</b>    | Decision rule used in coding - Medication 1                         | Num  |
| <b>MEDI_DecisionRule_SB_1_COF1</b> | Sub-decision rule used in coding - Medication 1                     | Char |
| <b>MEDI_PRES_1_COF1</b>            | Prescribed - Medication 1   | Num  |
| <b>MEDI_DOSE_NB_1_COF1</b>         | Dosage quantity - Medication 1                                      | Num  |
| <b>MEDI_DOSE_UNIT_1_COF1</b>       | Dosage unit - Medication 1  | Num  |
| <b>MEDI_DOSE_FRQ_1_COF1</b>        | Dosage frequency - Medication 1                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_1_COF1</b>   | Dosage frequency, other specify - Medication 1                      | Char |
| <b>MEDI_DOSE_CMT_1_COF1</b>        | Dosage comment - Medication 1                                       | Char |
| <b>MEDI_USE2_1_COF1</b>            | Duration of use - Medication 1                                      | Num  |
| <b>MEDI_START_SP_1_COF1</b>        | Use start date - Medication 1                                       | Num  |
| <b>MEDI_REASON_SP_1_COF1</b>       | Reason for use - Medication 1                                       | Char |
| <b>MEDI_FRM_2_COF1</b>             | DIN coding source - Medication 2                                    | Char |
| <b>MEDI_ID_DIN_SP2_2_COF1</b>      | Drug Identification Number or Natural product number - Medication 2 | Num  |
| <b>MEDI_ID_NAME_SP2_2_COF1</b>     | Drug or Natural product name (Original input) - Medication 2        | Char |
| <b>MEDI_ID_NAME_SP_OUT_2_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 2    | Char |
| <b>MEDI_DB_Type_2_COF1</b>         | DIN number source - Medication 2                                    | Char |
| <b>MEDI_DecisionRule_2_COF1</b>    | Decision rule used in coding - Medication 2                         | Num  |
| <b>MEDI_DecisionRule_SB_2_COF1</b> | Sub-decision rule used in coding - Medication 2                     | Char |
| <b>MEDI_PRES_2_COF1</b>            | Prescribed - Medication 2   | Num  |
| <b>MEDI_DOSE_NB_2_COF1</b>         | Dosage quantity - Medication 2                                      | Num  |
| <b>MEDI_DOSE_UNIT_2_COF1</b>       | Dosage unit - Medication 2  | Num  |
| <b>MEDI_DOSE_FRQ_2_COF1</b>        | Dosage frequency - Medication 2                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_2_COF1</b>   | Dosage frequency, other specify - Medication 2                      | Char |
| <b>MEDI_DOSE_CMT_2_COF1</b>        | Dosage comment - Medication 2                                       | Char |
| <b>MEDI_USE2_2_COF1</b>            | Duration of use - Medication 2                                      | Num  |
| <b>MEDI_START_SP_2_COF1</b>        | Use start date - Medication 2                                       | Num  |
| <b>MEDI_REASON_SP_2_COF1</b>       | Reason for use - Medication 2                                       | Char |
| <b>MEDI_FRM_3_COF1</b>             | DIN coding source - Medication 3                                    | Char |
| <b>MEDI_ID_DIN_SP2_3_COF1</b>      | Drug Identification Number or Natural product number - Medication 3 | Num  |

|                                    |   |      |
|------------------------------------|---|------|
| <b>MEDI_ID_NAME_SP2_3_COF1</b>     | Drug or Natural product name (Original input) - Medication 3        | Char |
| <b>MEDI_ID_NAME_SP_OUT_3_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 3    | Char |
| <b>MEDI_DB_Type_3_COF1</b>         | DIN number source - Medication 3                                    | Char |
| <b>MEDI_DecisionRule_3_COF1</b>    | Decision rule used in coding - Medication 3                         | Num  |
| <b>MEDI_DecisionRule_SB_3_COF1</b> | Sub-decision rule used in coding - Medication 3                     | Char |
| <b>MEDI_PRES_3_COF1</b>            | Prescribed - Medication 3   | Num  |
| <b>MEDI_DOSE_NB_3_COF1</b>         | Dosage quantity - Medication 3                                      | Char |
| <b>MEDI_DOSE_UNIT_3_COF1</b>       | Dosage unit - Medication 3  | Num  |
| <b>MEDI_DOSE_FRQ_3_COF1</b>        | Dosage frequency - Medication 3                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_3_COF1</b>   | Dosage frequency, other specify - Medication 3                      | Char |
| <b>MEDI_DOSE_CMT_3_COF1</b>        | Dosage comment - Medication 3                                       | Char |
| <b>MEDI_USE2_3_COF1</b>            | Duration of use - Medication 3                                      | Num  |
| <b>MEDI_START_SP_3_COF1</b>        | Use start date - Medication 3                                       | Num  |
| <b>MEDI_REASON_SP_3_COF1</b>       | Reason for use - Medication 3                                       | Char |
| <b>MEDI_FRM_4_COF1</b>             | DIN coding source - Medication 4                                    | Char |
| <b>MEDI_ID_DIN_SP2_4_COF1</b>      | Drug Identification Number or Natural product number - Medication 4 | Num  |
| <b>MEDI_ID_NAME_SP2_4_COF1</b>     | Drug or Natural product name (Original input) - Medication 4        | Char |
| <b>MEDI_ID_NAME_SP_OUT_4_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 4    | Char |
| <b>MEDI_DB_Type_4_COF1</b>         | DIN number source - Medication 4                                    | Char |
| <b>MEDI_DecisionRule_4_COF1</b>    | Decision rule used in coding - Medication 4                         | Num  |
| <b>MEDI_DecisionRule_SB_4_COF1</b> | Sub-decision rule used in coding - Medication 4                     | Char |
| <b>MEDI_PRES_4_COF1</b>            | Prescribed - Medication 4   | Num  |
| <b>MEDI_DOSE_NB_4_COF1</b>         | Dosage quantity - Medication 4                                      | Num  |
| <b>MEDI_DOSE_UNIT_4_COF1</b>       | Dosage unit - Medication 4  | Num  |
| <b>MEDI_DOSE_FRQ_4_COF1</b>        | Dosage frequency - Medication 4                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_4_COF1</b>   | Dosage frequency, other specify - Medication 4                      | Char |
| <b>MEDI_DOSE_CMT_4_COF1</b>        | Dosage comment - Medication 4                                       | Char |
| <b>MEDI_USE2_4_COF1</b>            | Duration of use - Medication 4                                      | Num  |
| <b>MEDI_START_SP_4_COF1</b>        | Use start date - Medication 4                                       | Num  |
| <b>MEDI_REASON_SP_4_COF1</b>       | Reason for use - Medication 4                                       | Char |
| <b>MEDI_FRM_5_COF1</b>             | DIN coding source - Medication 5                                    | Char |
| <b>MEDI_ID_DIN_SP2_5_COF1</b>      | Drug Identification Number or Natural product number - Medication 5 | Num  |

|                                    |   |      |
|------------------------------------|---|------|
| <b>MEDI_ID_NAME_SP2_5_COF1</b>     | Drug or Natural product name (Original input) - Medication 5        | Char |
| <b>MEDI_ID_NAME_SP_OUT_5_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 5    | Char |
| <b>MEDI_DB_Type_5_COF1</b>         | DIN number source - Medication 5                                    | Char |
| <b>MEDI_DecisionRule_5_COF1</b>    | Decision rule used in coding - Medication 5                         | Num  |
| <b>MEDI_DecisionRule_SB_5_COF1</b> | Sub-decision rule used in coding - Medication 5                     | Char |
| <b>MEDI_PRES_5_COF1</b>            | Prescribed - Medication 5   | Num  |
| <b>MEDI_DOSE_NB_5_COF1</b>         | Dosage quantity - Medication 5                                      | Num  |
| <b>MEDI_DOSE_UNIT_5_COF1</b>       | Dosage unit - Medication 5  | Num  |
| <b>MEDI_DOSE_FRQ_5_COF1</b>        | Dosage frequency - Medication 5                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_5_COF1</b>   | Dosage frequency, other specify - Medication 5                      | Char |
| <b>MEDI_DOSE_CMT_5_COF1</b>        | Dosage comment - Medication 5                                       | Char |
| <b>MEDI_USE2_5_COF1</b>            | Duration of use - Medication 5                                      | Num  |
| <b>MEDI_START_SP_5_COF1</b>        | Use start date - Medication 5                                       | Num  |
| <b>MEDI_REASON_SP_5_COF1</b>       | Reason for use - Medication 5                                       | Char |
| <b>MEDI_FRM_6_COF1</b>             | DIN coding source - Medication 6                                    | Char |
| <b>MEDI_ID_DIN_SP2_6_COF1</b>      | Drug Identification Number or Natural product number - Medication 6 | Num  |
| <b>MEDI_ID_NAME_SP2_6_COF1</b>     | Drug or Natural product name (Original input) - Medication 6        | Char |
| <b>MEDI_ID_NAME_SP_OUT_6_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 6    | Char |
| <b>MEDI_DB_Type_6_COF1</b>         | DIN number source - Medication 6                                    | Char |
| <b>MEDI_DecisionRule_6_COF1</b>    | Decision rule used in coding - Medication 6                         | Num  |
| <b>MEDI_DecisionRule_SB_6_COF1</b> | Sub-decision rule used in coding - Medication 6                     | Char |
| <b>MEDI_PRES_6_COF1</b>            | Prescribed - Medication 6   | Num  |
| <b>MEDI_DOSE_NB_6_COF1</b>         | Dosage quantity - Medication 6                                      | Num  |
| <b>MEDI_DOSE_UNIT_6_COF1</b>       | Dosage unit - Medication 6  | Num  |
| <b>MEDI_DOSE_FRQ_6_COF1</b>        | Dosage frequency - Medication 6                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_6_COF1</b>   | Dosage frequency, other specify - Medication 6                      | Char |
| <b>MEDI_DOSE_CMT_6_COF1</b>        | Dosage comment - Medication 6                                       | Char |
| <b>MEDI_USE2_6_COF1</b>            | Duration of use - Medication 6                                      | Num  |
| <b>MEDI_START_SP_6_COF1</b>        | Use start date - Medication 6                                       | Num  |
| <b>MEDI_REASON_SP_6_COF1</b>       | Reason for use - Medication 6                                       | Char |
| <b>MEDI_FRM_7_COF1</b>             | DIN coding source - Medication 7                                    | Char |
| <b>MEDI_ID_DIN_SP2_7_COF1</b>      | Drug Identification Number or Natural product number - Medication 7 | Num  |

|                                    |   |      |
|------------------------------------|---|------|
| <b>MEDI_ID_NAME_SP2_7_COF1</b>     | Drug or Natural product name (Original input) - Medication 7        | Char |
| <b>MEDI_ID_NAME_SP_OUT_7_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 7    | Char |
| <b>MEDI_DB_Type_7_COF1</b>         | DIN number source - Medication 7                                    | Char |
| <b>MEDI_DecisionRule_7_COF1</b>    | Decision rule used in coding - Medication 7                         | Num  |
| <b>MEDI_DecisionRule_SB_7_COF1</b> | Sub-decision rule used in coding - Medication 7                     | Char |
| <b>MEDI_PRES_7_COF1</b>            | Prescribed - Medication 7   | Num  |
| <b>MEDI_DOSE_NB_7_COF1</b>         | Dosage quantity - Medication 7                                      | Num  |
| <b>MEDI_DOSE_UNIT_7_COF1</b>       | Dosage unit - Medication 7  | Num  |
| <b>MEDI_DOSE_FRQ_7_COF1</b>        | Dosage frequency - Medication 7                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_7_COF1</b>   | Dosage frequency, other specify - Medication 7                      | Char |
| <b>MEDI_DOSE_CMT_7_COF1</b>        | Dosage comment - Medication 7                                       | Char |
| <b>MEDI_USE2_7_COF1</b>            | Duration of use - Medication 7                                      | Num  |
| <b>MEDI_START_SP_7_COF1</b>        | Use start date - Medication 7                                       | Num  |
| <b>MEDI_REASON_SP_7_COF1</b>       | Reason for use - Medication 7                                       | Char |
| <b>MEDI_FRM_8_COF1</b>             | DIN coding source - Medication 8                                    | Char |
| <b>MEDI_ID_DIN_SP2_8_COF1</b>      | Drug Identification Number or Natural product number - Medication 8 | Num  |
| <b>MEDI_ID_NAME_SP2_8_COF1</b>     | Drug or Natural product name (Original input) - Medication 8        | Char |
| <b>MEDI_ID_NAME_SP_OUT_8_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 8    | Char |
| <b>MEDI_DB_Type_8_COF1</b>         | DIN number source - Medication 8                                    | Char |
| <b>MEDI_DecisionRule_8_COF1</b>    | Decision rule used in coding - Medication 8                         | Num  |
| <b>MEDI_DecisionRule_SB_8_COF1</b> | Sub-decision rule used in coding - Medication 8                     | Char |
| <b>MEDI_PRES_8_COF1</b>            | Prescribed - Medication 8   | Num  |
| <b>MEDI_DOSE_NB_8_COF1</b>         | Dosage quantity - Medication 8                                      | Num  |
| <b>MEDI_DOSE_UNIT_8_COF1</b>       | Dosage unit - Medication 8  | Num  |
| <b>MEDI_DOSE_FRQ_8_COF1</b>        | Dosage frequency - Medication 8                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_8_COF1</b>   | Dosage frequency, other specify - Medication 8                      | Char |
| <b>MEDI_DOSE_CMT_8_COF1</b>        | Dosage comment - Medication 8                                       | Char |
| <b>MEDI_USE2_8_COF1</b>            | Duration of use - Medication 8                                      | Num  |
| <b>MEDI_START_SP_8_COF1</b>        | Use start date - Medication 8                                       | Num  |
| <b>MEDI_REASON_SP_8_COF1</b>       | Reason for use - Medication 8                                       | Char |
| <b>MEDI_FRM_9_COF1</b>             | DIN coding source - Medication 9                                    | Char |
| <b>MEDI_ID_DIN_SP2_9_COF1</b>      | Drug Identification Number or Natural product number - Medication 9 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_9_COF1</b>      | Drug or Natural product name (Original input) - Medication 9         | Char |
| <b>MEDI_ID_NAME_SP_OUT_9_COF1</b>   | Drug or natural product name from I, AC, AD, or C - Medication 9     | Char |
| <b>MEDI_DB_Type_9_COF1</b>          | DIN number source - Medication 9                                     | Char |
| <b>MEDI_DecisionRule_9_COF1</b>     | Decision rule used in coding - Medication 9                          | Num  |
| <b>MEDI_DecisionRule_SB_9_COF1</b>  | Sub-decision rule used in coding - Medication 9                      | Char |
| <b>MEDI_PRES_9_COF1</b>             | Prescribed - Medication 9  | Num  |
| <b>MEDI_DOSE_NB_9_COF1</b>          | Dosage quantity - Medication 9                                       | Num  |
| <b>MEDI_DOSE_UNIT_9_COF1</b>        | Dosage unit - Medication 9   | Num  |
| <b>MEDI_DOSE_FRQ_9_COF1</b>         | Dosage frequency - Medication 9                                      | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_9_COF1</b>    | Dosage frequency, other specify - Medication 9                       | Char |
| <b>MEDI_DOSE_CMT_9_COF1</b>         | Dosage comment - Medication 9  | Char |
| <b>MEDI_USE2_9_COF1</b>             | Duration of use - Medication 9                                       | Num  |
| <b>MEDI_START_SP_9_COF1</b>         | Use start date - Medication 9  | Num  |
| <b>MEDI_REASON_SP_9_COF1</b>        | Reason for use - Medication 9  | Char |
| <b>MEDI_FRM_10_COF1</b>             | DIN coding source - Medication 10                                    | Char |
| <b>MEDI_ID_DIN_SP2_10_COF1</b>      | Drug Identification Number or Natural product number - Medication 10 | Num  |
| <b>MEDI_ID_NAME_SP2_10_COF1</b>     | Drug or Natural product name (Original input) - Medication 10        | Char |
| <b>MEDI_ID_NAME_SP_OUT_10_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 10    | Char |
| <b>MEDI_DB_Type_10_COF1</b>         | DIN number source - Medication 10                                    | Char |
| <b>MEDI_DecisionRule_10_COF1</b>    | Decision rule used in coding - Medication 10                         | Num  |
| <b>MEDI_DecisionRule_SB_10_COF1</b> | Sub-decision rule used in coding - Medication 10                     | Char |
| <b>MEDI_PRES_10_COF1</b>            | Prescribed - Medication 10   | Num  |
| <b>MEDI_DOSE_NB_10_COF1</b>         | Dosage quantity - Medication 10                                      | Num  |
| <b>MEDI_DOSE_UNIT_10_COF1</b>       | Dosage unit - Medication 10  | Num  |
| <b>MEDI_DOSE_FRQ_10_COF1</b>        | Dosage frequency - Medication 10                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_10_COF1</b>   | Dosage frequency, other specify - Medication 10                      | Char |
| <b>MEDI_DOSE_CMT_10_COF1</b>        | Dosage comment - Medication 10                                       | Char |
| <b>MEDI_USE2_10_COF1</b>            | Duration of use - Medication 10                                      | Num  |
| <b>MEDI_START_SP_10_COF1</b>        | Use start date - Medication 10                                       | Num  |
| <b>MEDI_REASON_SP_10_COF1</b>       | Reason for use - Medication 10                                       | Char |
| <b>MEDI_FRM_11_COF1</b>             | DIN coding source - Medication 11                                    | Char |
| <b>MEDI_ID_DIN_SP2_11_COF1</b>      | Drug Identification Number or Natural product number - Medication 11 | Num  |



|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_11_COF1</b>     | Drug or Natural product name (Original input) - Medication 11        | Char |
| <b>MEDI_ID_NAME_SP_OUT_11_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 11    | Char |
| <b>MEDI_DB_Type_11_COF1</b>         | DIN number source - Medication 11                                    | Char |
| <b>MEDI_DecisionRule_11_COF1</b>    | Decision rule used in coding - Medication 11                         | Num  |
| <b>MEDI_DecisionRule_SB_11_COF1</b> | Sub-decision rule used in coding - Medication 11                     | Char |
| <b>MEDI_PRES_11_COF1</b>            | Prescribed - Medication 11   | Num  |
| <b>MEDI_DOSE_NB_11_COF1</b>         | Dosage quantity - Medication 11                                      | Char |
| <b>MEDI_DOSE_UNIT_11_COF1</b>       | Dosage unit - Medication 11  | Num  |
| <b>MEDI_DOSE_FRQ_11_COF1</b>        | Dosage frequency - Medication 11                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_11_COF1</b>   | Dosage frequency, other specify - Medication 11                      | Char |
| <b>MEDI_DOSE_CMT_11_COF1</b>        | Dosage comment - Medication 11                                       | Char |
| <b>MEDI_USE2_11_COF1</b>            | Duration of use - Medication 11                                      | Num  |
| <b>MEDI_START_SP_11_COF1</b>        | Use start date - Medication 11                                       | Num  |
| <b>MEDI_REASON_SP_11_COF1</b>       | Reason for use - Medication 11                                       | Char |
| <b>MEDI_FRM_12_COF1</b>             | DIN coding source - Medication 12                                    | Char |
| <b>MEDI_ID_DIN_SP2_12_COF1</b>      | Drug Identification Number or Natural product number - Medication 12 | Num  |
| <b>MEDI_ID_NAME_SP2_12_COF1</b>     | Drug or Natural product name (Original input) - Medication 12        | Char |
| <b>MEDI_ID_NAME_SP_OUT_12_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 12    | Char |
| <b>MEDI_DB_Type_12_COF1</b>         | DIN number source - Medication 12                                    | Char |
| <b>MEDI_DecisionRule_12_COF1</b>    | Decision rule used in coding - Medication 12                         | Num  |
| <b>MEDI_DecisionRule_SB_12_COF1</b> | Sub-decision rule used in coding - Medication 12                     | Char |
| <b>MEDI_PRES_12_COF1</b>            | Prescribed - Medication 12   | Num  |
| <b>MEDI_DOSE_NB_12_COF1</b>         | Dosage quantity - Medication 12                                      | Num  |
| <b>MEDI_DOSE_UNIT_12_COF1</b>       | Dosage unit - Medication 12  | Num  |
| <b>MEDI_DOSE_FRQ_12_COF1</b>        | Dosage frequency - Medication 12                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_12_COF1</b>   | Dosage frequency, other specify - Medication 12                      | Char |
| <b>MEDI_DOSE_CMT_12_COF1</b>        | Dosage comment - Medication 12                                       | Char |
| <b>MEDI_USE2_12_COF1</b>            | Duration of use - Medication 12                                      | Num  |
| <b>MEDI_START_SP_12_COF1</b>        | Use start date - Medication 12                                       | Num  |
| <b>MEDI_REASON_SP_12_COF1</b>       | Reason for use - Medication 12                                       | Char |
| <b>MEDI_FRM_13_COF1</b>             | DIN coding source - Medication 13                                    | Char |
| <b>MEDI_ID_DIN_SP2_13_COF1</b>      | Drug Identification Number or Natural product number - Medication 13 | Num  |



|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_13_COF1</b>     | Drug or Natural product name (Original input) - Medication 13        | Char |
| <b>MEDI_ID_NAME_SP_OUT_13_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 13    | Char |
| <b>MEDI_DB_Type_13_COF1</b>         | DIN number source - Medication 13                                    | Char |
| <b>MEDI_DecisionRule_13_COF1</b>    | Decision rule used in coding - Medication 13                         | Num  |
| <b>MEDI_DecisionRule_SB_13_COF1</b> | Sub-decision rule used in coding - Medication 13                     | Char |
| <b>MEDI_PRES_13_COF1</b>            | Prescribed - Medication 13   | Num  |
| <b>MEDI_DOSE_NB_13_COF1</b>         | Dosage quantity - Medication 13                                      | Num  |
| <b>MEDI_DOSE_UNIT_13_COF1</b>       | Dosage unit - Medication 13  | Num  |
| <b>MEDI_DOSE_FRQ_13_COF1</b>        | Dosage frequency - Medication 13                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_13_COF1</b>   | Dosage frequency, other specify - Medication 13                      | Char |
| <b>MEDI_DOSE_CMT_13_COF1</b>        | Dosage comment - Medication 13                                       | Char |
| <b>MEDI_USE2_13_COF1</b>            | Duration of use - Medication 13                                      | Num  |
| <b>MEDI_START_SP_13_COF1</b>        | Use start date - Medication 13                                       | Num  |
| <b>MEDI_REASON_SP_13_COF1</b>       | Reason for use - Medication 13                                       | Char |
| <b>MEDI_FRM_14_COF1</b>             | DIN coding source - Medication 14                                    | Char |
| <b>MEDI_ID_DIN_SP2_14_COF1</b>      | Drug Identification Number or Natural product number - Medication 14 | Num  |
| <b>MEDI_ID_NAME_SP2_14_COF1</b>     | Drug or Natural product name (Original input) - Medication 14        | Char |
| <b>MEDI_ID_NAME_SP_OUT_14_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 14    | Char |
| <b>MEDI_DB_Type_14_COF1</b>         | DIN number source - Medication 14                                    | Char |
| <b>MEDI_DecisionRule_14_COF1</b>    | Decision rule used in coding - Medication 14                         | Num  |
| <b>MEDI_DecisionRule_SB_14_COF1</b> | Sub-decision rule used in coding - Medication 14                     | Char |
| <b>MEDI_PRES_14_COF1</b>            | Prescribed - Medication 14   | Num  |
| <b>MEDI_DOSE_NB_14_COF1</b>         | Dosage quantity - Medication 14                                      | Num  |
| <b>MEDI_DOSE_UNIT_14_COF1</b>       | Dosage unit - Medication 14  | Num  |
| <b>MEDI_DOSE_FRQ_14_COF1</b>        | Dosage frequency - Medication 14                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_14_COF1</b>   | Dosage frequency, other specify - Medication 14                      | Char |
| <b>MEDI_DOSE_CMT_14_COF1</b>        | Dosage comment - Medication 14                                       | Char |
| <b>MEDI_USE2_14_COF1</b>            | Duration of use - Medication 14                                      | Num  |
| <b>MEDI_START_SP_14_COF1</b>        | Use start date - Medication 14                                       | Num  |
| <b>MEDI_REASON_SP_14_COF1</b>       | Reason for use - Medication 14                                       | Char |
| <b>MEDI_FRM_15_COF1</b>             | DIN coding source - Medication 15                                    | Char |
| <b>MEDI_ID_DIN_SP2_15_COF1</b>      | Drug Identification Number or Natural product number - Medication 15 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_15_COF1</b>     | Drug or Natural product name (Original input) - Medication 15        | Char |
| <b>MEDI_ID_NAME_SP_OUT_15_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 15    | Char |
| <b>MEDI_DB_Type_15_COF1</b>         | DIN number source - Medication 15                                    | Char |
| <b>MEDI_DecisionRule_15_COF1</b>    | Decision rule used in coding - Medication 15                         | Num  |
| <b>MEDI_DecisionRule_SB_15_COF1</b> | Sub-decision rule used in coding - Medication 15                     | Char |
| <b>MEDI_PRES_15_COF1</b>            | Prescribed - Medication 15   | Num  |
| <b>MEDI_DOSE_NB_15_COF1</b>         | Dosage quantity - Medication 15                                      | Num  |
| <b>MEDI_DOSE_UNIT_15_COF1</b>       | Dosage unit - Medication 15  | Num  |
| <b>MEDI_DOSE_FRQ_15_COF1</b>        | Dosage frequency - Medication 15                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_15_COF1</b>   | Dosage frequency, other specify - Medication 15                      | Char |
| <b>MEDI_DOSE_CMT_15_COF1</b>        | Dosage comment - Medication 15                                       | Char |
| <b>MEDI_USE2_15_COF1</b>            | Duration of use - Medication 15                                      | Num  |
| <b>MEDI_START_SP_15_COF1</b>        | Use start date - Medication 15                                       | Num  |
| <b>MEDI_REASON_SP_15_COF1</b>       | Reason for use - Medication 15                                       | Char |
| <b>MEDI_FRM_16_COF1</b>             | DIN coding source - Medication 16                                    | Char |
| <b>MEDI_ID_DIN_SP2_16_COF1</b>      | Drug Identification Number or Natural product number - Medication 16 | Num  |
| <b>MEDI_ID_NAME_SP2_16_COF1</b>     | Drug or Natural product name (Original input) - Medication 16        | Char |
| <b>MEDI_ID_NAME_SP_OUT_16_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 16    | Char |
| <b>MEDI_DB_Type_16_COF1</b>         | DIN number source - Medication 16                                    | Char |
| <b>MEDI_DecisionRule_16_COF1</b>    | Decision rule used in coding - Medication 16                         | Num  |
| <b>MEDI_DecisionRule_SB_16_COF1</b> | Sub-decision rule used in coding - Medication 16                     | Char |
| <b>MEDI_PRES_16_COF1</b>            | Prescribed - Medication 16   | Num  |
| <b>MEDI_DOSE_NB_16_COF1</b>         | Dosage quantity - Medication 16                                      | Num  |
| <b>MEDI_DOSE_UNIT_16_COF1</b>       | Dosage unit - Medication 16  | Num  |
| <b>MEDI_DOSE_FRQ_16_COF1</b>        | Dosage frequency - Medication 16                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_16_COF1</b>   | Dosage frequency, other specify - Medication 16                      | Char |
| <b>MEDI_DOSE_CMT_16_COF1</b>        | Dosage comment - Medication 16                                       | Char |
| <b>MEDI_USE2_16_COF1</b>            | Duration of use - Medication 16                                      | Num  |
| <b>MEDI_START_SP_16_COF1</b>        | Use start date - Medication 16                                       | Num  |
| <b>MEDI_REASON_SP_16_COF1</b>       | Reason for use - Medication 16                                       | Char |
| <b>MEDI_FRM_17_COF1</b>             | DIN coding source - Medication 17                                    | Char |
| <b>MEDI_ID_DIN_SP2_17_COF1</b>      | Drug Identification Number or Natural product number - Medication 17 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_17_COF1</b>     | Drug or Natural product name (Original input) - Medication 17        | Char |
| <b>MEDI_ID_NAME_SP_OUT_17_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 17    | Char |
| <b>MEDI_DB_Type_17_COF1</b>         | DIN number source - Medication 17                                    | Char |
| <b>MEDI_DecisionRule_17_COF1</b>    | Decision rule used in coding - Medication 17                         | Num  |
| <b>MEDI_DecisionRule_SB_17_COF1</b> | Sub-decision rule used in coding - Medication 17                     | Char |
| <b>MEDI_PRES_17_COF1</b>            | Prescribed - Medication 17   | Num  |
| <b>MEDI_DOSE_NB_17_COF1</b>         | Dosage quantity - Medication 17                                      | Num  |
| <b>MEDI_DOSE_UNIT_17_COF1</b>       | Dosage unit - Medication 17  | Num  |
| <b>MEDI_DOSE_FRQ_17_COF1</b>        | Dosage frequency - Medication 17                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_17_COF1</b>   | Dosage frequency, other specify - Medication 17                      | Char |
| <b>MEDI_DOSE_CMT_17_COF1</b>        | Dosage comment - Medication 17                                       | Char |
| <b>MEDI_USE2_17_COF1</b>            | Duration of use - Medication 17                                      | Num  |
| <b>MEDI_START_SP_17_COF1</b>        | Use start date - Medication 17                                       | Num  |
| <b>MEDI_REASON_SP_17_COF1</b>       | Reason for use - Medication 17                                       | Char |
| <b>MEDI_FRM_18_COF1</b>             | DIN coding source - Medication 18                                    | Char |
| <b>MEDI_ID_DIN_SP2_18_COF1</b>      | Drug Identification Number or Natural product number - Medication 18 | Num  |
| <b>MEDI_ID_NAME_SP2_18_COF1</b>     | Drug or Natural product name (Original input) - Medication 18        | Char |
| <b>MEDI_ID_NAME_SP_OUT_18_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 18    | Char |
| <b>MEDI_DB_Type_18_COF1</b>         | DIN number source - Medication 18                                    | Char |
| <b>MEDI_DecisionRule_18_COF1</b>    | Decision rule used in coding - Medication 18                         | Num  |
| <b>MEDI_DecisionRule_SB_18_COF1</b> | Sub-decision rule used in coding - Medication 18                     | Char |
| <b>MEDI_PRES_18_COF1</b>            | Prescribed - Medication 18   | Num  |
| <b>MEDI_DOSE_NB_18_COF1</b>         | Dosage quantity - Medication 18                                      | Num  |
| <b>MEDI_DOSE_UNIT_18_COF1</b>       | Dosage unit - Medication 18  | Num  |
| <b>MEDI_DOSE_FRQ_18_COF1</b>        | Dosage frequency - Medication 18                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_18_COF1</b>   | Dosage frequency, other specify - Medication 18                      | Char |
| <b>MEDI_DOSE_CMT_18_COF1</b>        | Dosage comment - Medication 18                                       | Char |
| <b>MEDI_USE2_18_COF1</b>            | Duration of use - Medication 18                                      | Num  |
| <b>MEDI_START_SP_18_COF1</b>        | Use start date - Medication 18                                       | Num  |
| <b>MEDI_REASON_SP_18_COF1</b>       | Reason for use - Medication 18                                       | Char |
| <b>MEDI_FRM_19_COF1</b>             | DIN coding source - Medication 19                                    | Char |
| <b>MEDI_ID_DIN_SP2_19_COF1</b>      | Drug Identification Number or Natural product number - Medication 19 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_19_COF1</b>     | Drug or Natural product name (Original input) - Medication 19        | Char |
| <b>MEDI_ID_NAME_SP_OUT_19_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 19    | Char |
| <b>MEDI_DB_Type_19_COF1</b>         | DIN number source - Medication 19                                    | Char |
| <b>MEDI_DecisionRule_19_COF1</b>    | Decision rule used in coding - Medication 19                         | Num  |
| <b>MEDI_DecisionRule_SB_19_COF1</b> | Sub-decision rule used in coding - Medication 19                     | Char |
| <b>MEDI_PRES_19_COF1</b>            | Prescribed - Medication 19   | Num  |
| <b>MEDI_DOSE_NB_19_COF1</b>         | Dosage quantity - Medication 19                                      | Num  |
| <b>MEDI_DOSE_UNIT_19_COF1</b>       | Dosage unit - Medication 19  | Num  |
| <b>MEDI_DOSE_FRQ_19_COF1</b>        | Dosage frequency - Medication 19                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_19_COF1</b>   | Dosage frequency, other specify - Medication 19                      | Char |
| <b>MEDI_DOSE_CMT_19_COF1</b>        | Dosage comment - Medication 19                                       | Char |
| <b>MEDI_USE2_19_COF1</b>            | Duration of use - Medication 19                                      | Num  |
| <b>MEDI_START_SP_19_COF1</b>        | Use start date - Medication 19                                       | Num  |
| <b>MEDI_REASON_SP_19_COF1</b>       | Reason for use - Medication 19                                       | Char |
| <b>MEDI_FRM_20_COF1</b>             | DIN coding source - Medication 20                                    | Char |
| <b>MEDI_ID_DIN_SP2_20_COF1</b>      | Drug Identification Number or Natural product number - Medication 20 | Num  |
| <b>MEDI_ID_NAME_SP2_20_COF1</b>     | Drug or Natural product name (Original input) - Medication 20        | Char |
| <b>MEDI_ID_NAME_SP_OUT_20_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 20    | Char |
| <b>MEDI_DB_Type_20_COF1</b>         | DIN number source - Medication 20                                    | Char |
| <b>MEDI_DecisionRule_20_COF1</b>    | Decision rule used in coding - Medication 20                         | Num  |
| <b>MEDI_DecisionRule_SB_20_COF1</b> | Sub-decision rule used in coding - Medication 20                     | Char |
| <b>MEDI_PRES_20_COF1</b>            | Prescribed - Medication 20   | Num  |
| <b>MEDI_DOSE_NB_20_COF1</b>         | Dosage quantity - Medication 20                                      | Num  |
| <b>MEDI_DOSE_UNIT_20_COF1</b>       | Dosage unit - Medication 20  | Num  |
| <b>MEDI_DOSE_FRQ_20_COF1</b>        | Dosage frequency - Medication 20                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_20_COF1</b>   | Dosage frequency, other specify - Medication 20                      | Char |
| <b>MEDI_DOSE_CMT_20_COF1</b>        | Dosage comment - Medication 20                                       | Char |
| <b>MEDI_USE2_20_COF1</b>            | Duration of use - Medication 20                                      | Num  |
| <b>MEDI_START_SP_20_COF1</b>        | Use start date - Medication 20                                       | Num  |
| <b>MEDI_REASON_SP_20_COF1</b>       | Reason for use - Medication 20                                       | Char |
| <b>MEDI_FRM_21_COF1</b>             | DIN coding source - Medication 21                                    | Char |
| <b>MEDI_ID_DIN_SP2_21_COF1</b>      | Drug Identification Number or Natural product number - Medication 21 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_21_COF1</b>     | Drug or Natural product name (Original input) - Medication 21        | Char |
| <b>MEDI_ID_NAME_SP_OUT_21_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 21    | Char |
| <b>MEDI_DB_Type_21_COF1</b>         | DIN number source - Medication 21                                    | Char |
| <b>MEDI_DecisionRule_21_COF1</b>    | Decision rule used in coding - Medication 21                         | Num  |
| <b>MEDI_DecisionRule_SB_21_COF1</b> | Sub-decision rule used in coding - Medication 21                     | Char |
| <b>MEDI_PRES_21_COF1</b>            | Prescribed - Medication 21   | Num  |
| <b>MEDI_DOSE_NB_21_COF1</b>         | Dosage quantity - Medication 21                                      | Num  |
| <b>MEDI_DOSE_UNIT_21_COF1</b>       | Dosage unit - Medication 21  | Num  |
| <b>MEDI_DOSE_FRQ_21_COF1</b>        | Dosage frequency - Medication 21                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_21_COF1</b>   | Dosage frequency, other specify - Medication 21                      | Num  |
| <b>MEDI_DOSE_CMT_21_COF1</b>        | Dosage comment - Medication 21                                       | Char |
| <b>MEDI_USE2_21_COF1</b>            | Duration of use - Medication 21                                      | Num  |
| <b>MEDI_START_SP_21_COF1</b>        | Use start date - Medication 21                                       | Num  |
| <b>MEDI_REASON_SP_21_COF1</b>       | Reason for use - Medication 21                                       | Char |
| <b>MEDI_FRM_22_COF1</b>             | DIN coding source - Medication 22                                    | Char |
| <b>MEDI_ID_DIN_SP2_22_COF1</b>      | Drug Identification Number or Natural product number - Medication 22 | Num  |
| <b>MEDI_ID_NAME_SP2_22_COF1</b>     | Drug or Natural product name (Original input) - Medication 22        | Char |
| <b>MEDI_ID_NAME_SP_OUT_22_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 22    | Char |
| <b>MEDI_DB_Type_22_COF1</b>         | DIN number source - Medication 22                                    | Char |
| <b>MEDI_DecisionRule_22_COF1</b>    | Decision rule used in coding - Medication 22                         | Num  |
| <b>MEDI_DecisionRule_SB_22_COF1</b> | Sub-decision rule used in coding - Medication 22                     | Char |
| <b>MEDI_PRES_22_COF1</b>            | Prescribed - Medication 22   | Num  |
| <b>MEDI_DOSE_NB_22_COF1</b>         | Dosage quantity - Medication 22                                      | Num  |
| <b>MEDI_DOSE_UNIT_22_COF1</b>       | Dosage unit - Medication 22  | Num  |
| <b>MEDI_DOSE_FRQ_22_COF1</b>        | Dosage frequency - Medication 22                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_22_COF1</b>   | Dosage frequency, other specify - Medication 22                      | Char |
| <b>MEDI_DOSE_CMT_22_COF1</b>        | Dosage comment - Medication 22                                       | Char |
| <b>MEDI_USE2_22_COF1</b>            | Duration of use - Medication 22                                      | Num  |
| <b>MEDI_START_SP_22_COF1</b>        | Use start date - Medication 22                                       | Num  |
| <b>MEDI_REASON_SP_22_COF1</b>       | Reason for use - Medication 22                                       | Char |
| <b>MEDI_FRM_23_COF1</b>             | DIN coding source - Medication 23                                    | Char |
| <b>MEDI_ID_DIN_SP2_23_COF1</b>      | Drug Identification Number or Natural product number - Medication 23 | Num  |



|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_23_COF1</b>     | Drug or Natural product name (Original input) - Medication 23        | Char |
| <b>MEDI_ID_NAME_SP_OUT_23_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 23    | Char |
| <b>MEDI_DB_Type_23_COF1</b>         | DIN number source - Medication 23                                    | Char |
| <b>MEDI_DecisionRule_23_COF1</b>    | Decision rule used in coding - Medication 23                         | Num  |
| <b>MEDI_DecisionRule_SB_23_COF1</b> | Sub-decision rule used in coding - Medication 23                     | Char |
| <b>MEDI_PRES_23_COF1</b>            | Prescribed - Medication 23   | Num  |
| <b>MEDI_DOSE_NB_23_COF1</b>         | Dosage quantity - Medication 23                                      | Num  |
| <b>MEDI_DOSE_UNIT_23_COF1</b>       | Dosage unit - Medication 23  | Num  |
| <b>MEDI_DOSE_FRQ_23_COF1</b>        | Dosage frequency - Medication 23                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_23_COF1</b>   | Dosage frequency, other specify - Medication 23                      | Num  |
| <b>MEDI_DOSE_CMT_23_COF1</b>        | Dosage comment - Medication 23                                       | Char |
| <b>MEDI_USE2_23_COF1</b>            | Duration of use - Medication 23                                      | Num  |
| <b>MEDI_START_SP_23_COF1</b>        | Use start date - Medication 23                                       | Num  |
| <b>MEDI_REASON_SP_23_COF1</b>       | Reason for use - Medication 23                                       | Char |
| <b>MEDI_FRM_24_COF1</b>             | DIN coding source - Medication 24                                    | Char |
| <b>MEDI_ID_DIN_SP2_24_COF1</b>      | Drug Identification Number or Natural product number - Medication 24 | Num  |
| <b>MEDI_ID_NAME_SP2_24_COF1</b>     | Drug or Natural product name (Original input) - Medication 24        | Char |
| <b>MEDI_ID_NAME_SP_OUT_24_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 24    | Char |
| <b>MEDI_DB_Type_24_COF1</b>         | DIN number source - Medication 24                                    | Char |
| <b>MEDI_DecisionRule_24_COF1</b>    | Decision rule used in coding - Medication 24                         | Num  |
| <b>MEDI_DecisionRule_SB_24_COF1</b> | Sub-decision rule used in coding - Medication 24                     | Char |
| <b>MEDI_PRES_24_COF1</b>            | Prescribed - Medication 24   | Num  |
| <b>MEDI_DOSE_NB_24_COF1</b>         | Dosage quantity - Medication 24                                      | Num  |
| <b>MEDI_DOSE_UNIT_24_COF1</b>       | Dosage unit - Medication 24  | Num  |
| <b>MEDI_DOSE_FRQ_24_COF1</b>        | Dosage frequency - Medication 24                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_24_COF1</b>   | Dosage frequency, other specify - Medication 24                      | Char |
| <b>MEDI_DOSE_CMT_24_COF1</b>        | Dosage comment - Medication 24                                       | Char |
| <b>MEDI_USE2_24_COF1</b>            | Duration of use - Medication 24                                      | Num  |
| <b>MEDI_START_SP_24_COF1</b>        | Use start date - Medication 24                                       | Num  |
| <b>MEDI_REASON_SP_24_COF1</b>       | Reason for use - Medication 24                                       | Char |
| <b>MEDI_FRM_25_COF1</b>             | DIN coding source - Medication 25                                    | Char |
| <b>MEDI_ID_DIN_SP2_25_COF1</b>      | Drug Identification Number or Natural product number - Medication 25 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_25_COF1</b>     | Drug or Natural product name (Original input) - Medication 25        | Char |
| <b>MEDI_ID_NAME_SP_OUT_25_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 25    | Char |
| <b>MEDI_DB_Type_25_COF1</b>         | DIN number source - Medication 25                                    | Char |
| <b>MEDI_DecisionRule_25_COF1</b>    | Decision rule used in coding - Medication 25                         | Num  |
| <b>MEDI_DecisionRule_SB_25_COF1</b> | Sub-decision rule used in coding - Medication 25                     | Char |
| <b>MEDI_PRES_25_COF1</b>            | Prescribed - Medication 25   | Num  |
| <b>MEDI_DOSE_NB_25_COF1</b>         | Dosage quantity - Medication 25                                      | Num  |
| <b>MEDI_DOSE_UNIT_25_COF1</b>       | Dosage unit - Medication 25  | Num  |
| <b>MEDI_DOSE_FRQ_25_COF1</b>        | Dosage frequency - Medication 25                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_25_COF1</b>   | Dosage frequency, other specify - Medication 25                      | Num  |
| <b>MEDI_DOSE_CMT_25_COF1</b>        | Dosage comment - Medication 25                                       | Char |
| <b>MEDI_USE2_25_COF1</b>            | Duration of use - Medication 25                                      | Num  |
| <b>MEDI_START_SP_25_COF1</b>        | Use start date - Medication 25                                       | Num  |
| <b>MEDI_REASON_SP_25_COF1</b>       | Reason for use - Medication 25                                       | Char |
| <b>MEDI_FRM_26_COF1</b>             | DIN coding source - Medication 26                                    | Char |
| <b>MEDI_ID_DIN_SP2_26_COF1</b>      | Drug Identification Number or Natural product number - Medication 26 | Num  |
| <b>MEDI_ID_NAME_SP2_26_COF1</b>     | Drug or Natural product name (Original input) - Medication 26        | Char |
| <b>MEDI_ID_NAME_SP_OUT_26_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 26    | Char |
| <b>MEDI_DB_Type_26_COF1</b>         | DIN number source - Medication 26                                    | Char |
| <b>MEDI_DecisionRule_26_COF1</b>    | Decision rule used in coding - Medication 26                         | Num  |
| <b>MEDI_DecisionRule_SB_26_COF1</b> | Sub-decision rule used in coding - Medication 26                     | Char |
| <b>MEDI_PRES_26_COF1</b>            | Prescribed - Medication 26   | Num  |
| <b>MEDI_DOSE_NB_26_COF1</b>         | Dosage quantity - Medication 26                                      | Num  |
| <b>MEDI_DOSE_UNIT_26_COF1</b>       | Dosage unit - Medication 26  | Num  |
| <b>MEDI_DOSE_FRQ_26_COF1</b>        | Dosage frequency - Medication 26                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_26_COF1</b>   | Dosage frequency, other specify - Medication 26                      | Num  |
| <b>MEDI_DOSE_CMT_26_COF1</b>        | Dosage comment - Medication 26                                       | Char |
| <b>MEDI_USE2_26_COF1</b>            | Duration of use - Medication 26                                      | Num  |
| <b>MEDI_START_SP_26_COF1</b>        | Use start date - Medication 26                                       | Num  |
| <b>MEDI_REASON_SP_26_COF1</b>       | Reason for use - Medication 26                                       | Char |
| <b>MEDI_FRM_27_COF1</b>             | DIN coding source - Medication 27                                    | Char |
| <b>MEDI_ID_DIN_SP2_27_COF1</b>      | Drug Identification Number or Natural product number - Medication 27 | Num  |



|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_27_COF1</b>     | Drug or Natural product name (Original input) - Medication 27        | Char |
| <b>MEDI_ID_NAME_SP_OUT_27_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 27    | Char |
| <b>MEDI_DB_Type_27_COF1</b>         | DIN number source - Medication 27                                    | Char |
| <b>MEDI_DecisionRule_27_COF1</b>    | Decision rule used in coding - Medication 27                         | Num  |
| <b>MEDI_DecisionRule_SB_27_COF1</b> | Sub-decision rule used in coding - Medication 27                     | Num  |
| <b>MEDI_PRES_27_COF1</b>            | Prescribed - Medication 27   | Num  |
| <b>MEDI_DOSE_NB_27_COF1</b>         | Dosage quantity - Medication 27                                      | Num  |
| <b>MEDI_DOSE_UNIT_27_COF1</b>       | Dosage unit - Medication 27  | Num  |
| <b>MEDI_DOSE_FRQ_27_COF1</b>        | Dosage frequency - Medication 27                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_27_COF1</b>   | Dosage frequency, other specify - Medication 27                      | Char |
| <b>MEDI_DOSE_CMT_27_COF1</b>        | Dosage comment - Medication 27                                       | Char |
| <b>MEDI_USE2_27_COF1</b>            | Duration of use - Medication 27                                      | Num  |
| <b>MEDI_START_SP_27_COF1</b>        | Use start date - Medication 27                                       | Num  |
| <b>MEDI_REASON_SP_27_COF1</b>       | Reason for use - Medication 27                                       | Char |
| <b>MEDI_FRM_28_COF1</b>             | DIN coding source - Medication 28                                    | Char |
| <b>MEDI_ID_DIN_SP2_28_COF1</b>      | Drug Identification Number or Natural product number - Medication 28 | Num  |
| <b>MEDI_ID_NAME_SP2_28_COF1</b>     | Drug or Natural product name (Original input) - Medication 28        | Char |
| <b>MEDI_ID_NAME_SP_OUT_28_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 28    | Char |
| <b>MEDI_DB_Type_28_COF1</b>         | DIN number source - Medication 28                                    | Char |
| <b>MEDI_DecisionRule_28_COF1</b>    | Decision rule used in coding - Medication 28                         | Num  |
| <b>MEDI_DecisionRule_SB_28_COF1</b> | Sub-decision rule used in coding - Medication 28                     | Char |
| <b>MEDI_PRES_28_COF1</b>            | Prescribed - Medication 28   | Num  |
| <b>MEDI_DOSE_NB_28_COF1</b>         | Dosage quantity - Medication 28                                      | Num  |
| <b>MEDI_DOSE_UNIT_28_COF1</b>       | Dosage unit - Medication 28  | Num  |
| <b>MEDI_DOSE_FRQ_28_COF1</b>        | Dosage frequency - Medication 28                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_28_COF1</b>   | Dosage frequency, other specify - Medication 28                      | Num  |
| <b>MEDI_DOSE_CMT_28_COF1</b>        | Dosage comment - Medication 28                                       | Char |
| <b>MEDI_USE2_28_COF1</b>            | Duration of use - Medication 28                                      | Num  |
| <b>MEDI_START_SP_28_COF1</b>        | Use start date - Medication 28                                       | Num  |
| <b>MEDI_REASON_SP_28_COF1</b>       | Reason for use - Medication 28                                       | Char |
| <b>MEDI_FRM_29_COF1</b>             | DIN coding source - Medication 29                                    | Char |
| <b>MEDI_ID_DIN_SP2_29_COF1</b>      | Drug Identification Number or Natural product number - Medication 29 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_29_COF1</b>     | Drug or Natural product name (Original input) - Medication 29        | Char |
| <b>MEDI_ID_NAME_SP_OUT_29_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 29    | Char |
| <b>MEDI_DB_Type_29_COF1</b>         | DIN number source - Medication 29                                    | Char |
| <b>MEDI_DecisionRule_29_COF1</b>    | Decision rule used in coding - Medication 29                         | Num  |
| <b>MEDI_DecisionRule_SB_29_COF1</b> | Sub-decision rule used in coding - Medication 29                     | Num  |
| <b>MEDI_PRES_29_COF1</b>            | Prescribed - Medication 29   | Num  |
| <b>MEDI_DOSE_NB_29_COF1</b>         | Dosage quantity - Medication 29                                      | Num  |
| <b>MEDI_DOSE_UNIT_29_COF1</b>       | Dosage unit - Medication 29  | Num  |
| <b>MEDI_DOSE_FRQ_29_COF1</b>        | Dosage frequency - Medication 29                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_29_COF1</b>   | Dosage frequency, other specify - Medication 29                      | Char |
| <b>MEDI_DOSE_CMT_29_COF1</b>        | Dosage comment - Medication 29                                       | Char |
| <b>MEDI_USE2_29_COF1</b>            | Duration of use - Medication 29                                      | Num  |
| <b>MEDI_START_SP_29_COF1</b>        | Use start date - Medication 29                                       | Num  |
| <b>MEDI_REASON_SP_29_COF1</b>       | Reason for use - Medication 29                                       | Char |
| <b>MEDI_FRM_30_COF1</b>             | DIN coding source - Medication 30                                    | Char |
| <b>MEDI_ID_DIN_SP2_30_COF1</b>      | Drug Identification Number or Natural product number - Medication 30 | Num  |
| <b>MEDI_ID_NAME_SP2_30_COF1</b>     | Drug or Natural product name (Original input) - Medication 30        | Char |
| <b>MEDI_ID_NAME_SP_OUT_30_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 30    | Char |
| <b>MEDI_DB_Type_30_COF1</b>         | DIN number source - Medication 30                                    | Char |
| <b>MEDI_DecisionRule_30_COF1</b>    | Decision rule used in coding - Medication 30                         | Num  |
| <b>MEDI_DecisionRule_SB_30_COF1</b> | Sub-decision rule used in coding - Medication 30                     | Char |
| <b>MEDI_PRES_30_COF1</b>            | Prescribed - Medication 30   | Num  |
| <b>MEDI_DOSE_NB_30_COF1</b>         | Dosage quantity - Medication 30                                      | Num  |
| <b>MEDI_DOSE_UNIT_30_COF1</b>       | Dosage unit - Medication 30  | Num  |
| <b>MEDI_DOSE_FRQ_30_COF1</b>        | Dosage frequency - Medication 30                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_30_COF1</b>   | Dosage frequency, other specify - Medication 30                      | Num  |
| <b>MEDI_DOSE_CMT_30_COF1</b>        | Dosage comment - Medication 30                                       | Char |
| <b>MEDI_USE2_30_COF1</b>            | Duration of use - Medication 30                                      | Num  |
| <b>MEDI_START_SP_30_COF1</b>        | Use start date - Medication 30                                       | Num  |
| <b>MEDI_REASON_SP_30_COF1</b>       | Reason for use - Medication 30                                       | Char |
| <b>MEDI_FRM_31_COF1</b>             | DIN coding source - Medication 31                                    | Char |
| <b>MEDI_ID_DIN_SP2_31_COF1</b>      | Drug Identification Number or Natural product number - Medication 31 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_31_COF1</b>     | Drug or Natural product name (Original input) - Medication 31        | Char |
| <b>MEDI_ID_NAME_SP_OUT_31_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 31    | Char |
| <b>MEDI_DB_Type_31_COF1</b>         | DIN number source - Medication 31                                    | Char |
| <b>MEDI_DecisionRule_31_COF1</b>    | Decision rule used in coding - Medication 31                         | Num  |
| <b>MEDI_DecisionRule_SB_31_COF1</b> | Sub-decision rule used in coding - Medication 31                     | Char |
| <b>MEDI_PRES_31_COF1</b>            | Prescribed - Medication 31   | Num  |
| <b>MEDI_DOSE_NB_31_COF1</b>         | Dosage quantity - Medication 31                                      | Num  |
| <b>MEDI_DOSE_UNIT_31_COF1</b>       | Dosage unit - Medication 31  | Num  |
| <b>MEDI_DOSE_FRQ_31_COF1</b>        | Dosage frequency - Medication 31                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_31_COF1</b>   | Dosage frequency, other specify - Medication 31                      | Num  |
| <b>MEDI_DOSE_CMT_31_COF1</b>        | Dosage comment - Medication 31                                       | Char |
| <b>MEDI_USE2_31_COF1</b>            | Duration of use - Medication 31                                      | Num  |
| <b>MEDI_START_SP_31_COF1</b>        | Use start date - Medication 31                                       | Num  |
| <b>MEDI_REASON_SP_31_COF1</b>       | Reason for use - Medication 31                                       | Char |
| <b>MEDI_FRM_32_COF1</b>             | DIN coding source - Medication 32                                    | Char |
| <b>MEDI_ID_DIN_SP2_32_COF1</b>      | Drug Identification Number or Natural product number - Medication 32 | Num  |
| <b>MEDI_ID_NAME_SP2_32_COF1</b>     | Drug or Natural product name (Original input) - Medication 32        | Char |
| <b>MEDI_ID_NAME_SP_OUT_32_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 32    | Char |
| <b>MEDI_DB_Type_32_COF1</b>         | DIN number source - Medication 32                                    | Char |
| <b>MEDI_DecisionRule_32_COF1</b>    | Decision rule used in coding - Medication 32                         | Num  |
| <b>MEDI_DecisionRule_SB_32_COF1</b> | Sub-decision rule used in coding - Medication 32                     | Num  |
| <b>MEDI_PRES_32_COF1</b>            | Prescribed - Medication 32   | Num  |
| <b>MEDI_DOSE_NB_32_COF1</b>         | Dosage quantity - Medication 32                                      | Num  |
| <b>MEDI_DOSE_UNIT_32_COF1</b>       | Dosage unit - Medication 32  | Num  |
| <b>MEDI_DOSE_FRQ_32_COF1</b>        | Dosage frequency - Medication 32                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_32_COF1</b>   | Dosage frequency, other specify - Medication 32                      | Num  |
| <b>MEDI_DOSE_CMT_32_COF1</b>        | Dosage comment - Medication 32                                       | Char |
| <b>MEDI_USE2_32_COF1</b>            | Duration of use - Medication 32                                      | Num  |
| <b>MEDI_START_SP_32_COF1</b>        | Use start date - Medication 32                                       | Num  |
| <b>MEDI_REASON_SP_32_COF1</b>       | Reason for use - Medication 32                                       | Char |
| <b>MEDI_FRM_33_COF1</b>             | DIN coding source - Medication 33                                    | Char |
| <b>MEDI_ID_DIN_SP2_33_COF1</b>      | Drug Identification Number or Natural product number - Medication 33 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_33_COF1</b>     | Drug or Natural product name (Original input) - Medication 33        | Char |
| <b>MEDI_ID_NAME_SP_OUT_33_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 33    | Char |
| <b>MEDI_DB_Type_33_COF1</b>         | DIN number source - Medication 33                                    | Char |
| <b>MEDI_DecisionRule_33_COF1</b>    | Decision rule used in coding - Medication 33                         | Num  |
| <b>MEDI_DecisionRule_SB_33_COF1</b> | Sub-decision rule used in coding - Medication 33                     | Num  |
| <b>MEDI_PRES_33_COF1</b>            | Prescribed - Medication 33   | Num  |
| <b>MEDI_DOSE_NB_33_COF1</b>         | Dosage quantity - Medication 33                                      | Num  |
| <b>MEDI_DOSE_UNIT_33_COF1</b>       | Dosage unit - Medication 33  | Num  |
| <b>MEDI_DOSE_FRQ_33_COF1</b>        | Dosage frequency - Medication 33                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_33_COF1</b>   | Dosage frequency, other specify - Medication 33                      | Num  |
| <b>MEDI_DOSE_CMT_33_COF1</b>        | Dosage comment - Medication 33                                       | Num  |
| <b>MEDI_USE2_33_COF1</b>            | Duration of use - Medication 33                                      | Num  |
| <b>MEDI_START_SP_33_COF1</b>        | Use start date - Medication 33                                       | Num  |
| <b>MEDI_REASON_SP_33_COF1</b>       | Reason for use - Medication 33                                       | Char |
| <b>MEDI_FRM_34_COF1</b>             | DIN coding source - Medication 34                                    | Char |
| <b>MEDI_ID_DIN_SP2_34_COF1</b>      | Drug Identification Number or Natural product number - Medication 34 | Num  |
| <b>MEDI_ID_NAME_SP2_34_COF1</b>     | Drug or Natural product name (Original input) - Medication 34        | Char |
| <b>MEDI_ID_NAME_SP_OUT_34_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 34    | Char |
| <b>MEDI_DB_Type_34_COF1</b>         | DIN number source - Medication 34                                    | Char |
| <b>MEDI_DecisionRule_34_COF1</b>    | Decision rule used in coding - Medication 34                         | Num  |
| <b>MEDI_DecisionRule_SB_34_COF1</b> | Sub-decision rule used in coding - Medication 34                     | Num  |
| <b>MEDI_PRES_34_COF1</b>            | Prescribed - Medication 34   | Num  |
| <b>MEDI_DOSE_NB_34_COF1</b>         | Dosage quantity - Medication 34                                      | Num  |
| <b>MEDI_DOSE_UNIT_34_COF1</b>       | Dosage unit - Medication 34  | Num  |
| <b>MEDI_DOSE_FRQ_34_COF1</b>        | Dosage frequency - Medication 34                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_34_COF1</b>   | Dosage frequency, other specify - Medication 34                      | Char |
| <b>MEDI_DOSE_CMT_34_COF1</b>        | Dosage comment - Medication 34                                       | Char |
| <b>MEDI_USE2_34_COF1</b>            | Duration of use - Medication 34                                      | Num  |
| <b>MEDI_START_SP_34_COF1</b>        | Use start date - Medication 34                                       | Num  |
| <b>MEDI_REASON_SP_34_COF1</b>       | Reason for use - Medication 34                                       | Char |
| <b>MEDI_FRM_35_COF1</b>             | DIN coding source - Medication 35                                    | Char |
| <b>MEDI_ID_DIN_SP2_35_COF1</b>      | Drug Identification Number or Natural product number - Medication 35 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_35_COF1</b>     | Drug or Natural product name (Original input) - Medication 35        | Char |
| <b>MEDI_ID_NAME_SP_OUT_35_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 35    | Char |
| <b>MEDI_DB_Type_35_COF1</b>         | DIN number source - Medication 35                                    | Num  |
| <b>MEDI_DecisionRule_35_COF1</b>    | Decision rule used in coding - Medication 35                         | Num  |
| <b>MEDI_DecisionRule_SB_35_COF1</b> | Sub-decision rule used in coding - Medication 35                     | Num  |
| <b>MEDI_PRES_35_COF1</b>            | Prescribed - Medication 35   | Num  |
| <b>MEDI_DOSE_NB_35_COF1</b>         | Dosage quantity - Medication 35                                      | Num  |
| <b>MEDI_DOSE_UNIT_35_COF1</b>       | Dosage unit - Medication 35  | Num  |
| <b>MEDI_DOSE_FRQ_35_COF1</b>        | Dosage frequency - Medication 35                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_35_COF1</b>   | Dosage frequency, other specify - Medication 35                      | Num  |
| <b>MEDI_DOSE_CMT_35_COF1</b>        | Dosage comment - Medication 35                                       | Char |
| <b>MEDI_USE2_35_COF1</b>            | Duration of use - Medication 35                                      | Num  |
| <b>MEDI_START_SP_35_COF1</b>        | Use start date - Medication 35                                       | Num  |
| <b>MEDI_REASON_SP_35_COF1</b>       | Reason for use - Medication 35                                       | Char |
| <b>MEDI_FRM_36_COF1</b>             | DIN coding source - Medication 36                                    | Char |
| <b>MEDI_ID_DIN_SP2_36_COF1</b>      | Drug Identification Number or Natural product number - Medication 36 | Num  |
| <b>MEDI_ID_NAME_SP2_36_COF1</b>     | Drug or Natural product name (Original input) - Medication 36        | Char |
| <b>MEDI_ID_NAME_SP_OUT_36_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 36    | Char |
| <b>MEDI_DB_Type_36_COF1</b>         | DIN number source - Medication 36                                    | Num  |
| <b>MEDI_DecisionRule_36_COF1</b>    | Decision rule used in coding - Medication 36                         | Num  |
| <b>MEDI_DecisionRule_SB_36_COF1</b> | Sub-decision rule used in coding - Medication 36                     | Num  |
| <b>MEDI_PRES_36_COF1</b>            | Prescribed - Medication 36   | Num  |
| <b>MEDI_DOSE_NB_36_COF1</b>         | Dosage quantity - Medication 36                                      | Num  |
| <b>MEDI_DOSE_UNIT_36_COF1</b>       | Dosage unit - Medication 36  | Num  |
| <b>MEDI_DOSE_FRQ_36_COF1</b>        | Dosage frequency - Medication 36                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_36_COF1</b>   | Dosage frequency, other specify - Medication 36                      | Num  |
| <b>MEDI_DOSE_CMT_36_COF1</b>        | Dosage comment - Medication 36                                       | Char |
| <b>MEDI_USE2_36_COF1</b>            | Duration of use - Medication 36                                      | Num  |
| <b>MEDI_START_SP_36_COF1</b>        | Use start date - Medication 36                                       | Num  |
| <b>MEDI_REASON_SP_36_COF1</b>       | Reason for use - Medication 36                                       | Char |
| <b>MEDI_FRM_37_COF1</b>             | DIN coding source - Medication 37                                    | Char |
| <b>MEDI_ID_DIN_SP2_37_COF1</b>      | Drug Identification Number or Natural product number - Medication 37 | Num  |



|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_37_COF1</b>     | Drug or Natural product name (Original input) - Medication 37        | Char |
| <b>MEDI_ID_NAME_SP_OUT_37_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 37    | Char |
| <b>MEDI_DB_Type_37_COF1</b>         | DIN number source - Medication 37                                    | Char |
| <b>MEDI_DecisionRule_37_COF1</b>    | Decision rule used in coding - Medication 37                         | Num  |
| <b>MEDI_DecisionRule_SB_37_COF1</b> | Sub-decision rule used in coding - Medication 37                     | Num  |
| <b>MEDI_PRES_37_COF1</b>            | Prescribed - Medication 37   | Num  |
| <b>MEDI_DOSE_NB_37_COF1</b>         | Dosage quantity - Medication 37                                      | Num  |
| <b>MEDI_DOSE_UNIT_37_COF1</b>       | Dosage unit - Medication 37  | Num  |
| <b>MEDI_DOSE_FRQ_37_COF1</b>        | Dosage frequency - Medication 37                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_37_COF1</b>   | Dosage frequency, other specify - Medication 37                      | Num  |
| <b>MEDI_DOSE_CMT_37_COF1</b>        | Dosage comment - Medication 37                                       | Num  |
| <b>MEDI_USE2_37_COF1</b>            | Duration of use - Medication 37                                      | Num  |
| <b>MEDI_START_SP_37_COF1</b>        | Use start date - Medication 37                                       | Num  |
| <b>MEDI_REASON_SP_37_COF1</b>       | Reason for use - Medication 37                                       | Char |
| <b>MEDI_FRM_38_COF1</b>             | DIN coding source - Medication 38                                    | Char |
| <b>MEDI_ID_DIN_SP2_38_COF1</b>      | Drug Identification Number or Natural product number - Medication 38 | Num  |
| <b>MEDI_ID_NAME_SP2_38_COF1</b>     | Drug or Natural product name (Original input) - Medication 38        | Char |
| <b>MEDI_ID_NAME_SP_OUT_38_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 38    | Char |
| <b>MEDI_DB_Type_38_COF1</b>         | DIN number source - Medication 38                                    | Char |
| <b>MEDI_DecisionRule_38_COF1</b>    | Decision rule used in coding - Medication 38                         | Num  |
| <b>MEDI_DecisionRule_SB_38_COF1</b> | Sub-decision rule used in coding - Medication 38                     | Num  |
| <b>MEDI_PRES_38_COF1</b>            | Prescribed - Medication 38   | Num  |
| <b>MEDI_DOSE_NB_38_COF1</b>         | Dosage quantity - Medication 38                                      | Num  |
| <b>MEDI_DOSE_UNIT_38_COF1</b>       | Dosage unit - Medication 38  | Num  |
| <b>MEDI_DOSE_FRQ_38_COF1</b>        | Dosage frequency - Medication 38                                     | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_38_COF1</b>   | Dosage frequency, other specify - Medication 38                      | Num  |
| <b>MEDI_DOSE_CMT_38_COF1</b>        | Dosage comment - Medication 38                                       | Num  |
| <b>MEDI_USE2_38_COF1</b>            | Duration of use - Medication 38                                      | Num  |
| <b>MEDI_START_SP_38_COF1</b>        | Use start date - Medication 38                                       | Num  |
| <b>MEDI_REASON_SP_38_COF1</b>       | Reason for use - Medication 38                                       | Char |
| <b>MEDI_FRM_39_COF1</b>             | DIN coding source - Medication 39                                    | Char |
| <b>MEDI_ID_DIN_SP2_39_COF1</b>      | Drug Identification Number or Natural product number - Medication 39 | Num  |

|                                     |  |      |
|-------------------------------------|--|------|
| <b>MEDI_ID_NAME_SP2_39_COF1</b>     | Drug or Natural product name (Original input) - Medication 39                                  | Char |
| <b>MEDI_ID_NAME_SP_OUT_39_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 39                              | Char |
| <b>MEDI_DB_Type_39_COF1</b>         | DIN number source - Medication 39  | Char |
| <b>MEDI_DecisionRule_39_COF1</b>    | Decision rule used in coding - Medication 39   | Num  |
| <b>MEDI_DecisionRule_SB_39_COF1</b> | Sub-decision rule used in coding - Medication 39   | Char |
| <b>MEDI_PRES_39_COF1</b>            | Prescribed - Medication 39   | Num  |
| <b>MEDI_DOSE_NB_39_COF1</b>         | Dosage quantity - Medication 39  | Num  |
| <b>MEDI_DOSE_UNIT_39_COF1</b>       | Dosage unit - Medication 39  | Num  |
| <b>MEDI_DOSE_FRQ_39_COF1</b>        | Dosage frequency - Medication 39   | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_39_COF1</b>   | Dosage frequency, other specify - Medication 39  | Num  |
| <b>MEDI_DOSE_CMT_39_COF1</b>        | Dosage comment - Medication 39   | Char |
| <b>MEDI_USE2_39_COF1</b>            | Duration of use - Medication 39  | Num  |
| <b>MEDI_START_SP_39_COF1</b>        | Use start date - Medication 39   | Num  |
| <b>MEDI_REASON_SP_39_COF1</b>       | Reason for use - Medication 39   | Char |
| <b>MEDI_FRM_40_COF1</b>             | DIN coding source - Medication 40  | Char |
| <b>MEDI_ID_DIN_SP2_40_COF1</b>      | Drug Identification Number or Natural product number - Medication 40                           | Num  |
| <b>MEDI_ID_NAME_SP2_40_COF1</b>     | Drug or Natural product name (Original input) - Medication 40                                  | Char |
| <b>MEDI_ID_NAME_SP_OUT_40_COF1</b>  | Drug or natural product name from I, AC, AD, or C - Medication 40                              | Char |
| <b>MEDI_DB_Type_40_COF1</b>         | DIN number source - Medication 40  | Char |
| <b>MEDI_DecisionRule_40_COF1</b>    | Decision rule used in coding - Medication 40   | Num  |
| <b>MEDI_DecisionRule_SB_40_COF1</b> | Sub-decision rule used in coding - Medication 40   | Num  |
| <b>MEDI_PRES_40_COF1</b>            | Prescribed - Medication 40   | Num  |
| <b>MEDI_DOSE_NB_40_COF1</b>         | Dosage quantity - Medication 40  | Num  |
| <b>MEDI_DOSE_UNIT_40_COF1</b>       | Dosage unit - Medication 40  | Num  |
| <b>MEDI_DOSE_FRQ_40_COF1</b>        | Dosage frequency - Medication 40   | Num  |
| <b>MEDI_DOSE_FRQ_OTSP_40_COF1</b>   | Dosage frequency, other specify - Medication 40  | Num  |
| <b>MEDI_DOSE_CMT_40_COF1</b>        | Dosage comment - Medication 40   | Num  |
| <b>MEDI_USE2_40_COF1</b>            | Duration of use - Medication 40  | Num  |
| <b>MEDI_START_SP_40_COF1</b>        | Use start date - Medication 40   | Num  |
| <b>MEDI_REASON_SP_40_COF1</b>       | Reason for use - Medication 40   | Char |
| <b>MEDI_ID_ATC_1_COF1</b>           | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 1 | Char |



|                            |  |      |
|----------------------------|--|------|
| <b>MEDI_ID_ATC_2_COF1</b>  | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication 2     | Char |
| <b>MEDI_ID_ATC_3_COF1</b>  | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication 3     | Char |
| <b>MEDI_ID_ATC_4_COF1</b>  | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication 4     | Char |
| <b>MEDI_ID_ATC_5_COF1</b>  | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication 5     | Char |
| <b>MEDI_ID_ATC_6_COF1</b>  | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication 6     | Char |
| <b>MEDI_ID_ATC_7_COF1</b>  | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication 7     | Char |
| <b>MEDI_ID_ATC_8_COF1</b>  | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication 8     | Char |
| <b>MEDI_ID_ATC_9_COF1</b>  | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication 9     | Char |
| <b>MEDI_ID_ATC_10_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>10 | Char |
| <b>MEDI_ID_ATC_11_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>11 | Char |
| <b>MEDI_ID_ATC_12_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>12 | Char |
| <b>MEDI_ID_ATC_13_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>13 | Char |
| <b>MEDI_ID_ATC_14_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>14 | Char |
| <b>MEDI_ID_ATC_15_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>15 | Char |

|                            |  |      |
|----------------------------|--|------|
| <b>MEDI_ID_ATC_16_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>16 | Char |
| <b>MEDI_ID_ATC_17_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>17 | Char |
| <b>MEDI_ID_ATC_18_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>18 | Char |
| <b>MEDI_ID_ATC_19_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>19 | Char |
| <b>MEDI_ID_ATC_20_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>20 | Char |
| <b>MEDI_ID_ATC_21_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>21 | Char |
| <b>MEDI_ID_ATC_22_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>22 | Char |
| <b>MEDI_ID_ATC_23_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>23 | Char |
| <b>MEDI_ID_ATC_24_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>24 | Char |
| <b>MEDI_ID_ATC_25_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>25 | Char |
| <b>MEDI_ID_ATC_26_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>26 | Char |
| <b>MEDI_ID_ATC_27_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>27 | Char |

|                            |  |      |
|----------------------------|--|------|
| <b>MEDI_ID_ATC_28_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>28 | Char |
| <b>MEDI_ID_ATC_29_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>29 | Char |
| <b>MEDI_ID_ATC_30_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>30 | Char |
| <b>MEDI_ID_ATC_31_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>31 | Char |
| <b>MEDI_ID_ATC_32_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>32 | Char |
| <b>MEDI_ID_ATC_33_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>33 | Char |
| <b>MEDI_ID_ATC_34_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>34 | Char |
| <b>MEDI_ID_ATC_35_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>35 | Char |
| <b>MEDI_ID_ATC_36_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>36 | Char |
| <b>MEDI_ID_ATC_37_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>37 | Char |
| <b>MEDI_ID_ATC_38_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>38 | Char |
| <b>MEDI_ID_ATC_39_COF1</b> | World Health Organization<br>Anatomical Therapeutic Chemical<br>Classification System - Medication<br>39 | Num  |

|                                       |   |      |
|---------------------------------------|---|------|
| <b>MEDI_ID_ATC_40_COF1</b>            | World Health Organization Anatomical Therapeutic Chemical Classification System - Medication 40 | Num  |
| <b>WGHTS_INFLATION_COF1</b>           | Cross-sectional inflation sample weights  | Num  |
| <b>WGHTS_ANALYTIC_COF1</b>            | Cross-sectional analytic weights  | Num  |
| <b>WGHTS_GEOSTRATA_COF1</b>           | Sampling strata   | Char |
| <b>FAS_TOTAL_SCORE_COF1</b>           | FAS total score   | Num  |
| <b>PMT_EVENT_SCORE_COF1</b>           | Event based prospective memory test derived score   | Num  |
| <b>TMT_TIME_SCORE_COF1</b>            | Time based prospective memory test derived score  | Num  |
| <b>STP_INTFR_RATIO_COF1</b>           | Stroop Interference Ratio   | Num  |
| <b>STP_INTFR_RATIO_EXFLAG_COF1</b>    | Flag for extreme Stroop Interference Ratio  | Num  |
| <b>COG_REYI_NORMED_ZSCORE_COF1</b>    | REYI z-score  | Num  |
| <b>COG_REYI_NORMED_ORIGSCLE_COF1</b>  | REYI normed score - original test scale   | Num  |
| <b>COG_REYII_NORMED_ZSCORE_COF1</b>   | REYII z-score   | Num  |
| <b>COG_REYII_NORMED_ORIGSCLE_COF1</b> | REYII normed score - original test scale  | Num  |
| <b>COG_AF1_NORMED_ZSCORE_COF1</b>     | AF1 z-score   | Num  |
| <b>COG_AF1_NORMED_ORIGSCLE_COF1</b>   | AF1 normed score - original test scale  | Num  |
| <b>COG_AF2_NORMED_ZSCORE_COF1</b>     | AF2 z-score   | Num  |
| <b>COG_AF2_NORMED_ORIGSCLE_COF1</b>   | AF2 normed score - original test scale  | Num  |
| <b>COG_MAT_NORMED_ZSCORE_COF1</b>     | MAT z-score   | Num  |
| <b>COG_MAT_NORMED_ORIGSCLE_COF1</b>   | MAT normed score - original test scale  | Num  |
| <b>STP_RATIO_NORMED_ZSCORE_COF1</b>   | Stroop interference ratio z-score   | Num  |
| <b>STP_RATIO_NORMED_ORIGSCLE_COF1</b> | Stroop interference ratio normed score - original test scale                                    | Num  |
| <b>FAS_TOTAL_NORMED_ZSCORE_COF1</b>   | FAS z-score   | Num  |
| <b>FAS_TOTAL_NORMED_ORIGSCLE_COF1</b> | FAS normed score - original test scale  | Num  |
| <b>COG_REYI_NORMED_SM10SD3_COF1</b>   | REYI scaled score   | Num  |

|                                       |  |     |
|---------------------------------------|--|-----|
| <b>COG_REYII_NORMED_SM10SD3_COF1</b>  | REYII scaled score   | Num |
| <b>COG_AF1_NORMED_SM10SD3_COF1</b>    | AFT1 scaled score  | Num |
| <b>COG_AF2_NORMED_SM10SD3_COF1</b>    | AFT2 scaled score  | Num |
| <b>COG_MAT_NORMED_SM10SD3_COF1</b>    | MAT scaled score   | Num |
| <b>STP_RATIO_NORMED_SM10SD3_COF1</b>  | Stroop interference ratio scaled score                                 | Num |
| <b>FAS_TOTAL_NORMED_SM10SD3_COF1</b>  | FAS scaled score   | Num |
| <b>COG_CONSTR_MEM_COF1</b>            | Memory latent construct score  | Num |
| <b>COG_CONSTR_EF2_COF1</b>            | Executive Functioning Latent Construct for 4-COG-test battery          | Num |
| <b>COG_CONSTR_OVERALLCOG4_COF1</b>    | Overall Cognition Latent Construct for 4-COG test battery              | Num |
| <b>COG_CONSTR_EF4_COF1</b>            | Executive Functioning Latent Construct for 6-COG-test battery          | Num |
| <b>COG_CONSTR_OVERALLCOG6_COF1</b>    | Overall Cognition Latent Construct for 6-COG test battery              | Num |
| <b>COG_REYI_IMP_COF1</b>              | REYI Cognitive Impairment  | Num |
| <b>COG_REYII_IMP_COF1</b>             | REYII Cognitive Impairment   | Num |
| <b>COG_AF1_IMP_COF1</b>               | AF1 Cognitive Impairment   | Num |
| <b>COG_AF2_IMP_COF1</b>               | AF2 Cognitive Impairment   | Num |
| <b>COG_MAT_IMP_COF1</b>               | MAT Cognitive Impairment   | Num |
| <b>STP_RATIO_IMP_COF1</b>             | Stroop Interference Ratio Cognitive Impairment                         | Num |
| <b>FAS_TOTAL_IMP_COF1</b>             | FAS Total Score Cognitive Impairment                                   | Num |
| <b>PMT_EVENT_IMP_COF1</b>             | Event based prospective memory test derived score cognitive impairment | Num |
| <b>TMT_TIME_IMP_COF1</b>              | Time based prospective memory test cognitive impairment                | Num |
| <b>COG_OVERALL4_IMP_COF1</b>          | Overall Cognitive Impairment on 4-Cognitive Test Battery               | Num |
| <b>COG_OVERALL6_IMP_BELW2_COF1</b>    | Overall Cognitive Impairment on 6-Cognitive Test Battery at 2.0%       | Num |
| <b>COG_OVERALL6_IMP_BELW5PT8_COF1</b> | Overall Cognitive Impairment on 6-Cognitive Test Battery at 5.8%       | Num |
| <b>COG_MEM_IMP_COF1</b>               | Memory (MEM) Latent Construct Impairment                               | Num |
| <b>COG_4EF_IMP_COF1</b>               | Executive Function (4EF) Latent Construct Impairment (6-test Battery)  | Num |

|   |  |     |
|---|--|-----|
| <b>COG_2EF_IMP_COF1</b>                 | Executive Function (2EF) Latent Construct Impairment (4-test battery)                                    | Num |
| <b>delta_T_months</b>                   | Time Interval in months between baseline and follow-up testing   | Num |
| <b>COG_REYI_CHNG_ZSCORE_COF1</b>        | Relaible Change in REYI z-score  | Num |
| <b>COG_REYII_CHNG_ZSCORE_COF1</b>       | Relaible Change in REYII z-score   | Num |
| <b>COG_AF1_CHNG_ZSCORE_COF1</b>         | Relaible Change in AF1 z-score   | Num |
| <b>COG_AF2_CHNG_ZSCORE_COF1</b>         | Relaible Change in AF2 z-score   | Num |
| <b>COG_MAT_CHNG_ZSCORE_COF1</b>         | Relaible Change in MAT z-score   | Num |
| <b>STP_RATIO_CHNG_ZSCORE_COF1</b>       | Relaible Change in STP Ratio z-score   | Num |
| <b>FAS_TOTAL_CHNG_ZSCORE_COF1</b>       | Relaible Change in FAS Total z-score   | Num |
| <b>COG_CONSTR_MEM_CHNG_COF1</b>         | Relaible Change in Memory latent construct score   | Num |
| <b>COG_CONSTR_EF2_CHNG_COF1</b>         | Relaible Change in Executive Function latent construct score, based on AF2 and MAT only                  | Num |
| <b>COG_CONSTR_OVERALLCOG4_CHNG_COF1</b> | Relaible Change in Overall Cognition latent construct score, based on 4-COG test battery                 | Num |
| <b>COG_CONSTR_EF4_CHNG_COF1</b>         | Relaible Change in Executive Function latent construct score, based on AF2, MAT, STP Ratio and FAS Total | Num |
| <b>COG_CONSTR_OVERALLCOG6_CHNG_COF1</b> | Relaible Change in Overall Cognition latent construct score, based on 6-COG test battery                 | Num |
| <b>COG_REYI_RCI_COF1</b>                | Relaible Change Indicator in REYI z-score  | Num |
| <b>COG_REYII_RCI_COF1</b>               | Relaible Change Indicator in REYI z-score  | Num |
| <b>COG_AF1_RCI_COF1</b>                 | Relaible Change Indicator in AF1 z-score   | Num |
| <b>COG_AF2_RCI_COF1</b>                 | Relaible Change Indicator in AF2 z-score   | Num |
| <b>COG_MAT_RCI_COF1</b>                 | Relaible Change Indicator in MAT z-score   | Num |
| <b>STP_RATIO_RCI_COF1</b>               | Relaible Change Indicator in STP Ratio z-score   | Num |
| <b>FAS_TOTAL_RCI_COF1</b>               | Relaible Change Indicator in FAS Total z-score   | Num |

|   |  |     |
|---|--|-----|
| <b>COG_CONSTR_MEM_RCI_COF1</b>          | Relaible Change Indicator in Memory latent construct score   | Num |
| <b>COG_CONSTR_EF2_RCI_COF1</b>          | Relaible Change Indicator in Executive Function latent construct score, based on AF2 and MAT only                  | Num |
| <b>COG_CONSTR_OVERALLCOG4_RCI_COF1</b>  | Relaible Change Indicator in REYI Overall Cognition latent construct score, based on 4_COG test battery            | Num |
| <b>COG_CONSTR_EF4_RCI_COF1</b>          | Relaible Change Indicator in Executive Function latent construct score, based on AF2, MAT, STP Ratio and FAS Total | Num |
| <b>COG_CONSTR_OVERALLCOG6_RCI_COF1</b>  | Relaible Change Indicator in REYI Overall Cognition latent construct score, based on 6_COG test battery            | Num |
| <b>COG_REYI_NORMED_ZSCORE_COF1_R</b>    | REYI z-score   | Num |
| <b>COG_REYI_NORMED_ORIGSCLE_COF1_R</b>  | REYI normed score - original test scale  | Num |
| <b>COG_REYII_NORMED_ZSCORE_COF1_R</b>   | REYII z-score  | Num |
| <b>COG_REYII_NORMED_ORIGSCLE_COF1_R</b> | REYII normed score - original test scale   | Num |
| <b>COG_AF1_NORMED_ZSCORE_COF1_R</b>     | AF1 z-score  | Num |
| <b>COG_AF1_NORMED_ORIGSCLE_COF1_R</b>   | AF1 normed score - original test scale   | Num |
| <b>COG_AF2_NORMED_ZSCORE_COF1_R</b>     | AF2 z-score  | Num |
| <b>COG_AF2_NORMED_ORIGSCLE_COF1_R</b>   | AF2 normed score - original test scale   | Num |
| <b>COG_MAT_NORMED_ZSCORE_COF1_R</b>     | MAT z-score  | Num |
| <b>COG_MAT_NORMED_ORIGSCLE_COF1_R</b>   | MAT normed score - original test scale   | Num |
| <b>STP_RATIO_NORMED_ZSCORE_COF1_R</b>   | RATIO z-score  | Num |
| <b>STP_RATIO_NORMED_ORIGSCLE_COF1_R</b> | RATIO normed score - original test scale   | Num |
| <b>FAS_TOTAL_NORMED_ZSCORE_COF1_R</b>   | TOTAL z-score  | Num |
| <b>FAS_TOTAL_NORMED_ORIGSCLE_COF1_R</b> | TOTAL normed score - original test scale   | Num |
| <b>COG_REYI_NORMED_SM10SD3_COF1_R</b>   | REYI scaled score  | Num |



|   |   |     |
|---|---|-----|
| <b>COG_REYII_NORMED_SM10SD3_COF1_R</b>  | REYII scaled score  | Num |
| <b>COG_AF1_NORMED_SM10SD3_COF1_R</b>    | AFT1 scaled score   | Num |
| <b>COG_AF2_NORMED_SM10SD3_COF1_R</b>    | AFT2 scaled score   | Num |
| <b>COG_MAT_NORMED_SM10SD3_COF1_R</b>    | MAT scaled score  | Num |
| <b>STP_RATIO_NORMED_SM10SD3_COF1_R</b>  | FAS RATIO scaled score  | Num |
| <b>FAS_TOTAL_NORMED_SM10SD3_COF1_R</b>  | STP TOTAL scaled score  | Num |
| <b>COG_CONSTR_MEM_COF1_R</b>            | Memory latent construct score                                   | Num |
| <b>COG_CONSTR_EF2_COF1_R</b>            | Executive Function latent construct score                       | Num |
| <b>COG_CONSTR_OVERALLCOG4_COF1_R</b>    | Overall Cognition latent construct score                        | Num |
| <b>COG_CONSTR_EF4_COF1_R</b>            | Executive Function latent construct score                       | Num |
| <b>COG_CONSTR_OVERALLCOG6_COF1_R</b>    | Overall Cognition latent construct score                        | Num |
| <b>COG_REYI_IMP_COF1_R</b>              | REYI Cognitive Impairment                                       | Num |
| <b>COG_REYII_IMP_COF1_R</b>             | REYII Cognitive Impairment                                      | Num |
| <b>COG_AF1_IMP_COF1_R</b>               | AF1 Cognitive Impairment  | Num |
| <b>COG_AF2_IMP_COF1_R</b>               | AF2 Cognitive Impairment  | Num |
| <b>COG_MAT_IMP_COF1_R</b>               | MAT Cognitive Impairment  | Num |
| <b>STP_RATIO_IMP_COF1_R</b>             | STA RATIO Cognitive Impairment                                  | Num |
| <b>FAS_TOTAL_IMP_COF1_R</b>             | FAS TOTAL Cognitive Impairment                                  | Num |
| <b>PMT_EVENT_IMP_COF1_R</b>             | PMT EVENT Cognitive Impairment                                  | Num |
| <b>TMT_TIME_IMP_COF1_R</b>              | TMT TIME Cognitive Impairment                                   | Num |
| <b>COG_OVERALL4_IMP_COF1_R</b>          | Overall Cognitive Impairment on Battery of Four Cognitive Tests | Num |
| <b>COG_NMBR_IMP_6TESTS_COF1_R</b>       | Cognitive Impairment score on Battery of Six Cognitive Tests    | Num |
| <b>COG_OVERALL6_IMP_BELW2_COF1_R</b>    | Oveall Cognitive Impairment on Battery of Six Cognitive Tests   | Num |
| <b>COG_OVERALL6_IMP_BELW5PT8_COF1_R</b> | Oveall Cognitive Impairment on Battery of Six Cognitive Tests   | Num |
| <b>COG_MEM_IMP_COF1_R</b>               | Cognitive Impairment based on on REY I and REY II Tests         | Num |
| <b>COG_4EF_IMP_COF1_R</b>               | Cognitive Impairment based on on AF2, MAT, FAS and STP Tests    | Num |
| <b>COG_2EF_IMP_COF1_R</b>               | Cognitive Impairment based on on AF2 and MAT Tests              | Num |
| <b>COG_IMP_BLandFU1_R</b>               | Cross-sectional Cognitive Impairment Indicator                  | Num |

|                             |  |     |
|-----------------------------|--|-----|
| <b>COG_BATTERY_RCI_COF1</b> | Battery-level RCI variable                                   | Num |
| <b>COG_DELTA_CII_COF1</b>   | Change in overall cognitive performance over time: Delta CII | Num |
| <b>DIA_AGE_NB_COF1</b>      | Age told had diabetes  | Num |
| <b>MEDI_START_1_COF1</b>    | Medication start date provided - medi 1                      | Num |
| <b>MEDI_START_10_COF1</b>   | Medication start date provided - medi 10                     | Num |
| <b>MEDI_START_11_COF1</b>   | Medication start date provided - medi 11                     | Num |
| <b>MEDI_START_12_COF1</b>   | Medication start date provided - medi 12                     | Num |
| <b>MEDI_START_13_COF1</b>   | Medication start date provided - medi 13                     | Num |
| <b>MEDI_START_14_COF1</b>   | Medication start date provided - medi 14                     | Num |
| <b>MEDI_START_15_COF1</b>   | Medication start date provided - medi 15                     | Num |
| <b>MEDI_START_16_COF1</b>   | Medication start date provided - medi 16                     | Num |
| <b>MEDI_START_17_COF1</b>   | Medication start date provided - medi 17                     | Num |
| <b>MEDI_START_18_COF1</b>   | Medication start date provided - medi 18                     | Num |
| <b>MEDI_START_19_COF1</b>   | Medication start date provided - medi 19                     | Num |
| <b>MEDI_START_2_COF1</b>    | Medication start date provided - medi 2                      | Num |
| <b>MEDI_START_20_COF1</b>   | Medication start date provided - medi 20                     | Num |
| <b>MEDI_START_21_COF1</b>   | Medication start date provided - medi 21                     | Num |
| <b>MEDI_START_22_COF1</b>   | Medication start date provided - medi 22                     | Num |
| <b>MEDI_START_23_COF1</b>   | Medication start date provided - medi 23                     | Num |
| <b>MEDI_START_24_COF1</b>   | Medication start date provided - medi 24                     | Num |
| <b>MEDI_START_25_COF1</b>   | Medication start date provided - medi 25                     | Num |
| <b>MEDI_START_26_COF1</b>   | Medication start date provided - medi 26                     | Num |
| <b>MEDI_START_27_COF1</b>   | Medication start date provided - medi 27                     | Num |
| <b>MEDI_START_28_COF1</b>   | Medication start date provided - medi 28                     | Num |
| <b>MEDI_START_29_COF1</b>   | Medication start date provided - medi 29                     | Num |

|                           |   |     |
|---------------------------|---|-----|
| <b>MEDI_START_3_COF1</b>  | Medication start date provided -<br>medi 3  | Num |
| <b>MEDI_START_30_COF1</b> | Medication start date provided -<br>medi 30 | Num |
| <b>MEDI_START_31_COF1</b> | Medication start date provided -<br>medi 31 | Num |
| <b>MEDI_START_32_COF1</b> | Medication start date provided -<br>medi 32 | Num |
| <b>MEDI_START_33_COF1</b> | Medication start date provided -<br>medi 33 | Num |
| <b>MEDI_START_34_COF1</b> | Medication start date provided -<br>medi 34 | Num |
| <b>MEDI_START_35_COF1</b> | Medication start date provided -<br>medi 35 | Num |
| <b>MEDI_START_36_COF1</b> | Medication start date provided -<br>medi 36 | Num |
| <b>MEDI_START_37_COF1</b> | Medication start date provided -<br>medi 37 | Num |
| <b>MEDI_START_38_COF1</b> | Medication start date provided -<br>medi 38 | Num |
| <b>MEDI_START_39_COF1</b> | Medication start date provided -<br>medi 39 | Num |
| <b>MEDI_START_4_COF1</b>  | Medication start date provided -<br>medi 4  | Num |
| <b>MEDI_START_40_COF1</b> | Medication start date provided -<br>medi 40 | Num |
| <b>MEDI_START_5_COF1</b>  | Medication start date provided -<br>medi 5  | Num |
| <b>MEDI_START_6_COF1</b>  | Medication start date provided -<br>medi 6  | Num |
| <b>MEDI_START_7_COF1</b>  | Medication start date provided -<br>medi 7  | Num |
| <b>MEDI_START_8_COF1</b>  | Medication start date provided -<br>medi 8  | Num |
| <b>MEDI_START_9_COF1</b>  | Medication start date provided -<br>medi 9  | Num |

**comp\_cohort\_vitalstatus\_23**

| <b>Variable Name</b> | <b>Label</b>              | <b>Type</b> |
|----------------------|---------------------------|-------------|
| <b>scram_id</b>      | scrambled ID              | Num         |
| <b>cohort</b>        | Cohort                    | Num         |
| <b>clsa_fup1</b>     | Interview status FUP1     | Num         |
| <b>clsa_fup2</b>     | Interview status FUP2     | Num         |
| <b>death</b>         | Death                     | Num         |
| <b>source_death</b>  | Source of death reporting | Num         |

|                               |   |      |
|-------------------------------|---|------|
| <b>date_deathStatus</b>       | Date of death availability                    | Char |
| <b>withdrawn</b>              | Withdrawal                                    | Num  |
| <b>clsa_last_seen</b>         | Last CLSA interview                           | Num  |
| <b>clsa_last_known</b>        | Status at the last follow-up assessment       | Num  |
| <b>clsa_status_last_known</b> | Vital status at the last follow-up assessment | Num  |
| <b>clsa_status_dateStatus</b> | Last follow-up assessment date availability   | Num  |
| <b>clsa_baseline_date</b>     | Date of interview at baseline                 | Num  |
| <b>clsa_fup1_date</b>         | Date of interview at FUP1                     | Num  |
| <b>clsa_fup2_date</b>         | Date of interview at FUP2                     | Num  |
| <b>date_death</b>             | Date of death                                 | Num  |
| <b>date_withdrawn</b>         | Date of withdrawal                            | Num  |
| <b>clsa_status_date</b>       | date of the last follow-up assessment         | Num  |

### tracking\_cohort\_vitalstatus\_23

| <b>Variable Name</b>          | <b>Label</b>                                  | <b>Type</b> |
|-------------------------------|---|-------------|
| <b>scram_id</b>               | scrambled ID                                  | Num         |
| <b>cohort</b>                 | Cohort  | Num         |
| <b>clsa_fup1</b>              | Interview status FUP1                         | Num         |
| <b>clsa_fup2</b>              | Interview status FUP2                         | Num         |
| <b>death</b>                  | Death   | Num         |
| <b>source_death</b>           | Source of death reporting                     | Num         |
| <b>date_deathStatus</b>       | Date of death availability                    | Char        |
| <b>withdrawn</b>              | Withdrawal                                    | Num         |
| <b>clsa_last_seen</b>         | Last CLSA interview                           | Num         |
| <b>clsa_last_known</b>        | Status at the last follow-up assessment       | Num         |
| <b>clsa_status_last_known</b> | Vital status at the last follow-up assessment | Num         |
| <b>clsa_status_dateStatus</b> | Last follow-up assessment date availability   | Num         |
| <b>clsa_baseline_date</b>     | Date of interview at baseline                 | Num         |
| <b>clsa_fup1_date</b>         | Date of interview at FUP1                     | Num         |
| <b>clsa_fup2_date</b>         | Date of interview at FUP2                     | Num         |
| <b>date_death</b>             | Date of death                                 | Num         |
| <b>date_withdrawn</b>         | Date of withdrawal                            | Num         |
| <b>clsa_status_date</b>       | date of the last follow-up assessment         | Num         |

### Document History

| <b>Version</b> | <b>Author</b> | <b>Nature of Change</b> | <b>Date</b>  |
|----------------|---------------|-------------------------|--------------|
| 1.0            | Meaghan Pike  | Creation of document    | 2024 – 01-19 |

